


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	0	1	0	1 m 23.493 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Check inventory stock confirmation	21	7	1	13	1 m 23.487 s

DETAILED SECTION -- 4 --

(F)- Check the Functionality of Inventory

FAILED	DURATION - 1 m 23.493 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 11:10:09.95	8 AM // 11:11:33.451 AM /	Pass - 0	1	Pass - 7	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	

(S)- Check inventory stock confirmation



#	# Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	34.296 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.078 s
	screenshot		
2	Then Inventory Second direction icon	PASSED	0.413 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.358 s
	screenshot		

3 And Inventory Management Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then Click on Stock issue eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then Click on Stock issue eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.819 s 0.328 s 4 Then Click on First record eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then Click on First record eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.163 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.526 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Click on Stock issue eye icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click on First record eye icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Click on First record eye icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And Click on First record eye icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 4 DASSED 0.208 s		10		
screenshot 4 Then Click on Stock issue eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click on First record eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click on First record eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.526 s	3	And Inventory Management Module	PASSED	1.212 s
4 Then Click on Stock issue eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click on First record eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.328 s 6 And Click on First record eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 1 PASSED 0.526 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
4 Then Click on Stock issue eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click on First record eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.819 s 0.328 s 0.328 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click on First record eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.328 s 0.328 s		*** *** *** *** *** *** *** *** *** *		
Screenshot 5 And Click on First record eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.163 s PASSED 0.526 s	4	Then Click on Stock issue eye icon	PASSED	0.819 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot		Screenshot	PASSED	0.328 s
Screenshot	5	And Click on First record eye icon	PASSED	0.163 s
		Screenshot Continued Cont	PASSED	0.526 s
6 Then Get the New Request Referance No PASSED 0.623 s	6	Then Get the New Request Referance No	PASSED	0.623 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.124 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	## OF TAXABLE WAS DEFINED ON TAXABLE WAS D		
7	Then Click on Inventory stock confirmation eye icon	PASSED	0.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
	# OF CONTRACTOR 10 10 10 10 10 10 10 1		
8	And Sub module Inventory stock confirmation click Add icon	FAILED	0.555 s
	java.lang.NullPointerException: Cannot invoke "java.util.List.stream()" because "this.StockReturnBranchList" is null at dataProvider.JsonConfig.getStockReturnBranchByName(JsonConfig.java:501) at stepdefinitions.INVENTORY_StockConfirm.sinit?(INVENTORY_StockConfirm.java:41) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.Abstractlnjector.newInstance(Abstractlnjector.java:445) at org.picocontainer.injectors.ConstructorInjectorS.Lrun(ConstructorInjector.java:342) at org.picocontainer.injectors.ConstructorInjectorS.trun(ConstructorInjector.java:342) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.Abstractlnjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.piava.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.core.runner.PickleStepDefinition.execute(CoreStepDefinition.java:63) at io.cucumber.core.runner.PickleStepDefinition.execute(CoreStepDefinition.java:63) at io.cucumber.core.runner.TestStep.executeStep(Fes		

#	Step / Hook Details	Status	Duration
\top	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
+	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	## CE TABLE MARKET MARKET		
9	Then Enter the Request Referance Number	SKIPPED	0.000 s
10	And Enter Item code Number	SKIPPED	0.001 s
11	Then Accept the status in checkbox	SKIPPED	0.000 s
12	And click the save icon for StockConfirm	SKIPPED	0.000 s
13	And goto maker Notification icon	SKIPPED	0.000 s
14	Then Click Submit button to Inventory Record	SKIPPED	0.000 s
15	And Give Remark and submit to reviewer	SKIPPED	0.000 s
16	Then Open Reviewer account	SKIPPED	0.000 s
17	And Click on notification	SKIPPED	0.000 s
18	Then Approve the record which we submitted from maker stage	SKIPPED	0.000 s
19	Then Go to Checker account	SKIPPED	0.000 s
20	And Clam the record	SKIPPED	0.000 s
21	Then Click on notification and approve the record	SKIPPED	0.000 s


EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

