

Cucumber Report

21-Mar-2022, 6:13:22 pm

Start : Mar 21, 6:13:00.515 pm

End : Mar 21, 6:13:21.231 pm

Duration : 20.716 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 19







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of the GL2 Module</u>	1	0	1	0	20.716 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of the GL2 Module</u>	<u>Create a category for the accounting type based on the base accounting book for Expenditure</u>	28	8	1	19	20.707 s





(F)- Check the Functionality of the GL2 Module




FAILED	DURATION - 20.716 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 28 Pass - 8 Fail - 1 Skip - 19	
/ 6:13:00.515 pm // 6:13:21.231 pm /					


(S)- Create a category for the accounting type based on the base accounting book for Expenditure

FAILED	DURATION - 20.707 s		Steps Total - 28 Pass - 8 Fail - 1 Skip - 19	
/ 6:13:00.524 pm // 6:13:21.231 pm /				
Check the Functionality of the GL2 Module				
@KUBS_GL_UAT_003_004				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	11.889 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot 		
2	And Click on Accounting Setup module	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click sub module Accounting Category	PASSED	0.400 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
			
4	And Click on Add icon	PASSED	0.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
			
5	And enter the category code as Expenditure	PASSED	0.222 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
			
6	And select the accounting book for Expenditure	PASSED	0.350 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And enter the accounting category for Expenditure	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
			
8	And select GI code generation	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
			
9	And Save the Record	FAILED	1.163 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d1c00b4eea168b161513f3d348ae0065, clickElement {id=934adc18-4306-478d-898c-7110b89f9ed4}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:62940}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62940/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d1c00b4eea168b161513f3d348ae0065)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: d1c00b4eea168b161513f3d348ae0065</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.GL2_Accounting_Book_Definition.save_the_record(GL2_Accounting_Book_Definition.java:136) at ?.Save the Record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ GL2_Accounting_Setup.feature:148) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.133 s
10	Then Goto The Notification Icon	SKIPPED	0.000 s
11	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
12	Then Click submit button and Enter Remark submit it	SKIPPED	0.001 s
13	Given Navigate as a Reviewer	SKIPPED	0.000 s
14	Then click on Notify icon	SKIPPED	0.000 s
15	And Click First record Action icon	SKIPPED	0.000 s
16	Then Approve the record in Reviewer	SKIPPED	0.000 s
17	And Give Remark and Submit	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
18	Given Navigate as a Checker	SKIPPED	0.000 s
19	Then Click module security management	SKIPPED	0.000 s
20	And Claim the Record in Checker	SKIPPED	0.001 s
21	Then Goto the Checker notification Icon	SKIPPED	0.000 s
22	And Click the First Action Icon	SKIPPED	0.001 s
23	Then Approve the Record in checker stage	SKIPPED	0.000 s
24	And Give the Remark and Submit it	SKIPPED	0.001 s
25	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
26	And Click on Accounting Setup module	SKIPPED	0.000 s
27	Then click sub module Accounting Category	SKIPPED	0.000 s
28	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Expenditure


(F) Check the Functionality of the GL2
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Expenditure

(F) Check the Functionality of the GL2
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Expenditure

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta)

31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category Configuration

Actions	Legal Entity Name	Category Code	Accounting Category	Accounting Book	Template Type	Txn Date	Status
	Azentio Software	LIABILITY2	LIABILITY2	Testing02	CUSTOM_TEMPLATE	21-Mar-2022	Active
	Azentio Software	ASSET12	ASSET12	Testing011111	CUSTOM_TEMPLATE	21-Mar-2022	Active
	Azentio Software	ACCBOOK013D2	accbook-013d2	test-d2	Base Template	21-Mar-2022	Active
	Azentio Software	1111	Asset11	Base_GAPP2	Base Template	21-Mar-2022	Active
	Azentio Software	ASSET2	Asset1	Base_GAPP2	Base Template	21-Mar-2022	Active
	Azentio Software	ACCBOOK03	AccBook03	Account_Base	Base Template	17-Mar-2022	Active
	Azentio Software	ASSET	Assets	Base_GAPP2	Base Template	06-Dec-2021	In-Active
	Azentio Software	NONOEXP	Non-Operating Income / IFRS_01		CUSTOM_TEMPLATE	29-Oct-2021	In-Active

14 total

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Expenditure

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta)

31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

* Category Code

* Accounting Book

* Effective Date

21-03-2022

Accounting Category *

GI Code Generation

New Sequence Flag

GI Prefix

GI Suffix

Separator

Starting Sequence Number

Current Sequence Number

Remarks

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Expenditure

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

* Category Code EXPENDITURE * Accounting Book * Effective Date 21-03-2022

Accounting Category * GI Code Generation New Sequence Flag ☐

GI Prefix GI Suffix Separator

Starting Sequence Number Current Sequence Number Remarks

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Expenditure

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

* Category Code EXPENDITURE * Accounting Book Testing_05 * Effective Date 21-03-2022

Accounting Category * GI Code Generation New Sequence Flag ☐

GI Prefix GI Suffix Separator

Starting Sequence Number Current Sequence Number Remarks

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Expenditure

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

* Category Code
EXPENDITURE

* Accounting Book

* Effective Date
21-03-2022

Accounting Category *
Expenditure

GI Code Generation

New Sequence Flag

GI Prefix

GI Suffix

Separator

Starting Sequence Number

Current Sequence Number

Remarks

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Expenditure

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

* Category Code
EXPENDITURE

* Accounting Book

* Effective Date
21-03-2022

Accounting Category *
Expenditure

GI Code Generation

New Sequence Flag

GI Prefix

GI Suffix

Separator

Starting Sequence Number 120000000

Current Sequence Number 120000000

Remarks

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a category for the accounting
type based on the base accounting book
for Expenditure

(F) Check the Functionality of the GL2
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

* Category Code
EXPENDITURE

* Accounting Book

* Effective Date
21-03-2022

Accounting Category *
Expenditure

GI Code Generation
Auto

New Sequence Flag ☐

GI Prefix

GI Suffix

Separator

Starting Sequence Number 120000000

Current Sequence Number 120000000

Remarks

22 Appro... 11 Messa...

Home Preference