

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	1	1	0	0	1 m 34.922 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	user create login in to Budget and	Check if supplimentary budget rejected from HO, the	16	16	0	0	1 m 34.912 s
	planning UAT files	requested amount can not be used					

(F)- user create login in to Budget and planning UAT files

PASSED	DURATION - 1 m 34.922 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 1:14:52.510 PM	1 // 1:16:27.432 PM /	Pass - 1	1	Pass - 16	16
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check if supplimentary budget rejected from HO, the requested amount can not be used

PASSED DURATION - 1 m 34.912 s																;	Steps			
/ 1:14:52.520 PM // 1:16:27.432 PM /	40	╢	-			+											Total - 16			
user create login in to Budget and planning UAT files	20		-														Pass - 16 Fail - 0		16	
	0		١.	_		_		_	_	<u> </u>	<u> </u>	<u>.</u>	<u> </u>	<u> </u>			Skip - 0	\ \ \		
@KUBS_BP_UAT_005_006_1			1	2 3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given navigate to given url and login with maker credentials	PASSED	55.520 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.967 s
	screenshot		
	The state of the s		
2	And maker should navigate to the budget module UAT	PASSED	2.427 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		
	AND THE REPORT OF THE PROPERTY		

And maker click on budget field UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on add button on budget supplementary view page UAT Arter_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on add button on budget supplementary view page UAT Arter_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
screenshot When maker click on budget supplementary eye icon UAT AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.80 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.80 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.22 s	3	And maker click on budget field UAT	PASSED	0.110 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then fill the input fields UAT AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.808 s PASSED 0.728 s		screenshot	PASSED	0.320 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then fill the input fields UAT AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.808 s PASSED 0.728 s				
screenshot Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then fill the input fields UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.808 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s	4	When maker click on budget supplementary eye icon UAT	PASSED	0.534 s
5 And click on add button on budget supplementary view page UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user update the Excel sheet testdata for Budget and planning Allocation6 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then fill the input fields UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.808 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s			PASSED	0.742 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user update the Excel sheet testdata for Budget and planning Allocation6 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then fill the input fields UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.808 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s		+ + + + + + + + + + + + + + + + + + +		
screenshot 6 And user update the Excel sheet testdata for Budget and planning Allocation6 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then fill the input fields UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.808 s PASSED 0.228 s	5	And click on add button on budget supplementary view page UAT	PASSED	1.165 s
6 And user update the Excel sheet testdata for Budget and planning Allocation6 PASSED 0.011 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.359 s 7 Then fill the input fields UAT PASSED 1.808 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then fill the input fields UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.808 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.359 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then fill the input fields UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.808 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.359 s		Figure 10: Section		
7 Then fill the input fields UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s	6	And user update the Excel sheet testdata for Budget and planning Allocation6	PASSED	0.011 s
7 Then fill the input fields UAT AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s			PASSED	0.359 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.228 s		Part	-	
	7	Then fill the input fields UAT	PASSED	1.808 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
		screenshot		


#	Step / Hook Details	Status	Duration
	Figure 1. Section 1. S		
8	Then fill apportion amount and save the record UAT	PASSED	3.784 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.407 s
	screenshot		
	Application Part		
9	And click notification button	PASSED	0.247 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.503 s
	screenshot		
	### AUTO Property of the Conference of the Con		
10	Then click on the search button	PASSED	0.709 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	screenshot		
	Author		
11	And serach the budget supplimentory sub module name	PASSED	0.488 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot]	
	·		

12 Then choose first record in the notification record3 AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber_java.Scenario) Screenshot 13 And click on Submit button AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber_java.Scenario) PASSED 0.511 s 0.511 s 0.683 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber_java.Scenario) PASSED 0.775 s 0.775 s 0.775 s 0.775 s 14 Then enter remark in confirmation alertss AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber_java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber_java.Scenario) PASSED 0.589 s 1.435 s PASSED 0.683 s 0.775 s 0	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) passed 13 And click on Submit button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) passed AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) passed 14 Then enter remark in confirmation alertss AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) passed 15 Then click on submit button in alert AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) passed 0.511 s 0.683 s PASSED 0.375 s 1.080 s PASSED 0.589 s 1.080 s PASSED 0.589 s 1.080 s PASSED 0.589 s 0.683 s 0.75 s		ACCUPY The state of the state		
screenshot 13 And click on Submit button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 Then enter remark in confirmation alertss AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 15 Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s	12	Then choose first record in the notification record3	PASSED	1.435 s
13 And click on Submit button PASSED 0.683 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 Then enter remark in confirmation alertss AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 15 Then click on submit button in alert PASSED 0.113 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.511 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.375 s 14 Then enter remark in confirmation alertss AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 15 Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.375 s 0.375 s PASSED 0.375 s 1.080 s PASSED 0.589 s 0.589 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.375 s 14 Then enter remark in confirmation alertss AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 15 Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.375 s 0.375 s PASSED 0.375 s 1.080 s PASSED 0.589 s 0.589 s		Fig. 1 at a state of the control of		
Screenshot 14 Then enter remark in confirmation alertss AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 15 Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.463 s	13	And click on Submit button	PASSED	0.683 s
14 Then enter remark in confirmation alertss AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 15 Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.463 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.375 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 15 Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.589 s 0.589 s 0.589 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 15 Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.589 s 0.589 s 0.589 s		Fig. 1 (pt. 1 (pt. 2 pt.		
screenshot 15 Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.463 s	14	Then enter remark in confirmation alertss	PASSED	1.080 s
15 Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s PASSED 0.463 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.589 s
15 Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s 0.463 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.463 s				
	15	Then click on submit button in alert	PASSED	0.113 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.463 s
		screenshot]	


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	A		
16	And capture the reviewer ID in pop up which is open when we submit our record in maker stage6	PASSED	2.464 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.341 s
	screenshot		
	A Section Parameter Para		


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --







EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --





EXPANDED SECTION -- 16 --

