

# Cucumber Report

Jan 7, 2022, 11:38:58 AM

**Start : Jan 07, 11:38:41.203 AM**

**End : Jan 07, 11:38:57.263 AM**

**Duration : 16.060 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 4**

**FAILED - 1**

**SKIPPED - 12**







#	Feature Name	T	P	F	S	Duration
1	<u>To check BudgetDefinition moduel feature</u>	1	0	1	0	16.060 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To check BudgetDefinition moduel feature</u>	<u>To verify maker can able to multiple budget code in auto auth</u>	17	4	1	12	16.054 s




**(F)- To check BudgetDefinition moduel feature**


<b>FAILED</b>	<b>DURATION - 16.060 s</b>	Scenarios		Steps	
/ 11:38:41.203 AM // 11:38:57.263 AM /		Total - 1		Total - 17	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 12	

**(S)- To verify maker can able to multiple budget code in auto auth**

<div>FAILED</div> <div>DURATION - 16.054 s</div>		<div></div>	<div>Steps</div> <div>Total - 17</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 12</div>	<div></div>
<div>/ 11:38:41.209 AM // 11:38:57.263 AM /</div>				
<div>To check BudgetDefinition moduel feature</div>				
<div>@AutoAuth_multiple_budgetCode</div>				

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	9.366 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.509 s
	screenshot		
			
2	Then click on budget configuration Menu	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And click on budget definition sub menu and click on eye icon	PASSED	0.316 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
			
4	And click on add icon	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
			
5	Then create first budget code	FAILED	1.616 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled=""&gt;...&lt;/ion-button&gt; is not clickable at point (1413, 88). Other element would receive the click: &lt;ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated"&gt;...&lt;/ion-buttons&gt; (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [50f9a430a5bd49e9661c05800b1f1ceb, clickElement {id=ebec21d7-26dd-401c-8c9b-ecc3571fb88d}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:55063}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55063/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (50f9a430a5bd49e9661c05800b1f1ceb)] -&gt; xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 50f9a430a5bd49e9661c05800b1f1ceb</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.BUDGET_BudgetCreation.create_first_budget_code(BUDGET_BudgetCreation.java:367) at ?.create first budget code(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:504) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.131 s
6	Then select the record from notification	SKIPPED	0.001 s
7	And approve approve the record	SKIPPED	0.000 s
8	And click on budget definition sub menu and click on eye icon	SKIPPED	0.000 s
9	And click on add icon	SKIPPED	0.000 s
10	Then create second budget code	SKIPPED	0.000 s
11	Then select the record from notification	SKIPPED	0.000 s
12	And approve approve the record	SKIPPED	0.000 s
13	And click on budget definition sub menu and click on eye icon	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	And click on add icon	SKIPPED	0.000 s
15	Then create Third budget code	SKIPPED	0.000 s
16	Then select the record from notification	SKIPPED	0.000 s
17	And approve approve the record	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify maker can able to multiple  
budget code in auto auth


(F) To check BudgetDefinition moduel  
feature



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify maker can able to multiple  
budget code in auto auth

(F) To check BudgetDefinition moduel  
feature





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify maker can able to multiple  
budget code in auto auth

















(F) To check BudgetDefinition moduel  
feature

Kastle Universal Banking

21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

Budget Definition View

Actions	Budget Code	Budget Name	Budget Type	Status	Created By	Create date	Modified By
 	BGD9528001	Test	YEARLY	Active	1002437	29-Dec-2021	1002437
 	BGD9501	Test	YEARLY	Active	1002437	29-Dec-2021	1002437
 	BGD98791	Test	YEARLY	Active	1002437	29-Dec-2021	1002437
 	BUD98709	Test	YEARLY	Active	1002437	29-Dec-2021	1002437
 	Budg123456	bud102	YEARLY	Active	1002437	21-Dec-2021	1002437
 	BUD_21	BUD_21	MONTHLY	Active	1002437	21-Dec-2021	1002437
 	bud12345	budget	MONTHLY	Active	1002437	14-Dec-2021	1002437
 	BUD234	BUD234	YEARLY	Active	1002437	14-Dec-2021	1002437

58 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify maker can able to multiple  
budget code in auto auth

(F) To check BudgetDefinition moduel  
feature

Kastle Universal Banking

21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

Budget Definition

\* Budget Code \* Budget Type \* Warning Percentage

\* Budget Name Remark

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify maker can able to multiple  
budget code in auto auth

(F) To check BudgetDefinition moduel  
feature

Kastle Universal Banking 21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

Budget Definition

\* Budget Code  
BDG5678

\* Budget Type  
YEARLY

\* Warning Percentage  
23

\* Budget Name  
Home budget

HALFYEARLY

YEARLY

Business partner setup

Accounting setup

General ledger configuration

Expense/AR & AP configurati...

Budget configuration

Budget definition

Fixed assets configuration

Inventory maintenance

Bank recon

Petty cash configuration

22 Appro... 11 Messa...

Home Preference