

Cucumber Report

08-Feb-2023, 4:04:25 pm

Start : Feb 08, 4:03:27.877 pm

End : Feb 08, 4:04:23.393 pm

Duration : 55.516 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0

PASSED - 11


FAILED - 1

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Fixed Asset</u>	1	0	1	0	55.516 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Fixed Asset</u>	<u>Check Asset Serial Number</u>	13	11	1	1	55.508 s

(F)- Check the Functionality of Fixed Asset

FAILED	DURATION - 55.516 s	Scenarios		Steps	
/ 4:03:27.877 pm // 4:04:23.393 pm /		Total - 1		Total - 13	
		Pass - 0		Pass - 11	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	


(S)- Check Asset Serial Number


<div>FAILED</div> <div>DURATION - 55.508 s</div>			Steps		
/ 4:03:27.885 pm // 4:04:23.393 pm /			Total - 13		
Check the Functionality of Fixed Asset			Pass - 11		
@KUBS_FAT_UAT_013_006			Fail - 1		
			Skip - 1		

#	Step / Hook Details	Status	Duration
1	And User get the test data for check assert serial number	PASSED	4.283 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s
	screenshot		
	+		
2	Given User should go to the kubs url and login as a maker user	PASSED	26.980 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.816 s
	screenshot		
			
	+		

#	Step / Hook Details	Status	Duration
3	And User click the fixed assert config button	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.375 s
	screenshot		
			
4	And User click the assert serial number setup tempview	PASSED	1.357 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.306 s
	screenshot		
			
5	And User get the assert code in fixed assert config	PASSED	2.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.490 s
	screenshot		
			
6	Then click on report icon	PASSED	2.708 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.338 s
	screenshot		
			
7	And user should navigate to master reports menu	PASSED	0.224 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then click on temp grid button of asset serial number	PASSED	0.486 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
	screenshot		
			
9	And User enter the assert code	PASSED	0.842 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
			
10	And User enter the start assert serial number	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
			
11	And User select the date in assert report	PASSED	0.458 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.379 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	<p>Then click in the view button to check</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <a _ngcontent-vll-c881="" target="_blank">... is not clickable at point (1884, 88). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#000;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=109.0.5414.120) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.176', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bfc0e768fa07b5c7ef96e6889f8e3d2b, clickElement {id=e341c29c-6233-46ca-a780-5f0d5abf1de5}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.120, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:50737}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50737/devtoo..., se:cdpVersion: 109.0.5414.120, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (bfc0e768fa07b5c7ef96e6889f8e3d2b)] -> xpath: //ion-buttons/ion-button/a] Session ID: bfc0e768fa07b5c7ef96e6889f8e3d2b</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.Reports_AssetCreationCommon.click_in_the_view_button_to_check(Reports_AssetCreationCommon.java:108) at ?.click in the view button to check(file:///C:/Users/ININDC00071/git/AzentioAutomationFramework_KarthiM/AzentioAutomationFramework_ExcelKUBSKarthiM2/src/test/java/features/FixedAssetCreation.feature:79) * Not displayable characters are replaced by '?'. </pre>	FAILED	1.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
13	Then the report is displaying all the asset codes details for a branch	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

The screenshot shows the AZENTIO ONEBanking application interface. The top navigation bar includes the date '11-Dec-2022', language 'English', and user 'ANANT'. A sidebar menu on the left lists various configuration options under the 'Finance' section. The 'Asset serial number setup' option is highlighted with a checkmark icon, indicating it is selected or completed. Other options include Business partner setup, General ledger configuration, Accounting setup, Expense/AR & AP configuration, Budget configuration, Fixed assets configuration, Asset category, Asset code configuration, Branch level depreciation, Asset GL configuration, Inventory maintenance, Bank recon, and Petty cash configuration. The bottom status bar shows '22 Appro...' and '11 Mess...'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

The screenshot displays the 'Asset Serial Number Creation View' in the AZENTIO ONEBanking application. The interface shows a table with columns for Actions, Asset Code, Asset Description, Start SRL No, Last SRL No, and Status. The table contains several rows of data, including 'FIXTURESANDFITTINGS: FixtureAndFitting', 'MACHINERY-AIRCOND LaptopAndMobile', and 'ELECTRONICS-LAP001 ok'. The 'Asset serial number setup' option in the sidebar is highlighted. The bottom status bar shows '22 Appro...' and '11 Mess...'.

Actions	Asset Code	Asset Description	Start SRL No	Last SRL No	Status
		FIXTURESANDFITTINGS: FixtureAndFitting	2001	2001	Active
		MACHINERY-AIRCOND LaptopAndMobile	4001	4002	Active
		ELECTRONICS-LAP001 ok	120336	120336	Active
		01-001-Table, Chairs, 8E Machinery	5001	5001	Active
		MACHINERY-AIRCOND LaptopAndMobile	4001	4001	Active
		01-001-Table, Chairs, 8S FurnitureFixture			Active
		MACHINERY-AIRCOND LaptopAndMobile	4001	4001	Active
		MACHINERY-AIRCOND LaptopAndMobile	4001	4002	Active
		MACHINERY-AIRCOND LaptopAndMobile			Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number










(F) Check the Functionality of Fixed Asset

AZENTIO
ONEBanking

11-Dec-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Asset Serial Number Creation View

Actions	Asset Code	Asset Description	Start SRL No	Last SRL No	Status
	FIXTURESANDFITTING	FixtureAndFitting	2001	2001	Active
	MACHINARY-AIRCOND	LaptopAndMobile	4001	4002	Active
	ELECTRONICS-LAP001	ok	120336	120336	Active
	01-001-Table_Chairs_85	Machinery	5001	5001	Active
	MACHINARY-AIRCOND	LaptopAndMobile	4001	4001	Active
	01-001-Table_Chairs85	FurnitureFixture			Active
	MACHINARY-AIRCOND	LaptopAndMobile	4001	4001	Active
	MACHINARY-AIRCOND	LaptopAndMobile	4001	4002	Active
	MACHINARY-AIRCOND	LaptopAndMobile			Active

288 total

1 2 3 4 5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number










(F) Check the Functionality of Fixed Asset

AZENTIO
ONEBanking

11-Dec-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Asset Serial Number Creation View

Actions	Asset Code	Asset Description	Start SRL No	Last SRL No	Status
	FIXTURESANDFITTING	FixtureAndFitting	2001	2001	Active
	MACHINARY-AIRCOND	LaptopAndMobile	4001	4002	Active
	ELECTRONICS-LAP001	ok	120336	120336	Active
	01-001-Table_Chairs_85	Machinery	5001	5001	Active
	MACHINARY-AIRCOND	LaptopAndMobile	4001	4001	Active
	01-001-Table_Chairs85	FurnitureFixture			Active
	MACHINARY-AIRCOND	LaptopAndMobile	4001	4001	Active
	MACHINARY-AIRCOND	LaptopAndMobile	4001	4002	Active
	MACHINARY-AIRCOND	LaptopAndMobile			Active

288 total

1 2 3 4 5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

AZENTIO
ONEBanking

11-Dec-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Asset Serial Number Creation View

Actions	Asset Code	Asset Description	Start SRL No	Last SRL No	Status
	FIXTURESANDFITTING	FixtureAndFitting	2001	2001	Active
	MACHINARY-AIRCOND	LaptopAndMobile	4001	4002	Active
	ELECTRONICS-LAP001	ok	120336	120336	Active
	01-001-Table, Chairs, 85	Machinery	5001	5001	Active
	MACHINARY-AIRCOND	LaptopAndMobile	4001	4001	Active
	01-001-Table, Chairs85	FurnitureFixture			Active
	MACHINARY-AIRCOND	LaptopAndMobile	4001	4001	Active
	MACHINARY-AIRCOND	LaptopAndMobile	4001	4002	Active
	MACHINARY-AIRCOND	LaptopAndMobile			Active

288 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

AZENTIO
ONEBanking

11-Dec-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Serial Number Report

* Asset Code

Start Serial Number

* Asset Serial number As On

VIEW

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

The screenshot shows the Azentio ONEBanking interface. The top navigation bar includes the date (11-Dec-2022), language (English), and user information (Azentio Software, AZENTMAIN, ANANT). The left sidebar menu is expanded, showing various report categories. The 'Assets serial number report' is selected. The main content area displays the 'Asset Serial Number Report' page. It features a search bar with the following fields: 'Asset Code' (containing 'FIXTURESANDFITTINGS1-TABLESANDCHAIRS01-TABLE_CHAIRS_52...') and 'Start Serial Number'. Below the search bar, there is a section for '*Asset Serial number As On' with a date selector set to '12/11/2022'. A 'VIEW' button is located in the top right corner of the report area.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

This screenshot is identical to the one above, showing the Azentio ONEBanking interface with the 'Asset Serial Number Report' page. The search bar fields are the same, but the 'Start Serial Number' field now contains the value '2001'. The date selector for '*Asset Serial number As On' remains '12/11/2022'. The 'VIEW' button is still present in the top right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

The screenshot displays the Azentio ONEBanking web application. The top navigation bar includes the date '11-Dec-2022', language 'English', and user information 'Azentio Software - (AZENTMAIN)'. The left sidebar contains a menu with categories like Reports, Financial reporting, Enquiry, Petty cash, and Master reports. The 'Assets serial number report' is selected. The main content area is titled 'Asset Serial Number Report' and features a search bar with 'Asset Code' and 'Start Serial Number' filters. A date picker is open, showing the month of February 2023.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number

(F) Check the Functionality of Fixed Asset

This screenshot is identical to the one above, showing the Azentio ONEBanking interface. It highlights the 'Assets serial number report' in the sidebar and the corresponding report view, which includes filters for 'Asset Code' and 'Start Serial Number', and a date picker set to February 2023.