


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 35.545 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type	21	5	1	15	1 m 35.540 s
		Purchases					

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 1 m 35.545 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 5:23:58.843 A	M // 5:25:34.388 AM /	Pass - 0	1	Pass - 5	21 📜
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

(S)- Create a contract for an active vendor with expense type Purchases

FAILED	DURATION - 1 m 35.540 s	30 -	-										-,			·		Steps		
/ 5:23:58.84	8 AM // 5:25:34.388 AM /	20 -	-															Total - 21		
AR/AP Modu	le	10 -	-				ı			-					-			Pass - 5 Fail - 1	21	
@KUBS AR/	AP_UAT_001_001_TC_001	0 -		I				<u> </u>	_ ! _			_				<u> </u>		Skip - 15		
			1	1 2	3	4	5	6	7	8	9	10	11	12	13	14	15			

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	32.467 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.930 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	0.698 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		


#	Step / Hook Details	Status	Duration
	With the second		
3	When click on eye button of vendor contract	PASSED	0.786 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.466 s
4	And click on add button to create contract	PASSED	0.938 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.119 s
	Screenshot **********************************		
5	And Fill the required fields to create contract	PASSED	19.982 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.430 s
6	Then Save and submit the creation contract record	FAILED	4.813 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e3902c7fc4d65f39053eb23573a76412, isElementDisplayed {id=c06589f7-e5f4-47fb-a27b-d937d9b40cf3}] Capabilities {acceptInsecureCerts:		

DETAILED SECTION -- 6 --


<u> </u>	Step / Hook Details	Status	Duration
	false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir:		
	C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:49827}, javascriptEnabled: true,		
	networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:		
	ws://localhost:49827/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS		
	(e3902c7fc4d65f39053eb23573a76412)] -> xpath: //span[contains(text(), 'Submit')]] Session ID: e3902c7fc4d65f39053eb23573a76412		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		
	at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:307)		
	at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElement(WaitHelper.java:79)		
	at stepdefinitions.ACCOUNTSPAYABLE VendorContracts.		
	save_and_submit_the_creation_contract_record(ACCOUNTSPAYABLE_VendorContracts.java:285)		
	at ?.Save and submit the creation contract record(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/		
	features/ArAp_VendorContract.feature:11)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot	\neg	

#	Step / Hook Details	Status	Duration
	State Stat		
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.001 s
9	And approve the record by reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.000 s
13	And Click on claim button in checker	SKIPPED	0.000 s
14	And capture claimed status	SKIPPED	0.000 s
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the contract record	SKIPPED	0.001 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
18	And user should navigate to accounts payable menu	SKIPPED	0.000 s
19	When click on eye button of vendor contract	SKIPPED	0.000 s
20	Then Get the contract and Txn status by searching the record via business partner	SKIPPED	0.000 s
21	And maker should logout	SKIPPED	0.000 s

EXPANDED SECTION --- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

