

# Cucumber Report

9 Jan 2023, 1:11:06 PM

**Start : Jan 09, 1:09:43.364 PM**

**End : Jan 09, 1:11:04.384 PM**

**Duration : 1 m 21.020 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 2**


**FAILED - 1**

**SKIPPED - 4**







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	1 m 21.020 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Create denomination details</u>	7	2	1	4	1 m 21.013 s

**(F)- Check the Functionality of Inventory**


<b>FAILED</b>	<b>DURATION - 1 m 21.020 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 2 Fail - 1 Skip - 4	
/ 1:09:43.364 PM // 1:11:04.384 PM /					

**(S)- Create denomination details**

<b>FAILED</b>	<b>DURATION - 1 m 21.013 s</b>		Steps Total - 7 Pass - 2 Fail - 1 Skip - 4	
/ 1:09:43.371 PM // 1:11:04.384 PM /				
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_002_002_01				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	1 m 2.727 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.922 s
	screenshot		
			
2	And user should navigate to denomination master menu	PASSED	1.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	<p>When click on eye button of denomination master</p> <pre> org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;ion-button routerlinkactive="active" color="medium" class="menuicons ion-color ion-color-medium md button button-small button-clear ion-activatable ion-focusable hydrated" ng- reflect-color="medium" tabindex="0" ng-reflect-router-link-active="active" ng-reflect-router-direction="root" ng-reflect-router-link="/tabs/list/ datagrid-view/179" ng-reflect-query-params="[object Object]"&gt;...&lt;/ion-button&gt; is not clickable at point (233, 551). Other element would receive the click: &lt;ion-item _ngcontent-lls-c280="" lines="none" style="height: 56px;" ng-reflect-lines="none" class="item md item-lines-none hydrated item-label"&gt;...&lt;/ion-item&gt; (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.146', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [79c6d48922fbc75f2bf12f34e35e676f, clickElement {id=6d59c717-88ff- 4777-8cc7-271f5eebff41}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51489}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51489/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (79c6d48922fbc75f2bf12f34e35e676f)] -&gt; xpath: //ion-label[contains(text(), 'Denomination master ')]/../ion-button[2]] Session ID: 79c6d48922fbc75f2bf12f34e35e676f     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)     at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)     at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)     at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)     at stepdefinitions.INVENTORY_MAINTENANCE_DenominationMaster. click_on_eye_button_of_denomination_master(INVENTORY_MAINTENANCE_DenominationMaster.java:65)     at ?.click on eye button of denomination master(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/ AzentioAutomationFramework_ARAP_Excel/src/test/java/features/InventoryManagement_Testing.feature:7) * Not displayable characters are replaced by '?'. </pre>	FAILED	1.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s

#	Step / Hook Details	Status	Duration
	<p>screenshot</p> 		
4	And click on add button to create denomination details	SKIPPED	0.000 s
5	And user update the data set ID for denomination	SKIPPED	0.000 s
6	And Fill the required fields to create denomination details	SKIPPED	0.000 s
7	Then Save and submit the creation denomination details	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create denomination details


(F) Check the Functionality of Inventory



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create denomination details

(F) Check the Functionality of Inventory



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create denomination details

(F) Check the Functionality of Inventory

The screenshot displays the Azentio ONE Banking application interface. At the top, the header includes the date "11-Nov-2022", language "English", and user information "Azentio Software (AZENTMAIN) ANANT". The main navigation menu is open, showing a list of configuration options under the "Finance" category. The options are: Business partner setup, General ledger configuration, Accounting setup, Expense/AR & AP configurat..., Budget configuration, Fixed assets configuration, and Inventory maintenance. The "Inventory maintenance" option is currently selected, indicated by a checkmark. The background of the application is a light blue color.

Finance

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance

22 Appro... 11 Mess...