


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check the asset impairement module in fixed asset module	1	0	1	0	30.886 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check the asset impairement	Check the impairement of asset (allocated)	42	11	1	30	30.879 s
	module in fixed asset module						

DETAILED SECTION

(F)- To check the asset impairement module in fixed asset module

FAILED	DURATION - 30.886 s	Scenarios		Steps	
		Total - 1		Total - 42	
/ 7:17:04.717 PI	M // 7:17:35.603 PM /	Pass - 0	1	Pass - 11	42
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 30	

(S)- Check the impairement of asset (allocated)



#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	14.850 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.550 s
	screenshot		
2	And click on fixed asset main module	PASSED	0.440 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		

3 And go to asset allocation module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.403 s O.383 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.383 s	
screenshot	
■ © Antiferration Section (Section (Sec	
Total	
4 Then check asset reference number is availabe in the list view PASSED 0.843 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s	
Screenshot	
5 And click on view button near by asset impairement module 0.244 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.430 s	
screenshot	
The state of the	
6 And click on Add Icon PASSED 0.260 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.340 s	
screenshot	


7 Then Check System shuld display the input fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 And select the asset reference number of allocated asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And choose the asset ltem no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8		1		
screenshot 8 And select the asset reference number of allocated asset AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 And choose the asset Item no AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 8 APTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 10 And choose the transcation type as impairment AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.493 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.243 s	7	Then Check System shuld display the input fields	PASSED	0.164 s
8 And select the asset reference number of allocated asset AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 9 And choose the asset Item no AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 4 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.493 s 0.243 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
8 And select the asset reference number of allocated asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 And choose the transcation type as impairment PASSED O.202 s PASSED O.271 s PASSED O.173 s O.173 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.493 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.493 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And choose the transcation type as impairment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.202 s 0.202 s 0.203 s 0.203 s 0.204 s 0.203 s PASSED 0.203 s 0.204 s		March		
screenshot 9 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And choose the transcation type as impairment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APSSED 0.493 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.493 s	8	And select the asset reference number of allocated asset	PASSED	0.622 s
9 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And choose the transcation type as impairment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.493 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.493 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
9 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And choose the transcation type as impairment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.271 s PASSED 0.173 s 0.173 s 0.173 s 0.173 s PASSED 0.493 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.243 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And choose the transcation type as impairment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.173 s PASSED 0.493 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.243 s				
Screenshot 10 And choose the transcation type as impairment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.493 s 0.243 s	9	And choose the asset Item no	PASSED	0.271 s
10 And choose the transcation type as impairment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.493 s 0.243 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
10 And choose the transcation type as impairment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.493 s 0.243 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.243 s		Name		
	10	And choose the transcation type as impairment	PASSED	0.493 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
		screenshot		

#	Step / Hook Details	Status	Duration
	** ** ** ** ** ** ** ** ** ** ** ** **		
11	And check the book value of asset	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
	\$\begin{align*}{c c c c c c c c c c c c c c c c c c c		
12	Then click on Save Button	FAILED	4.469 s
	java.lang.AssertionError: Save button not able to click at org.junit.Assert.fail(Assert.java:88) at stepdefinitions.FIXEDASSET_AssetImpairement.click_on_save_button(FIXEDASSET_AssetImpairement.java:906) at ?.click on Save Button(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkMasterNew/AzentioAutomationFramework/src/test/java/features/FIXEDASSET_AssetImpairement.feature:60) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
	1		
13	Then click on notification button	SKIPPED	0.000 s
14	Then choose first record in the notification record	SKIPPED	0.000 s
15	And click on Submit button	SKIPPED	0.000 s
16	Then enter remark in confirmation alert	SKIPPED	0.001 s
17	Then click on submit button in alert	SKIPPED	0.001 s
18	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.001 s
19	Then logout from maker	SKIPPED	0.001 s
20	And login with reviewer credentials	SKIPPED	0.000 s


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
21	Then click on notification button	SKIPPED	0.000 s
22	And select our record in notification records using reference ID	SKIPPED	0.000 s
23	Then Approve the record from reviewer	SKIPPED	0.000 s
24	And enter the remark in alert	SKIPPED	0.000 s
25	Then click on submit in alert	SKIPPED	0.000 s
26	Then verify the approval status of the record	SKIPPED	0.000 s
27	And logout from reviewer	SKIPPED	0.001 s
28	Then login as a checker	SKIPPED	0.000 s
29	And click on security management menu in checker	SKIPPED	0.000 s
30	Then click on action button under security management menu	SKIPPED	0.000 s
31	And select our record and clime using reference ID	SKIPPED	0.000 s
32	Then click on Notification button	SKIPPED	0.001 s
33	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s
34	And click on approve button in checker stage	SKIPPED	0.000 s
35	Then give alert remark	SKIPPED	0.000 s
36	Then click on submit button on alert	SKIPPED	0.000 s
37	And verify the record got approved from checker	SKIPPED	0.000 s
38	Then logout from checker	SKIPPED	0.000 s
39	And login with Maker ID	SKIPPED	0.004 s
40	And click on fixed asset main module	SKIPPED	0.000 s
41	And click on view button near by asset impairement module	SKIPPED	0.001 s
42	Then check the approved record is displayed in appeared in maker list view stage	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION --- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

