


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the General Ledger Module	1	0	1	0	34.631 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the General Ledger Module	check Accounting schemes should mapped to the same	34	18	1	15	34.628 s
		Transaction event					

DETAILED SECTION -- 4 --

## **(F)-** testing the General Ledger Module

FAILED	DURATION - 34.631 s	Scenarios		Steps	
		Total - 1		Total - 34	
/ 5:36:30.047 P	M // 5:37:04.678 PM /	Pass - 0	1	Pass - 18	34
		Fail - 1		Fail - 1	
		Skip - 0		Skip - <b>15</b>	

## (S)- check Accounting schemes should mapped to the same Transaction event



#	Step / Hook Details	Status	Duration
1	Given Login as a Azentio Maker	PASSED	11.462 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		
	What is a state of the state of		
2	When user click the Accounting setup	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Was and specific a		
3	And click the Accounting Scheme Event Mapping Eye icon	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
4	And click add icon in Gl	PASSED	0.186 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
	** O MATHEMATICAL TO AND A MATHEMATICAL TO A		
5	And select the event	PASSED	0.321 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
	Workstanding and the control of the		
6	And click the Scheme	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot	7	
		•	-

7 And click Add button PASSED 0.065 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.086 s  8 And click next Scheme PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED PA	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And click next Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.174 s		August   A		
Screenshot  And click next Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.	7	And click Add button	PASSED	0.065 s
And click next Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click Add button And click Save button in event mapping And Elex-STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And click save button in event mapping AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And click save button in event mapping AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And click save button in event mapping AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And click save button in event mapping AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And click save button in event mapping AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And click save button in event mapping AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And click save button in event mapping AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And click save button in event mapping AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And click save button in event mapping AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And click save button in event mapping AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And click save button in event mapping AFTER_STEP - stepdefinit		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
8 And click next Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And click Add button  PASSED  Screenshot  FIRE_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  APSSED  APSSED  APSSED  APSSED  APSSED  O.041 s  PASSED  O.059 s  PASSED  O.059 s  PASSED  O.059 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  O.136 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And click save button in event mapping  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.059 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.059 s  O.074 s		Construction   Cons		
screenshot  9 And click Add button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  20 And click save button in event mapping  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And click save button in event mapping  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.059 s  PASSED  0.174 s	8	And click next Scheme	PASSED	0.065 s
9 And click Add button PASSED 0.041 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And click save button in event mapping  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.059 s  PASSED 0.074 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
9 And click Add button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And click save button in event mapping  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.041 s  PASSED  0.124 s  0.059 s  PASSED  0.059 s  PASSED  0.174 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And click save button in event mapping  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.124 s  0.174 s		- winds 6 * distribution 1 * distributio		
Screenshot  10 And click save button in event mapping  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.059 s  0.174 s	9	And click Add button	PASSED	0.041 s
10 And click save button in event mapping  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.174 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
10 And click save button in event mapping  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.059 s  0.174 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.174 s		- 1		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.174 s	10	And click save button in event mapping	PASSED	0.059 s
screenshot				0.174 s
			1	

11 And Click on notification icon PASSED 1.089 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.218 s	
screenshot	
12 And select the first record PASSED 0.161 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s	
screenshot	
\$\begin{array}{c c c c c c c c c c c c c c c c c c c	
13 And click on submit button PASSED 0.153 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s	
screenshot	
We do not not not not not not not not not no	
14 And enter remark in alert tab PASSED 2.090 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.135 s	
screenshot	


15 And click on submit PASSED 4.122 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot  16 Given Navigate to Url and login as a reviewer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot  17 Then Click on Notification button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot  18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot  18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  16 Gwen Navigate to Url and login as a reviewer  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  17 Then Click on Notification button  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cuc		The state of the s		
screenshot    Solven Navigate to Url and login as a reviewer	15	And click on submit	PASSED	4.122 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)   PASSED   0.112 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
16 Given Navigate to Url and login as a reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  17 Then Click on Notification button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  APASSED  APASSED  D.143 s  PASSED  D.143 s  APTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  APASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  D.166 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  17 Then Click on Notification button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  And Find the budget code which submitted from maker  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.399 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.112 s  0.112 s				
Screenshot  Then Click on Notification button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Find the budget code which submitted from maker  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.399 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.166 s	16	Given Navigate to Url and login as a reviewer	PASSED	6.597 s
Then Click on Notification button  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  Screenshot  And Find the budget code which submitted from maker  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  PASSED  1.399 s  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  PASSED  0.166 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
Then Click on Notification button  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Find the budget code which submitted from maker  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  1.399 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.782 s  0.143 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Find the budget code which submitted from maker  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.399 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.143 s		S the secondary was a second of a transfer and the second of a transfer and transfe		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Find the budget code which submitted from maker  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.399 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.143 s	17	Then Click on Notification button	DASSED	0.792.6
Screenshot  18 And Find the budget code which submitted from maker  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  PASSED  0.166 s	11			
18 And Find the budget code which submitted from maker  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.166 s				0.1100
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.166 s		*** *** ******************************		
	18	And Find the budget code which submitted from maker	PASSED	1.399 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
		screenshot		

#	Step / Hook Details	Status	Duration
	** ** ** ** ** ** ** ** ** ** ** ** **		
19	Then Click on action button	FAILED	0.019 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath";"selector":"//span[contains(text(),'38]/parent::datatable-body-cell/preceding-sibling-sibling-siblin		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	See 10 Section (Section (Secti		
20	And Approve the record	SKIPPED	0.000 s
21	Given Navigate to Url and login as a Checker	SKIPPED	0.000 s
22	Then Click the Notification icon	SKIPPED	0.000 s
23	And Click on security management	SKIPPED	0.000 s
24	Then Click on open pool	SKIPPED	0.000 s
25	And Click on claim button	SKIPPED	0.000 s
26	Then click on notification	SKIPPED	0.000 s
27	Then approve the records	SKIPPED	0.000 s
28	Given Login as a Azentio Maker	SKIPPED	0.000 s
29	When user click the Accounting setup	SKIPPED	0.000 s
30	And click the Accounting Scheme Event Mapping Eye icon	SKIPPED	0.001 s
31	And click the search icon	SKIPPED	0.000 s
32	And search Event name based on which we created	SKIPPED	0.000 s
33	And clck the first edit icon in list view	SKIPPED	0.000 s
34	Then verify System should allow to map to the transaction event more than one Accounting Scheme	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION --- 15 --







EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

