

# Cucumber Report

6 Feb 2023, 4:49:39 AM

Start : Feb 06, 4:48:15.736 AM

End : Feb 06, 4:49:37.316 AM

Duration : 1 m 21.580 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 7  
FAILED - 1  
SKIPPED - 0







| # | Feature Name                                | T | P | F | S | Duration     |
|---|---|---|---|---|---|--------------|
| 1 | <u>Check the Functionality of Inventory</u> | 1 | 0 | 1 | 0 | 1 m 21.580 s |







| # | Feature Name                                | Scenario Name                 | T | P | F | S | Duration     |
|---|---|-------------------------------|---|---|---|---|--------------|
| 1 | <u>Check the Functionality of Inventory</u> | <u>Create instrument code</u> | 8 | 7 | 1 | 0 | 1 m 21.562 s |


**(F)- Check the Functionality of Inventory**


|                                      |                                |  |   |  |   |
|--------------------------------------|--------------------------------|--|---|--|---|
| <b>FAILED</b>                        | <b>DURATION - 1 m 21.580 s</b> | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 8<br>Pass - 7<br>Fail - 1<br>Skip - 0 |  |
| / 4:48:15.736 AM // 4:49:37.316 AM / |                                |  |   |  |   |


**(S)- Create instrument code**


|  |  |   |   |  |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 1 m 21.562 s</div> |  | <div></div> | <div>Steps</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div> | <div></div> |
| / 4:48:15.754 AM // 4:49:37.316 AM /                 |  |   |   |  |
| Check the Functionality of Inventory                 |  |   |   |  |
| @KUBS_INV_MGMT_UAT_002_001_01                        |  |   |   |  |


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user                      | PASSED | 47.482 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.749 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 2 | Then Click on Inventory Maintenance   | PASSED | 0.728 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.324 s  |
|   | screenshot  |        |          |
|   |  |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 3 | Then Click on Instrument code master eye button                                     | PASSED | 10.884 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 2.143 s  |
|   | screenshot  |        |          |
|   |    |        |          |
| 4 | Then Click on Add button of Instrument code   | PASSED | 1.331 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.479 s  |
|   | screenshot  |        |          |
|   |    |        |          |
| 5 | And user update the data set ID for instrument code                                 | PASSED | 0.003 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.296 s  |
|   | screenshot  |        |          |
|   |   |        |          |
| 6 | Then Fill all the details   | PASSED | 1.081 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.326 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 7 | Then Click on save button on instrument code master                                 | PASSED | 1.070 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.492 s  |
|   | screenshot  |        |          |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
|   |   |        |          |
| 8 | <p><b>Then Save and submit the creation instrument code details</b></p> <pre>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;ion-button _ngcontent-stg-c278="" routerlink="/inbox" tabindex="0" ng-reflect-router-link="/inbox" class="md button button-clear in-toolbar in-toolbar-color button-has-icon-only ion-activatable ion-focusable hydrated"&gt;...&lt;/ion-button&gt; is not clickable at point (1094, 28). Other element would receive the click: &lt;div role="alert" class="ng-tns-c136-1 toast-message ng-star-inserted" aria-label="Workflow initiated submit record from inbox." style=""&gt;...&lt;/div&gt; (Session info: chrome=109.0.5414.74) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [092aea3838ba534de71e68f6474407f5, clickElement {id=4778212a-eaec-456c-837e-6a5914c2dab3}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:64308}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64308/devtoo..., se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (092aea3838ba534de71e68f6474407f5)] -&gt; xpath: //ion-header/ion-toolbar[1]/ion-buttons[2]/ion-button[2]] Session ID: 092aea3838ba534de71e68f6474407f5     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)     at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)     at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)     at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)     at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)     at stepdefinitions.InventoryInstrumentCode.save_and_submit_the_creation_instrument_code_details(InventoryInstrumentCode.java:111)     at ?.Save and submit the creation instrument code details(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/AzentioAutomationFramework_ARAP_Excel/src/test/java/features/InventoryManagement_Testing.feature:12)</pre> | FAILED | 1.347 s  |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | * Not displayable characters are replaced by '?'.<br>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.235 s  |
|   | screenshot  |        |          |
|   |    |        |          |

|  |  |
|--|--|
| <p>(Step) AFTER_STEP - stepdefinitions.<br/>HooksClass.addScreenshot(io.cucumber.<br/>java.Scenario)</p> |  |
| <p><u>(S) Create instrument code</u></p>   |  |
| <p><u>(F) Check the Functionality of Inventory</u></p>   |  |

|  |   |
|--|---|
| <p>(Step) AFTER_STEP - stepdefinitions.<br/>HooksClass.addScreenshot(io.cucumber.<br/>java.Scenario)</p> |  |
| <p><u>(S) Create instrument code</u></p>   |   |
| <p><u>(F) Check the Functionality of Inventory</u></p>   |   |



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

**AZENTIO**  
ONEBanking



















09-Dec-2022 English Azentio Software (AZENTMAIN) ANANT

Business partner setup  
General ledger configuration  
Accounting setup  
Expense/AR & AP configurat...  
Budget configuration  
Fixed assets configuration  
Inventory maintenance

Instrument code master  
Denomination master

22 Appro... 11 Mess...

### Instrument Code Master View

| Actions  | Instrument Code | Description  | Transaction Date     | Status | Created By | Create D |
|--|-----------------|--------------|----------------------|--------|------------|----------|
|   | INSTRUMENT17    | instrument17 | 01-SEP-2023 08:26:48 | Active | admin      | 08-Sep-  |
|   | INSTRUMENT16    | instrument16 | 01-SEP-2023 08:10:55 | Active | admin      | 08-Sep-  |
|   | INSTRUMENT15    | instrument15 | 01-SEP-2023 07:27:38 | Active | admin      | 08-Sep-  |
|   | INSTRUMENT12    | instrument12 | 01-SEP-2023 05:44:03 | Active | admin      | 08-Sep-  |
|   | INSTRUMENT11    | instrument11 | 01-SEP-2023 04:52:12 | Active | admin      | 08-Sep-  |
|   | INSTRUMENT10    | instrument10 | 31-AUG-2023 20:25:07 | Active | admin      | 07-Sep-  |
|   | INSTRUMENT09    | instrument09 | 31-AUG-2023 19:52:01 | Active | admin      | 07-Sep-  |
|   | INSTRUMENT08    | instrument08 | 01-SEP-2023 11:22:47 | Active | admin      | 07-Sep-  |
|   | INSTRUMENT07    | instrument07 | 01-SEP-2023 08:12:13 | Active | admin      | 07-Sep-  |

18 total

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

**AZENTIO**  
ONEBanking

09-Dec-2022 English Azentio Software (AZENTMAIN) ANANT

Business partner setup  
General ledger configuration  
Accounting setup  
Expense/AR & AP configurat...  
Budget configuration  
Fixed assets configuration  
Inventory maintenance

Instrument code master  
Denomination master

22 Appro... 11 Mess...

### Instrument Code Master

| * Instrument Code        | Instrument Description * |                      |
|--------------------------|--------------------------|----------------------|
| * Routing Mask           | * Track Reorder Level    | * Track Excess Level |
| NO x                     | NO x                     | NO x                 |
| * Denomination Applied   | * Auto Serial Number     |                      |
| NO x                     | NO x                     |                      |
| Starting Serial Number * | Last Serial Number       | 0                    |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

**AZENTIO**  
ONEBanking

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Instrument code master** ⌚ ✓
- Denomination master ⌚ ✓

22 Appro... ✕ 11 Mess... ✕

### Instrument Code Master

|                          |                          |                      |
|--------------------------|--------------------------|----------------------|
| * Instrument Code        | Instrument Description * |                      |
| * Routing Mask           | * Track Reorder Level    | * Track Excess Level |
| NO x ▾                   | NO x ▾                   | NO x ▾               |
| * Denomination Applied   | * Auto Serial Number     |                      |
| NO x ▾                   | NO x ▾                   |                      |
| Starting Serial Number * | Last Serial Number       | 0                    |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

**AZENTIO**  
ONEBanking

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Instrument code master** ⌚ ✓
- Denomination master ⌚ ✓

22 Appro... ✕ 11 Mess... ✕

### Instrument Code Master

|                                    |   |                      |
|------------------------------------|---|----------------------|
| * Instrument Code<br>INSTRUMENT101 | Instrument Description *<br>instrument101 |                      |
| * Routing Mask                     | * Track Reorder Level                     | * Track Excess Level |
| NO x ▾                             | NO x ▾                                    | NO x ▾               |
| * Denomination Applied             | * Auto Serial Number                      |                      |
| NO x ▾                             | NO x ▾                                    |                      |
| Starting Serial Number *           | Last Serial Number                        | 0                    |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

The screenshot shows the Azentio ONE Banking interface. The left sidebar contains a menu with options: Business partner setup, General ledger configuration, Accounting setup, Expense/AR & AP configurat..., Budget configuration, Fixed assets configuration, and Inventory maintenance. The 'Instrument code master' option is highlighted. The main area displays the 'Instrument Code Master' table with columns: Actions, Instrument Code, Description, Transaction Date, Status, Created By, and Create Date. A green notification box in the top right corner states: 'Instrument Code Master created successfully.'

| Actions | Instrument Code | Description   | Transaction Date     | Status | Created By | Create Date |
|---------|-----------------|---------------|----------------------|--------|------------|-------------|
|         | INSTRUMENT101   | instrument101 | 08-DEC-2022 23:19:33 | Active | admin      | 06-Feb-2023 |
|         | INSTRUMENT02    | instrument02  | 01-SEP-2023 07:36:01 | Active | admin      | 30-Aug-2023 |
|         | INSTRUMENT02    | instrument02  | 01-SEP-2023 07:23:39 | Active | admin      | 30-Aug-2023 |
|         | INSTRUMENT02    | instrument02  | 01-SEP-2023 07:20:51 | Active | admin      | 30-Aug-2023 |
|         | INSTRUMENT02    | instrument02  | 01-SEP-2023 08:55:23 | Active | admin      | 29-Aug-2023 |
|         | INSTRUMENT4     | INSTRUMENT4   | 01-SEP-2023 07:50:44 | Active | admin      | 12-Aug-2023 |
|         | INSTRUMENT2     | instrument2   | 01-SEP-2023 07:30:11 | Active | admin      | 12-Aug-2023 |
|         | INDIA12312      | INDIA12312    | 01-SEP-2023 06:51:21 | Active | admin      | 10-Aug-2023 |

8 total

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

The screenshot shows the Azentio ONE Banking interface. The left sidebar contains a menu with options: Business partner setup, General ledger configuration, Accounting setup, Expense/AR & AP configurat..., Budget configuration, Fixed assets configuration, and Inventory maintenance. The 'Instrument code master' option is highlighted. The main area displays the 'Instrument Code Master' table with columns: Actions, Instrument Code, Description, Transaction Date, Status, Created By, and Create Date. A green notification box in the top right corner states: 'Workflow initiated submit record from inbox.'

| Actions | Instrument Code | Description   | Transaction Date     | Status | Created By | Create Date |
|---------|-----------------|---------------|----------------------|--------|------------|-------------|
|         | INSTRUMENT101   | instrument101 | 08-DEC-2022 23:19:33 | Active | admin      | 06-Feb-2023 |
|         | INSTRUMENT02    | instrument02  | 01-SEP-2023 07:36:01 | Active | admin      | 30-Aug-2023 |
|         | INSTRUMENT02    | instrument02  | 01-SEP-2023 07:23:39 | Active | admin      | 30-Aug-2023 |
|         | INSTRUMENT02    | instrument02  | 01-SEP-2023 07:20:51 | Active | admin      | 30-Aug-2023 |
|         | INSTRUMENT02    | instrument02  | 01-SEP-2023 08:55:23 | Active | admin      | 29-Aug-2023 |
|         | INSTRUMENT4     | INSTRUMENT4   | 01-SEP-2023 07:50:44 | Active | admin      | 12-Aug-2023 |
|         | INSTRUMENT2     | instrument2   | 01-SEP-2023 07:30:11 | Active | admin      | 12-Aug-2023 |
|         | INDIA12312      | INDIA12312    | 01-SEP-2023 06:51:21 | Active | admin      | 10-Aug-2023 |

8 total