

Cucumber Report

Feb 8, 2022, 11:28:03 PM

Start : Feb 08, 11:20:06.918 PM

End : Feb 08, 11:27:57.104 PM

Duration : 7 m 50.186 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 1
SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	1	0	1	0	7 m 50.186 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	Bill(invoice) Booking	21	4	1	16	7 m 50.178 s




(F)- ACCOUNTS PAYABLE

FAILED	DURATION - 7 m 50.186 s	Scenarios		Steps	
/ 11:20:06.918 PM // 11:27:57.104 PM /		Total - 1		Total - 21	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	

(S)- Bill(invoice) Booking

<div>FAILED</div> <div>DURATION - 7 m 50.178 s</div>		<div>Steps</div> <div>Total - 21</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 16</div>	
<div>/ 11:20:06.926 PM // 11:27:57.104 PM /</div>			
<div>ACCOUNTS PAYABLE</div>			
<div>@KUBS_INV_MGMT_UAT_001_005</div>			

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	11.597 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	1.018 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	When click on eye button of invoice booking	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot 		
4	And click on add button for invoice booking	PASSED	0.767 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.498 s
	screenshot 		
5	And Fill the required fields for invoice booking org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6695dbabec882679bff5d4d808e75f4d, findElement {using=xpath, value=//ion-col[13]/app-kub-lov/span/ng-select/div/div/div[2]/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\goog-chrome-options\{debuggerAddress: localhost:64275}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:64275/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6695dbabec882679bff5d4d808e75f4d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	7 m 14.746 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.ACCOUNTSPAYABLE_InvoiceBooking. fill_the_required_fields_for_invoice_booking(ACCOUNTSPAYABLE_InvoiceBooking.java:320) at ?.Fill the required fields for invoice booking(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ ACCOUNTSPAYABLE_InvoiceBooking.feature:10) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6695dbabec882679bff5d4d808e75f4d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:64275}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64275/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6695dbabec882679bff5d4d808e75f4d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </pre>	FAILED	12.198 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
6	Then Save and submit the invoice billing	SKIPPED	0.001 s
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.001 s
8	Then Click on notification button in reviewer	SKIPPED	0.001 s
9	And approve the record by the reviewer user	SKIPPED	0.002 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.001 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.001 s
13	And Click on claim button in checker	SKIPPED	0.001 s
14	And capture claimed status	SKIPPED	0.000 s
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the invoice billing	SKIPPED	0.000 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
18	And user should navigate to accounts payable menu	SKIPPED	0.000 s
19	When click on eye button of invoice booking	SKIPPED	0.001 s
20	Then click on first eye button to get the system invoice number	SKIPPED	0.000 s
21	And maker should logout	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.250 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6695dbabec882679bff5d4d808e75f4d, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\lNINDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:64275}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:64275/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6695dbabec882679bff5d4d808e75f4d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking


(F) ACCOUNTS PAYABLE



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date 03-Oct-2022, language English, and user information for ANANT. The left sidebar menu is expanded, showing the 'Finance' section with options like 'General ledger transaction', 'Budget', 'Accounts payable', 'Vendor contracts', 'Vendor purchase orders', 'Goods received note (GRN)', 'Invoice booking' (highlighted), 'Payment settlement', and 'Payment settlement cancellation'. The main content area displays an 'Actions' table with 0 total items. The bottom navigation bar shows 'Home' and 'Preference' icons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

The screenshot shows the Kastle Universal Banking (Beta) interface with the 'Invoice Booking View' table. The table has columns for Actions, Branch Code - Name, Invoice Number, Invoice Type, Business Partner, Auto Generate Invoice, Create By, and Create Date. The table contains 103 total items, with the first 8 items visible. The bottom navigation bar shows 'Home' and 'Preference' icons.

Actions	Branch Code - Name	Invoice Number	Invoice Type	Business Partner	Auto Generate Invoice	Create By	Create Date
	AZENTMAIN - Azentio N	INV-105-22022	Expense	Mehta		1002435	09-Feb-2022
	AZENTMAIN - Azentio N	INV-104-22022	Expense	Mehta		1002435	09-Feb-2022
	AZENTMAIN - Azentio N	INV-103-22022	Expense	Mehta		1002435	09-Feb-2022
	AZENTMAIN - Azentio N	INV-102-22022	Expense	Mehta		1002435	09-Feb-2022
	AZENTMAIN - Azentio N	INV-101-22022	Expense	Mehta		1002435	06-Feb-2022
	AZENTMAIN - Azentio N	INV-100-22022	Expense	Mehta		1002435	05-Feb-2022
	AZENTMAIN - Azentio N	INV-99-22022	Expense	Mehta		1002435	05-Feb-2022
	AZENTMAIN - Azentio N	INV-98-22022	Expense	Mehta		1002435	05-Feb-2022