

# Cucumber Report

May 7, 2022, 12:08:19 PM

**Start : May 07, 12:05:24.558 PM**

**End : May 07, 12:08:02.953 PM**

**Duration : 2 m 38.395 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 20**







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	2 m 38.395 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Bill(invoice) Booking</u>	21	0	1	20	2 m 38.349 s


**(F)- Check the Functionality of Inventory**

<b>FAILED</b>	<b>DURATION - 2 m 38.395 s</b>	Scenarios		Steps	
/ 12:05:24.558 PM // 12:08:02.953 PM /		Total - 1		Total - 21	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 20	

**(S)- Bill(invoice) Booking**

<div>FAILED</div> <div>DURATION - 2 m 38.349 s</div>			<div>Steps</div> <div>Total - 21</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 20</div>	
/ 12:05:24.604 PM // 12:08:02.953 PM /				
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_001_005				

#	Step / Hook Details	Status	Duration
1	<p>Given User should go to the kubs url and login as a maker user</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;ion-radio class="sc-ion-select-popover md in-item interactive hydrated" aria-checked="false" aria-labelledby="ion-rb-1-lbl" role="radio" tabindex="-1"&gt;&lt;/ion-radio&gt; is not clickable at point (12, 97). Other element would receive the click: &lt;ion-item class="select-interface-option md sc-ion-select-popover item-radio-checked item in-list ion-activatable ion-focusable hydrated item-label"&gt;...&lt;/ion-item&gt; (Session info: chrome=100.0.4896.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3850e9bbc446f9836c92df78508267f6, clickElement {id=8422c21a-5014-4851-af79-7f266d0f3a14}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\NINDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55462}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55462/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (3850e9bbc446f9836c92df78508267f6)] -&gt; xpath: //ion-item[2]/ion-radio] Session ID: 3850e9bbc446f9836c92df78508267f6</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p>	<b>FAILED</b>	1 m 8.901 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.AzentioLogin.loginToAzentioApp(AzentioLogin.java:49) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:49)   at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/inindc00091/git/AzentioAutomationFramework_FinalCode/ AzentioAutomationFramework/src/test/java/features/InventoryManagement_UAT.feature:187) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	1.431 s
2	And user should navigate to accounts payable menu	SKIPPED	0.000 s
3	When click on eye button of invoice booking	SKIPPED	0.000 s
4	And click on add button for invoice booking	SKIPPED	0.000 s
5	And Fill the required fields for invoice booking	SKIPPED	0.000 s
6	Then Save and submit the invoice billing	SKIPPED	0.000 s
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.000 s
9	And approve the record by the reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.001 s
11	And Click on security management in checker	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
12	Then Click on open pool in checker	SKIPPED	0.001 s
13	And Click on claim button in checker	SKIPPED	0.001 s
14	And capture claimed status	SKIPPED	0.001 s
15	Then click on notification in checker	SKIPPED	0.001 s
16	Then checker should approved the invoice billing	SKIPPED	0.001 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.001 s
18	And user should navigate to accounts payable menu	SKIPPED	0.001 s
19	When click on eye button of invoice booking	SKIPPED	0.001 s
20	Then click on first eye button to get the system invoice number	SKIPPED	0.001 s
21	And maker should logout	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory

