

# Cucumber Report

Nov 3, 2022, 4:44:10 PM

**Start : Nov 03, 4:43:11.657 PM**

**End : Nov 03, 4:44:08.008 PM**

**Duration : 56.351 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 5**


**FAILED - 1**

**SKIPPED - 4**







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	56.351 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type Purchases	10	5	1	4	56.346 s





**(F)- AR/AP Module**


<b>FAILED</b>	<b>DURATION - 56.351 s</b>	Scenarios		Steps	
/ 4:43:11.657 PM // 4:44:08.008 PM /		Total - 1		Total - 10	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

**(S)- Create a contract for an active vendor with expense type Purchases**

<div>FAILED</div> <div>DURATION - 56.346 s</div>			Steps	
/ 4:43:11.662 PM // 4:44:08.008 PM /			Total - 10	
AR/AP Module			Pass - 5	
@AR/AP @KUBS_AR/AP_UAT_001_001_TC_001_01			Fail - 1 Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	22.612 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	3.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.560 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
3	When click on eye button of vendor contract	PASSED	0.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
	 +		
4	And click on add button to create contract	PASSED	2.562 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.533 s
	screenshot		
	 +		
5	And user update the data set ID for vendor contract	PASSED	0.004 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
	 +		
6	And Fill the required fields to create contract	FAILED	8.826 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <span_ngcontent-uoo-c287="" class="input-calendar">...</span> is not clickable at point (630, 449). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		


#	Step / Hook Details	Status	Duration
	<p>[eba2c490360513412310f7681fe3a179, clickElement {id=4dcc1625-acda-46ca-b5dc-20d0f4bff21a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:60669}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60669/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (eba2c490360513412310f7681fe3a179)] -&gt; xpath: //ion-col[12]/app-kub-date-time/ion-item/div/span[1]] Session ID: eba2c490360513412310f7681fe3a179</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)  at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.  fill_the_required_fields_to_create_contract(ACCOUNTSPAYABLE_VendorContracts.java:156)  at ?.Fill the required fields to create contract(file:///C:/Users/inindc00089/git/  AzentioAutomationFrameworkGit1/AzentioAutomationFramework/src/test/java/features/ArAp1.feature:11)  * Not displayable characters are replaced by '?'. </p>		
	<p><b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b></p> <p>screenshot</p> 	PASSED	0.417 s

#	Step / Hook Details	Status	Duration
7	And Save the Record from maker	SKIPPED	0.000 s
8	Then click on the Notification icon	SKIPPED	0.001 s
9	Then store the Reference ID and open the vendor contract record	SKIPPED	0.000 s
10	Then click submit and enter remark for vendor contract	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases


(F) AR/AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases

(F) AR/AP Module






(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases


(F) AR/AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases

(F) AR/AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases

(F) AR/AP Module

The screenshot shows the Azentio ONEBanking interface. On the left is a sidebar menu with options: General ledger transaction, Budget, Accounts payable, Vendor contracts (highlighted), Vendor purchase orders, Goods received note (GRN), Invoice booking, Payment settlement, Payment settlement cancellation, and Auto payment. The main area displays the 'Contract Creation' form. The form has the following fields and values:

Contract Creation		
* Entity Branch	* Expense Type	* BP Name
Azentio Main Branch		
BP Branch	Contract Account Code	* Contract Name
Transaction Date	* Agreement Date	* Contract End Date
13-Sep-2023	13-Sep-2023	13-Sep-2023
* Contract Signed on Date	Total Contract Value	Contract Status
13-Sep-2023	INR x	Active
Transaction Status	Remark	

Below the form are two expandable sections: 'Other Details' and 'Additional Details'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases

(F) AR/AP Module

This screenshot is similar to the one above, but with specific values entered and a calendar overlay. The 'Contract Creation' form has the following values:

Contract Creation		
* Entity Branch	* Expense Type	* BP Name
Azentio Main Branch	Purchases Contract	DELUXE 001
BP Branch	Contract Account Code	* Contract Name
DADAR BRANCH		Tokyo
Transaction Date	* Agreement Date	* Contract End Date
13-Sep-2023	10-Oct-2023	10-Oct-2023
* Contract Signed on Date	Total Contract Value	Contract Status
13-Sep-2023	INR x	
Transaction Status	Remark	

A calendar overlay is visible for the 'Agreement Date' field, showing the month of October 2023. The date 10 is selected.