

Cucumber Report

4 Mar 2023, 4:41:09 PM

Start : Mar 04, 4:40:01.216 PM

End : Mar 04, 4:41:07.576 PM

Duration : 1 m 6.360 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 7


FAILED - 1

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	1 m 6.360 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Bill(invoice) Booking</u>	9	7	1	1	1 m 6.353 s


(F)- Check the Functionality of Inventory


FAILED	DURATION - 1 m 6.360 s	Scenarios		Steps	
/ 4:40:01.216 PM // 4:41:07.576 PM /		Total - 1		Total - 9	
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	


(S)- Bill(invoice) Booking

FAILED	DURATION - 1 m 6.353 s		<div>Steps</div> <div>Total - 9</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 4:40:01.223 PM // 4:41:07.576 PM /				
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_001_007_TC_01				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	37.888 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.454 s
	screenshot		
			
2	Then select data set ID for bill booking	PASSED	0.629 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.560 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user should navigate to accounts payable menu	PASSED	2.806 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		
			
4	Then click on po creation module	PASSED	0.637 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.739 s
	screenshot		
			
5	And get the approved po number from approved po record for invoice booking	PASSED	0.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.433 s
	screenshot		
			
6	When click on the eye button of invoice booking	PASSED	0.440 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.526 s
	screenshot		
			
7	And click on add button for invoice booking	PASSED	1.431 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.417 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	<p>And Fill the required fields for invoice booking record</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-cqh-c278="" routerlink="/inbox" tabindex="0" ng-reflect-router-link="/inbox" class="md button button-clear in-toolbar in-toolbar-color button-has-icon-only ion-activatable ion-focusable hydrated">...</ion-button> is not clickable at point (1094, 28). Other element would receive the click: <div role="alert" class="ng-tns-c136-3 toast-message ng-star-inserted" aria-label="Workflow initiated submit record from inbox." style="">...</div> (Session info: chrome=110.0.5481.178) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.218', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [882bb38057010e0418ccfef28b577070, clickElement {id=0e3f5e84-e840-45ce-8000-5374f0e0b3a1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:49223}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49223/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (882bb38057010e0418ccfef28b577070)] -> xpath: //ion-header/ion-toolbar[1]/ion-buttons[2]/ion-button[2]] Session ID: 882bb38057010e0418ccfef28b577070</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.InventoryManagement_BillBooking.fill_the_required_fields_for_invoice_booking_record(InventoryManagement_BillBooking.java:483) at ?.Fill the required fields for invoice booking record(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/</p>	FAILED	14.880 s

#	Step / Hook Details	Status	Duration
	ARAP_AzentioAutomationFramework_Excel/src/test/java/features/InventoryManagement_UAT.feature:230) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
	screenshot 	PASSED	0.238 s
9	Then Save and submit the invoice billing	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

AZENTIO
ONEBanking

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders


Goods received note (GRN)

Invoice booking

22 Appro... 11 Mess...

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

AZENTIO
ONEBanking

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

22 Appro... 11 Mess...

Actions

0 total

ANANT

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory

Actions	Branch Code - Name	PO Number	PO Date	PO Type	Contract No	Business
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-15	07-Jan-2023	Purchases Contract	Agency-15-32-040320	DELUXE
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-15	07-Jan-2023	Purchases Contract	Agency-15-31-030320	DELUXE
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-6	06-Jan-2023	Purchases Contract	Agency-65-1-030320	Tamil710
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-8	06-Jan-2023	Purchases Contract		Bonton A
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-15	06-Jan-2023	Purchases Contract	Agency-15-30-240120	DELUXE
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-6	04-Jan-2023	Purchases Contract	Agency-62-1-020320	Tamil222
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-6	04-Jan-2023	Purchases Contract	Agency-61-1-020320	Tamil95
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-6	04-Jan-2023	Purchases Contract	Agency-60-1-020320	Tamil762
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-5	04-Jan-2023	Purchases Contract	Agency-59-1-020320	Tamil

165 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory

Actions
0 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory



















AZENTIO
ONEBanking

07-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable
Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
22 Appro... 11 Mess...

Invoice Booking View

Actions	Branch Code - Name	Invoice Number	Invoice Type	Business Partner	Auto Generate Invoice	Create B
 	AZENTMAIN - Azentio	INV-116-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-115-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-114-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-113-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-112-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-111-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-110-32023	Invoice Against PO	Tamil635		1002435
 	AZENTMAIN - Azentio	INV-109-32023	Invoice Against PO	Tamil846		1002435
 	AZENTMAIN - Azentio	INV-108-22023	Invoice Against PO	Tamil593		1002435

116 total

1 2 3 4 5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory










AZENTIO
ONEBanking

07-Jan-2023 English Azentio Software

Finance

General ledger transaction
Budget
Accounts payable
Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
22 Appro... 11 Mess...

Invoice Booking

Actions	Branch Code - Name	Invoice Number	Invoice Type	Business Partner	Auto Generate Invoice	Create B
	AZENTMAIN - Azentio		Invoice Against PO	Bonton Agency		1002435
	AZENTMAIN - Azentio		Invoice Against PO	Bonton Agency		1002435
	AZENTMAIN - Azentio		Invoice Against PO	Bonton Agency		1002435
	AZENTMAIN - Azentio		Invoice Against PO	Bonton Agency		1002435
	AZENTMAIN - Azentio		Invoice Against PO	Shasheekant		1002435
	AZENTMAIN - Azentio		Invoice Against PO	Shasheekant		1002435
	AZENTMAIN - Azentio		Invoice Against PO	Shasheekant		1002435
	AZENTMAIN - Azentio		Invoice Against PO	Bonton Agency		1002435
	AZENTMAIN - Azentio		Invoice Against PO	Bonton Agency		1002435

209 total

1 2 3 4 5

Workflow initiated submit record from inbox.