

Cucumber Report

May 7, 2022, 12:46:14 PM

Start : May 07, 12:43:28.459 PM

End : May 07, 12:46:06.780 PM

Duration : 2 m 38.321 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	2 m 38.321 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Check inventory access details report</u>	7	0	1	6	2 m 38.297 s

(F)- Check the Functionality of Inventory

FAILED	DURATION - 2 m 38.321 s	Scenarios		Steps	
/ 12:43:28.459 PM // 12:46:06.780 PM /		Total - 1		Total - 7	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- Check inventory access details report

FAILED	DURATION - 2 m 38.297 s		Steps	
/ 12:43:28.483 PM // 12:46:06.780 PM /			Total - 7	
Check the Functionality of Inventory			Pass - 0	
@KUBS_INV_MGMT_UAT_007_001			Fail - 1	
			Skip - 6	

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to URL and user should login as a maker</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-radio class="sc-ion-select-popover md in-item interactive hydrated" aria-checked="false" aria-labelledby="ion-rb-1-lb" role="radio" tabindex="-1"></ion-radio> is not clickable at point (12, 97). Other element would receive the click: <ion-item class="select-interface-option md sc-ion-select-popover item-radio-checked item in-list ion-activatable ion-focusable hydrated item-label">...</ion-item> (Session info: chrome=100.0.4896.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0d1df46d40c018e4cfd85a5e2442bbc3, clickElement {id=c2aee670-3aa1-4cdd-be46-5cad84ed09b1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:55758}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55758/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (0d1df46d40c018e4cfd85a5e2442bbc3)] -> xpath: //ion-item[2]/ion-radio] Session ID: 0d1df46d40c018e4cfd85a5e2442bbc3</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p>	FAILED	1 m 13.741 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.AzentioLogin.loginToAzentioApp(AzentioLogin.java:49) at stepdefinitions.InventoryManagment.navigate_to_url_and_user_should_login_as_a_maker(InventoryManagment.java:66) at ?.Navigate to URL and user should login as a maker(file:///C:/Users/inindc00091/git/AzentioAutomationFramework_FinalCode/AzentioAutomationFramework/src/test/java/features/InventoryManageMent_UAT.feature:567) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	2.466 s
2	Then click on report button	SKIPPED	0.001 s
3	Then Click on Report Tab	SKIPPED	0.000 s
4	Then Click on Inventory access detail report edit grid	SKIPPED	0.001 s
5	Then Fill the form for Inventory access detail report	SKIPPED	0.000 s
6	And click on view button to view report	SKIPPED	0.000 s
7	Then verify the approved record is available in the report	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory access details report

(F) Check the Functionality of Inventory

