


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	1	0	0	26.902 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget	To verify system displays the validation message when user	7	7	0	0	26.898 s
	functionality	try to raise monthly supplementory request for Lapsed period					

DETAILED SECTION -- 4 --

## **(F)- Checking the Supplementary Budget functionality**

PASSED	DURATION - 26.902 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 2:14:53.089 AN	Л // 2:15:19.991 AM /	Pass - 1	1	Pass - 7	7
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- To verify system displays the validation message when user try to raise monthly supplementory request for Lapsed period




#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials	PASSED	8.978 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
	© Continued to the Continue C		
2	And maker should navigate to the budget module	PASSED	0.306 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		

3 And maker click on budget field PASSED 0.100 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.144 s  4 When maker click on budget supplementary eye icon PASSED	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 When maker click on budget supplementary eye icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click on add button on budget supplementary view page  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then fill required data for the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  8.749 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.120 s		# Of the Contract of the Contr		
screenshot  4 When maker click on budget supplementary eye icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  5 And click on add button on budget supplementary view page  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5 And click on add button on budget supplementary view page  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Creenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.120 s	3	And maker click on budget field	PASSED	0.100 s
4 When maker click on budget supplementary eye icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5 And click on add button on budget supplementary view page  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.146 s  1 Then fill required data for the record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  8.749 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.120 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
When maker click on budget supplementary eye icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And click on add button on budget supplementary view page  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.154 s  0.116 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click on add button on budget supplementary view page  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then fill required data for the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  8.749 s  PASSED  0.120 s		Page Applications Programmed Prog		
screenshot  5 And click on add button on budget supplementary view page  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then fill required data for the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  8.749 s  PASSED  0.120 s	4	When maker click on budget supplementary eye icon	PASSED	0.154 s
5 And click on add button on budget supplementary view page  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then fill required data for the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  8.749 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.120 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then fill required data for the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  8.749 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.146 s		Prince age of the contract of	_	
Screenshot  6 Then fill required data for the record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.120 s	5	And click on add button on budget supplementary view page	PASSED	0.082 s
6 Then fill required data for the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 8.749 s  0.120 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
6 Then fill required data for the record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 8.749 s  0.120 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.120 s		Name   0		
	6	Then fill required data for the record	PASSED	8.749 s
screenshat		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
		screenshot	]	


DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	Comparison   Com		
7	And enter Lapsed period	PASSED	5.381 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.079 s
	screenshot		
	# ** *********************************		


EXPANDED SECTION -- 7



EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

