


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	0	1	0	30.073 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	System should follow the flow as Record Rejecting in	20	12	1	7	30.065 s
	feature module	Reviewer					

DETAILED SECTION -- 4 --

(F)- Check Budget Request and Allocation feature module

FAILED	DURATION - 30.073 s	Scenarios		Steps	
		Total - 1		Total - 20	
/ 9:35:59.538 ar	m // 9:36:29.611 am /	Pass - 0	1	Pass - 12	20
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

(S)- System should follow the flow as Record Rejecting in Reviewer



#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio Maker Url	PASSED	13.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
	* * * * * * * * * * * * * * * * * * *		
2	Then Click Transfer Icon	PASSED	0.291 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		


The Conference of the Conferen			
0 married 0 fatories 0 married 0 married 0 married 0 married 0 married		© Contractions Contractions Con	
3 And Click on Budget Module	PASSED	And Click on Budget Module	0.096 s
AFTER_STEP - stepdefinition	PASSED	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	0.177 s
screenshot		screenshot	
100 100		************************************	
4 Then Click on Budget Sub n	PASSED	Then Click on Budget Sub module Near Eye Icon	0.305 s
screenshot	PASSED	# \$ 0.000 (0.000	0.220 s
5 And Click on Add icon in Re	PASSED	And Click on Add icon in Request and Allocation	0.267 s
AFTER_STEP - stepdefinition screenshot I will be a standard and the sta	PASSED	## Q 1000 (1	0.262 s
6 Then Select New Budget Co	PASSED	Then Select New Budget Code	0.334 s
AFTER_STEP - stepdefinition	PASSED	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	0.168 s
screenshot		screenshot	
Screenshot Screenshot And Click on Add icon in Re AFTER_STEP - stepdefinition Then Select New Budget Co AFTER_STEP - stepdefinition	PASSED PASSED PASSED	And Click on Add icon in Request and Allocation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Select New Budget Code AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	0.267 s 0.262 s 0.334 s

7 And Select Current Budget Year PASSED 0.316 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 8 Then Click on Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.276 s 8 Then Click on Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 8 Then Click on Branch AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.276 s PASSED 0.276 s 0.276 s
8 Then Click on Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.094 s 0.253 s
8 Then Click on Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.094 s 0.253 s
8 Then Click on Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot
screenshot
Experimental process of the state of the sta
-
9 And Select on one Branch PASSED 0.087 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.147 s
screenshot
10 Then Click on Branch ok button PASSED 0.107 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.225 s
screenshot


#	Step / Hook Details	Status	Duration
	## O Man Forestations		
11	Then Select currency we need	PASSED	0.242 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
	Description Description		
12	And Enter Amount which Budget Type Show in Budget type field	PASSED	4.322 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		
	10 10 10 10 10 10 10 10		
13	And click on save button	FAILED	1.170 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated" slot="end"> (Session info: chrome=97.0.4692.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3e43c9dc74cb32392a1efc18c78adddd, clickElement {id=76961daa-1f52-4db1-86b2-e7dd92fc16f3}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:62627}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62627/devtoo, se:cdpVersion: 97.0.4692.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (3e43c9dc74cb32392a1efc18c78adddd)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 3e43c9dc74cb32392a1efc18c78adddd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</ion-buttons>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(CoatingElementHandler.java:52) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.sProxy46.click(Unknown Source) at stepdefinitions.BUDGET_BudgetRequestandAllocation.click_on_save_button(BUDGET_BudgetRequestandAllocation.java:128) at ?click on save button(file:///ci/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ BUDGET_BudgetRequestandAllocation.feature:92) * Not		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	Screenshot		
14	Then Click on Maker Notification button	SKIPPED	0.000 s
15	And Click on Record submit	SKIPPED	0.000 s
16	Given Navigate the Azentio Url login as Reviewer	SKIPPED	0.000 s
17	Then Click on Notification icon	SKIPPED	0.000 s
18	And Click Reviewer Action button	SKIPPED	0.000 s
19	Then Click on Reject button in Reviewer	SKIPPED	0.000 s
20	And Submit the reviewer Rejecting Record	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

