
**Duration: 16.881 s** Start: Jan 11, 12:02:03.932 PM End: Jan 11, 12:02:20.813 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 11 SKIPPED - 0 SKIPPED - 0 SKIPPED - 21 33 40 50 60 40 50 60 40 50 60 30 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 33 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	16.881 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify checker can approve the record which is approved	33	11	1	21	16.875 s
	feature	by reviewer					

DETAILED SECTION -- 4 --

## (F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 16.881 s	Scenarios		Steps	
		Total - 1		Total - 33	
/ 12:02:03.932 P	PM // 12:02:20.813 PM /	Pass - 0	1	Pass - 11	33
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 21	

## (S)- To verify checker can approve the record which is approved by reviewer



#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	9.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.592 s
	screenshot		
	Street Space Street Space Street Space Street Space Street Space Street Space		
2	Then click on budget configuration Menu	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		

3 And click on budget definition sub menu and click on eye icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And click on add icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScr	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  And click on add icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  FASSED  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  Then enter budget code  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  are a step a s		1		
Screenshot  4 And click on add icon  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  5 Then enter budget code  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  5 Then enter budget code  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  AFTER_STEP - stepde	3	And click on budget definition sub menu and click on eye icon	PASSED	0.126 s
And click on add icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then enter budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.125 s  PASSED  O.180 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.424 s
4 And click on add icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 Then enter budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  Then enter budget code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		© heren " ' ' ' ' ' ' ' ' ' ' ' '		
Screenshot  Then enter budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  The step definitions of the step definition of the st	4	And click on add icon	PASSED	0.177 s
5 Then enter budget code PASSED 0.125 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  The enter budget code PASSED 0.125 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  The enter budget code PASSED 0.125 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.319 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Image: Comparison of the c		# © Auto-Considering # South State   S		
Screenshot	5	Then enter budget code	PASSED	0.125 s
O   Description		screenshot	PASSED	0.180 s
		© manufacture reques.  © Manufacture ©  © Manufacture of  © Manufa		
6 And enter budget type PASSED 0.211 s	6	And enter budget type	PASSED	0.211 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
screenshot		screenshot		

Part   Part	
© manus  © manus  © values = 1 min	
7 And enter warning percentage PASSED 0	.121 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0	.198 s
screenshot	
#	
8 And enter budget name PASSED 0	.085 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot    PASSED   0	.181 s
9 Then give remark PASSED 0	.081 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot    PASSED   0	.170 s
10 Then click on save button PASSED 0	.057 s
	.298 s
7 11 12 12 1	


#	Step / Hook Details	Status	Duration
	Some space - seasons and s		
11	Then Click on notification icon	PASSED	0.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		
	■ © Maniferrations   Maniferration   Maniferr		
12	And select the first record	FAILED	0.031 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: "method": "xpath", "selector": "//app-inbox//datatable-row-wrapper[1]/datatable-body-row/livi/datatable-body-cell[2]//span") (Session info: chrome-96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org. openqa.selenium.chromee.ChromeeDriver Command: [54c5dab0fd56c7d6272833911bfb66af, findElement (using=xpath, value=//app-inbox//datatable-body-cell/gl//span]) Capabilities {acceptlnescureCerts: false, browserName: chrome, browserVersion: '96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: CxUsersININDC-1ApppatalL}, goog:chromeOptions: {debuggerAddress: localhost:49862/j, javascriptEnabled: true, entowrkConnectionEnabled: false, paqueLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49862/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthnextension:credBlob: true, webauthn:virtualAuthenticators: true) Session 10: 54c5dab0fd56c7d6272833911bfb66af at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.codec.w3c.W3CHttpResp		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source) at stepdefinitions.BUDGET_BudgetCreation.select_the_first_record(BUDGET_BudgetCreation.java:223) at ?.select the first record(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:119) * Not displayable characters are replaced by '?'.  AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot	PASSED	0.200 \$
	■ © 1000 1000 1000 1000 1000 1000 1000 1		
13	Then click on submit button	SKIPPED	0.001 s
14	And enter remark in alert tab	SKIPPED	0.000 s
15	And click on submit	SKIPPED	0.000 s
16	When click on submit button save the reviewer id	SKIPPED	0.000 s
17	Given navigate to URL and login as a reviewer	SKIPPED	0.001 s
18	Then click on notification icon	SKIPPED	0.000 s
19	When click on notification icon to check reviewer can get a record which is submitted by maker	SKIPPED	0.000 s
20	And click on action button	SKIPPED	0.000 s
21	Then verify the budget record is matched with maker submited record	SKIPPED	0.000 s
22	And approve the record in reviewer stage	SKIPPED	0.001 s
23	Then enter remark then submit	SKIPPED	0.000 s
24	Given navigate to URL and login as a checker	SKIPPED	0.000 s
25	Then click on security management menu	SKIPPED	0.001 s
26	And click on Action icon in security management	SKIPPED	0.000 s
27	Then clime the record	SKIPPED	0.000 s
28	And click on notification icon in checker stage	SKIPPED	0.000 s
29	When checker click on notification icon record might be showed in notification area	SKIPPED	0.000 s
30	And click on action button in checker stage	SKIPPED	0.000 s
31	Then click on approve in checker stage	SKIPPED	0.000 s
32	And Write remark in alert	SKIPPED	0.000 s


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
33	And Submit the record from checker	SKIPPED	0.000 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

