

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	1	0	0	29.456 s




7	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	Check the Functionality of Inventory	Check the accounting entries	11	11	0	0	29.450 s

DETAILED SECTION -- 4 --

## **(F)-** Check the Functionality of Inventory

PASSED	DURATION - 29.456 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 8:50:50.522 PM	/ // 8:51:19.978 PM /	Pass - 1	1	Pass - 11	11
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## **(S)-** Check the accounting entries



#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	14.803 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
2	Then click on report segment button	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		


#	Step / Hook Details	Status	Duration
	TO CONTINUE TO THE PARTY AND T		
	0 to 1 to		
	Total State Control of the Control o		
3	And click on equiry menu	PASSED	0.284 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
	■ © tentromentures     Value of logic   Constitution   Constituti		
4	Then click on edit icon near by fiancial transaction menu	PASSED	0.400 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot	1	
	■ © teatmentalismus    State		
	3m2		
5	And choose branch code	PASSED	0.543 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		
	■ © contractations to the contract to the con		
6	And choose GI code	PASSED	0.359 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		


7 And click on transaction from date calender icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  8 Then choose the from date  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 And click on the transaction to date calender icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 And click on the transaction to date calender icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 And click on the transaction to date calender icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 Arter Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksCl	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ### PASSED   0.128 s  ### PASSED   0.128 s  ### PASSED   0.128 s  ### PASSED   0.128 s  ### PASSED   0.542 s  ### PASSED   0.542 s  ### PASSED   0.112 s  ### PASSED   0.112 s  ### PASSED   0.112 s  ### PASSED   0.112 s  ### PASSED   0.139 s  ### PASSED   0.139 s  ### PASSED   0.149 s  ### PASSED   0.140 s  ### PASSED   0.126 s		# © NOTIFICATION   NOTIFICATION   100 Percent   100 Perce		
Screenshot  Then choose the from date  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.112 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then choose the to date  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.139 s  PASSED  O.149 s  Then choose the to date  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.139 s  PASSED  O.149 s	7	And click on transaction from date calender icon	PASSED	0.685 s
8 Then choose the from date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.12 s  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  To Then choose the to date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Deals of the choose the to date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.817 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.126 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
8 Then choose the from date PASSED 0.542 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And click on the transaction to date calender icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And click on the transaction to date calender icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 Then choose the to date  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.817 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.126 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And click on the transaction to date calender icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then choose the to date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.139 s  0.149 s				
screenshot  9 And click on the transaction to date calender icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then choose the to date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.817 s  PASSED  0.126 s	8	Then choose the from date	PASSED	0.542 s
9 And click on the transaction to date calender icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then choose the to date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.139 s  0.149 s  0.149 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
9 And click on the transaction to date calender icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then choose the to date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.139 s  0.149 s  PASSED  0.149 s  PASSED  0.126 s		screenshot	]	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then choose the to date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.149 s  PASSED  0.149 s		Some of the contract of the co		
Screenshot  10 Then choose the to date  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.126 s	9	And click on the transaction to date calender icon	PASSED	0.139 s
10 Then choose the to date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.817 s  O.126 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
10 Then choose the to date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.817 s  One of the choose the todate of the choose the choose of the choose the choose of the choose the choose of the cho		screenshot	1	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.126 s				
	10	Then choose the to date	PASSED	0.817 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
		screenshot	1	

DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
	See a part of the		
11	And click on view button	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
	Since Services    Since Services   Since		

EXPANDED SECTION -- 8 --







EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

