


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	24.006 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify checker can able to reject the budget code after	32	15	1	16	24.000 s
	feature	the record approved from reviewer					

DETAILED SECTION -- 4 --

## (F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 24.006 s	Scenarios		Steps	
		Total - 1		Total - 32	
/ 4:00:45.398 P	M // 4:01:09.404 PM /	Pass - 0	1	Pass - 15	32
		Fail - 1		Fail - 1	
		Skip - 0		Skip - <b>16</b>	

## (S)- To verify checker can able to reject the budget code after the record approved from reviewer



#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	9.439 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.541 s
	screenshot		
	## Descriptions   Strate   Special Continues   Description   Description		
2	Then click on budget configuration Menu	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Discrete Space Spa		
3	And click on budget definition sub menu and click on eye icon	PASSED	0.350 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
	### OF THE PART OF		
4	Then search the budget code want to update	PASSED	0.240 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
	Post from the control of the control		
5	And select the budget code	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.341 s
	screenshot		
	PRODUCTION STATE OF THE PRODUCTION OF THE PRODUC		
6	And update the budget code	PASSED	3.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot	1	
	·	-	•


7 Then update the budget budget type PASSED 0.216 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  8 Then update warning percentage PASSED 0.174 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 Then update budget name PASSED 0.152 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.237 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.237 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.237 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.274 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.274 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.248 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.274 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.244 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  8 Then update warning percentage  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  O.201 s  PASSED  O.174 s  PASSED  O.169 s  PASSED  O.169 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.237 s  PASSED  O.152 s  PASSED  O.152 s  Then update budget name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then update paramatage  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then update remark  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then update remark  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  O.274 s  PASSED  O.244 s  PASSED  O.244 s		3		
Screenshot   Scr	7	Then update the budget budget type	PASSED	0.216 s
8 Then update warning percentage PASSED 0.174 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot PASSED 0.237 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.237 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot PASSED 0.237 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then update remark PASSED 0.274 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 Then update remark PASSED 0.244 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.144 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
8 Then update warning percentage PASSED 0.174 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then update budget name PASSED 0.237 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then update remark  PASSED 0.237 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.214 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.169 s  Then update budget name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.237 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.237 s  O.152 s  Then update remark  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.274 s  PASSED  O.144 s				
screenshot  9 Then update budget name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  10 Then update remark  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.237 s  0.152 s  0.152 s  0.152 s  0.152 s  0.152 s  0.152 s  0.153 s  0.154 s	8	Then update warning percentage	PASSED	0.174 s
9 Then update budget name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then update remark  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.237 s  0.152 s  0.152 s  0.152 s  0.152 s  0.152 s  0.153 s  0.154 s		screenshot	PASSED	0.169 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then update remark  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.152 s  0.152 s  0.152 s		_ Statement ⊕ Ø  Statement ⊕  © Sta		
Screenshot  10 Then update remark  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.274 s  0.144 s	9	Then update budget name	PASSED	0.237 s
10 Then update remark  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.274 s  0.144 s			PASSED	0.152 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.144 s		© haterpartnerspectors  © Accordance  (**Constraints** (**Constraints**)  (**Constraints** (**Constraints**)  (**Constraints**)  (**Constraints**)  (**Constraints**)  (**Constraints**)  (**Constraints**)  (**Constraints**)		
	10	Then update remark	PASSED	0.274 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
	# Option Control of the Control of		
11	And click on save after update all the details	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		
12	Then Click on notification icon	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.249 s
13	And select the first record	PASSED	0.715 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.254 s
14	Then click on submit button	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		


#	Step / Hook Details	Status	Duration
	Position frame production from the first and		
15	And enter remark in alert tab	PASSED	0.723 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.172 s
	The state of the s		
16	And click on submit	FAILED	1.124 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button_ngcontent-lwq-c290="" aria-disabled="true" class="subButton ios button button-solid button-disabled ion-activatable ion-focusable hydrated" disabled="" ng-reflect-disabled="true"></ion-button_ngcontent-lwq-c290="">		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.BUDGET_BudgetCreation.click_on_submit(BUDGET_BudgetCreation.java:258) at ?.click on submit(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/ KUBS_BudgetDefinition.feature:395) * Not displayable characters are replaced by '?'.  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.125 s
17		CMIDDED	0.001
17	When click on submit button save the reviewer id	SKIPPED	0.001 s
18	Given navigate to URL and login as a reviewer	SKIPPED	0.000 s
19	Then click on notification icon	SKIPPED	0.000 s
20	When click on notification icon to check reviewer can get a record which is submitted by maker	SKIPPED	0.000 s
21	And click on action button	SKIPPED	0.000 s
22	And approve the record in reviewer stage  Then enter remark then submit	SKIPPED	0.000 s
23	Then enter remark then submit	SKIPPED	0.000 s
24	Given navigate to URL and login as a checker  Then click on security management menu	SKIPPED SKIPPED	0.000 s 0.000 s
25	, ,		
26	And click on Action icon in security management	SKIPPED	0.000 s
27	Then clime the record	SKIPPED	0.000 s
28	And click on notification icon in checker stage	SKIPPED	0.000 s
29	When checker click on notification icon record might be showed in notification area	SKIPPED	0.000 s
30	And click on action button in checker stage	SKIPPED	0.000 s
31	Then reject the record	SKIPPED	0.001 s
32	And write negative remark and submit it	SKIPPED	0.000 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --





EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

