


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the General Ledger Module	1	0	1	0	37.644 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the General Ledger Module	check Accounting schemes should mapped to the same	34	18	1	15	37.640 s
		<u>Transaction event</u>					

DETAILED SECTION -- 4 --

## **(F)-** testing the General Ledger Module

FAILED	DURATION - 37.644 s	Scenarios		Steps	
		Total - 1		Total - 34	
/ 4:22:01.887 F	PM // 4:22:39.531 PM /	Pass - 0	1	Pass - 18	34
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 15	

## **(S)-** check Accounting schemes should mapped to the same Transaction event



#	Step / Hook Details	Status	Duration
1	Given Login as a Azentio Maker	PASSED	10.499 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
	**************************************		
2	When user click the Accounting setup	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		

3 And click the Accounting Scheme Event Mapping Eye icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And click add icon in Gl  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And select the event  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.256 s  0.256 s  0.256 s  0.256 s  0.256 s  0.256 s  0.257 s  0.258 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And click add icon in Gl  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And select the event  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And click the Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.219 s  0.219 s  0.219 s  0.219 s				
screenshot  4 And click add icon in Gl  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And select the event  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  6 And click the Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.195 s	3			
4 And click add icon in GI  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.256 s  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.338 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.196 s  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.103 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.195 s			PASSED	0.219 s
4 And click add icon in GI  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And select the event  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And click the Scheme  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.103 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.103 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And select the event  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And click the Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.256 s  0.256 s  0.338 s  0.196 s				
Screenshot  5 And select the event  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  6 And click the Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.103 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.103 s  0.195 s	4	And click add icon in GI	PASSED	0.160 s
5 And select the event PASSED 0.338 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And click the Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.103 s  0.195 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
5 And select the event  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And click the Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.338 s  0.196 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And click the Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.196 s  PASSED  0.196 s		1		
Screenshot  6 And click the Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.103 s  0.195 s	5	And select the event	PASSED	0.338 s
6 And click the Scheme  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.103 s  0.195 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
6 And click the Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.103 s  0.195 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.195 s				
	6	And click the Scheme	PASSED	0.103 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
		screenshot	1	

7 Ad click Add button PASSED 0.076 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.169 s  8 And click next Scheme PASSED 0.075 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.055 s  After_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s  After_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.055 s  After_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.045 s  After_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.045 s  After_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.045 s  After_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.047 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  8 And click next Scheme PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And click Add button PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And click Add button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.1047 s PASSED  0.195 s		Careful   Care		
screenshot  And click next Scheme  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.047 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.195 s	7	And click Add button	PASSED	0.076 s
8 And click next Scheme PASSED 0.075 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  9 And click Add button PASSED 0.050 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  9 And click Add button PASSED 0.050 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  10 And click save button in event mapping AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.047 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.195 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
8 And click next Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And click Add button  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.050 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  APASSED  0.050 s  PASSED  0.047 s  PASSED  0.047 s  PASSED  0.047 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And click Add button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And click save button in event mapping  And click save button in event mapping  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And click save button in event mapping  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.050 s  0.145 s  0.047 s  PASSED  0.047 s		Comparison   Com		
screenshot  9 And click Add button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 And click save button in event mapping  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.047 s  PASSED  0.195 s	8	And click next Scheme	PASSED	0.075 s
9 And click Add button PASSED 0.050 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And click save button in event mapping  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.047 s  PASSED 0.047 s  PASSED 0.047 s  PASSED 0.047 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
9 And click Add button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And click save button in event mapping  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.050 s  PASSED  0.145 s  0.047 s  PASSED  0.047 s  PASSED  0.047 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And click save button in event mapping  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.145 s  PASSED  0.047 s  PASSED  0.047 s  PASSED  0.195 s		- warm 0 of 1 of		
Screenshot  10 And click save button in event mapping  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.047 s  0.195 s	9	And click Add button	PASSED	0.050 s
10 And click save button in event mapping  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.047 s  0.195 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
10 And click save button in event mapping  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.047 s  0.195 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.195 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.195 s	10	And click save button in event mapping	PASSED	0.047 s
screenshot			PASSED	0.195 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
	** On the control of		
11	And Click on notification icon	PASSED	1.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
	1		
12	And select the first record	PASSED	0.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.163 s
13	And click on submit button	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  I a stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
14	And enter remark in alert tab	PASSED	2.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		


15 And click on submit  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  +
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot
screenshot
■ <b>Q</b> Antigonogramiyos N=6272 100 <sup>-1</sup> - 100 50000
16 Given Navigate to Url and login as a reviewer 6.436 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.107 s
screenshot
The state of the s
17 Then Click on Notification button PASSED 0.780 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.133 s
screenshot
18 And Find the budget code which submitted from maker PASSED 1.462 s
18   And Find the budget code which submitted from maker     1.462 S
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 1.462 S  0.156 s

#	Step / Hook Details	Status	Duration
	** ** ** ** ** ** ** ** ** ** ** ** **		
)	Then Click on action button	FAILED	0.021 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//span[contains(text(),38)]/parent::datatable-body-cell/preceding-sibling-datatable-body-cell/preceding-sibling-datatable-body-cell/preceding-siblin		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	We described to the second of		
20	And Approve the record	SKIPPED	0.000 s
21	Given Navigate to Url and login as a Checker	SKIPPED	0.000 s
22	Then Click the Notification icon	SKIPPED	0.000 s
23	And Click on security management	SKIPPED	0.001 s
24	Then Click on open pool	SKIPPED	0.000 s
25	And Click on claim button	SKIPPED	0.000 s
26	Then click on notification	SKIPPED	0.000 s
27	Then approve the records	SKIPPED	0.000 s
28	Given Login as a Azentio Maker	SKIPPED	0.000 s
29	When user click the Accounting setup	SKIPPED	0.000 s
30	And click the Accounting Scheme Event Mapping Eye icon	SKIPPED	0.000 s
31	And click the search icon	SKIPPED	0.000 s
32	And search Event name based on which we created	SKIPPED	0.000 s
33	And clck the first edit icon in list view	SKIPPED	0.000 s
34	Then verify System should allow to map to the transaction event more than one Accounting Scheme	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

