
Duration: 1 m 4.846 s Start: Mar 08, 12:46:56.567 AM End: Mar 08, 12:48:01.413 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 8 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 9 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 88 % 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS RECEIVABLE	1	0	1	0	1 m 4.846 s

SCENARIOS SUMMARY



;	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	ACCOUNTS RECEIVABLE	Verify accounting entries for cleared cheques.	9	8	1	0	1 m 4.842 s

DETAILED SECTION -- 4 --

(F)- ACCOUNTS RECEIVABLE

FAILED	DURATION - 1 m 4.846 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 12:46:56.567 A	AM // 12:48:01.413 AM /	Pass - 0	1	Pass - 8	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Verify accounting entries for cleared cheques.

FAILED DURATION - 1 m 4.842 s	25 -			-	-					-	:	Steps			
/40 40 50 574 ANA //40 40 04 440 ANA /	20 -		ı	 - -	 - + -	 	 		 	-i-	 	Total - 9			
/ 12:46:56.571 AM // 12:48:01.413 AM /	15 -	-		 - -	 - + -	 -1	 	- + -	 	-!-	 	Pass - 8			
ACCOUNTS RECEIVABLE	5 -		ı	 - -	 	 	 		 		 	Fail - 1		9	
@KUBS_AR/AP_UAT_010_002_TC_04	0 -		<u> </u>	 =	 ÷	 <u> </u>	 	<u> </u>	 	<u> </u>	 	Skip - 0	•		
			1	2	3	4	5	6	7	8	9				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	24.404 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.398 s
	screenshot		
	The first instance of the control of		
2	And user should navigate to accounts receivable menu	PASSED	1.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.430 s
	screenshot		


3 When click on eye button of update cheque status AFTER_STEP - Stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 4 Then get.slip number by using cheque number AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 Then click on report icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then get slip number by using cheque number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Fig. 1		Total		
screenshot Then get slip number by using cheque number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then click on report icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	3		PASSED	
4 Then get slip number by using cheque number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on report icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.668 s
4 Then get slip number by using cheque number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then click on report icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.418 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on report icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.244 s 0.244 s 0.240 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s PASSED 0.418 s		No.		
Screenshot Then click on report icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s PASSED 0.418 s	4	Then get slip number by using cheque number	PASSED	1.271 s
5 Then click on report icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then click on enquiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.418 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
5 Then click on report icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on enquiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.255 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.255 s O.418 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then click on enquiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s PASSED 0.255 s PASSED 0.418 s				
Screenshot 6 Then click on enquiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s 0.418 s	5	Then click on report icon	PASSED	0.337 s
6 Then click on enquiry menu PASSED 0.255 s AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.418 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
6 Then click on enquiry menu PASSED 0.255 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.418 s		screenshot]	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.418 s		7 S D		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.418 s	6	Then click on enquiry menu	PASSED	0.255 s
screenshot			PASSED	0.418 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
	## OF THE PROPERTY AND		
7	Then click on temp grid button of financial transaction	PASSED	0.663 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.517 s
	screenshot		
	Since		
8	And fill the required fields of financial transaction	PASSED	5.369 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	Screenshot * *** *****************************		
9	Then click on view button to view the reports	FAILED	0.165 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//owl-date-time-calendar/div/button[2]"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a14918d3d19e0af47cb3c71545aae72c, findElement {using=xpath, value=//owl-date-time-calendar/div/button[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45} (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:52826}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52826/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a14918d3d19e0af47cb3c71545aae72c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480)		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source)		
	$at\ or g. open qa. selenium. remote. internal. Web Element ToJs on Converter. apply (Web Element ToJs on Converter. java: 51)$		
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197)		
	at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478)		
	at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27)		
	at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:49)		
	at stepdefinitions.AccountsReceivable_UpdateChequeStatus.		
	click_on_view_button_to_view_the_reports(AccountsReceivable_UpdateChequeStatus.java:151)		
	at ?.click on view button to view the reports(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/		
	AccountsReceivable_UpdateChequeStatus.feature:14)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.487 s
	screenshot		
	B Q AND PROMOTED TO THE PROMOT		
	1		


EXPANDED SECTION --- 8 --




EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

