

Cucumber Report

10-Dec-2022, 5:50:39 pm

Start : Dec 10, 4:43:00.426 pm

End : Dec 10, 5:50:36.377 pm

Duration : 67 m 35.951 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 2


SKIPPED - 0

PASSED - 5


FAILED - 2

SKIPPED - 24







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	2	0	2	0	67 m 35.951 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>AR/AP Module</u>	<u>Verify cancelled advances is not available for payment settlement</u>	16	0	1	15	67 m 11.187 s
2	<u>AR/AP Module</u>	<u>Verify cancelled advances is not available for payment settlement</u>	15	5	1	9	24.498 s

(F)- AR/AP Module

FAILED	DURATION - 67 m 35.951 s	Scenarios		Steps	
/ 4:43:00.426 pm // 5:50:36.377 pm /		Total - 2		Total - 31	
		Pass - 0		Pass - 5	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 24	


(S)- Verify cancelled advances is not available for payment settlement

<div>FAILED</div> <div>DURATION - 67 m 11.187 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 15</div>	
/ 4:43:00.432 pm // 5:50:11.619 pm /				
AR/AP Module				
@KUBS_AR_AP_UAT_003_009_TC_02 @AR/AP				



#	Step / Hook Details	Status	Duration
1	<p>Given Navigate The Azentio Url</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //custom-side-menu/ion-select' (tried for 4000 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElement(WaitHelper.java:81)</p> <p>at stepdefinitions.KUBS_Login.loginToAzentioApp(KUBS_Login.java:43)</p> <p>at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable.navigate_the_azentio_url(ARAP_AccountsReceivable_AccountsPayable.java:1054)</p> <p>at ?.Navigate The Azentio Url(file:///C:/Users/inindc00072/git/AzentioAutomationFramework_KUBS/AzentioAutomationFramework/src/test/java/features/ArAp1_Excel.feature:75)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//custom-side-menu/ion-select"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8LN', ip: '10.1.47.115', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1bde2f9b955b58965cf4305539f26330, findElement {using=xpath, value=//custom-side-menu/ion-select}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:64078}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64078/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts:</p>	FAILED	67 m 4.939 s

#	Step / Hook Details	Status	Duration
	<pre> {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1bde2f9b955b58965cf4305539f26330 at jdk.internal.reflect.GeneratedConstructorAccessor28.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:81) at stepdefinitions.KUBS_Login.loginToAzentioApp(KUBS_Login.java:43) at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable.navigate_the_azentio_url(ARAP_AccountsReceivable_AccountsPayable. java:1054) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.809 s
	screenshot		



#	Step / Hook Details	Status	Duration
			
2	Then Choose the second Tab Segment	SKIPPED	0.000 s
3	And Click On Main module Accounts Receivable	SKIPPED	0.000 s
4	Then Click on Accounts Receive Advances Eye Icon	SKIPPED	0.001 s
5	And Click On Search Icon	SKIPPED	0.000 s
6	And Updating Testdata Id for cancelled advances	SKIPPED	0.000 s
7	Then Enter Cancelled Value In Advance Status	SKIPPED	0.000 s
8	Then Click on Table Row First Eye Icon in ARAP	SKIPPED	0.001 s
9	And Get The Business Partner and Advance Number	SKIPPED	0.000 s
10	And Click On Main module Accounts payable	SKIPPED	0.000 s
11	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.000 s
12	And Click Add icon button	SKIPPED	0.000 s
13	Then Enter payment option	SKIPPED	0.000 s
14	And Give stored Business partner Name	SKIPPED	0.000 s
15	Then Choose value date as System current date	SKIPPED	0.000 s
16	And find the Advance reference number for cancelled Advances is available at the billing queue	SKIPPED	0.000 s

(S)- Verify cancelled advances is not available for payment settlement

<div>FAILED</div> <div>DURATION - 24.498 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
<div>/ 5:50:11.879 pm // 5:50:36.377 pm /</div>				
<div>AR/AP Module</div>				
<div>@KUBS_AR_AP_UAT_003_009_TC_02 @AR/AP</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	14.996 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
2	Then Choose the second Tab Segment	PASSED	0.631 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.734 s
	screenshot		
			
3	And Click On Main module Accounts Receivable	PASSED	0.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		
			
4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.535 s
	screenshot		
			
5	And Click On Search Icon	PASSED	1.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
6	<p>Then Enter Cancelled Value In Advance Status</p> <pre>java.lang.NullPointerException: Cannot invoke "java.util.Map.get(Object)" because "this.testData" is null at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable. enter_cancelled_value_in_advance_status(ARAP_AccountsReceivable_AccountsPayable.java:1784) at ?.Enter Cancelled Value In Advance Status(file:///C:/Users/inindc00072/git/AzentioAutomationFramework_KUBS/ AzentioAutomationFramework/src/test/java/features/ArAp3.feature:128) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.164 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.202 s
7	Then Click on Table Row First Eye Icon in ARAP	SKIPPED	0.000 s
8	And Get The Business Partner and Advance Number	SKIPPED	0.000 s
9	And Click On Main module Accounts payable	SKIPPED	0.000 s
10	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.000 s
11	And Click Add icon button	SKIPPED	0.000 s
12	Then Enter payment option	SKIPPED	0.000 s
13	And Give stored Business partner Name	SKIPPED	0.000 s
14	Then Choose value date as System current date	SKIPPED	0.000 s
15	And find the Advance reference number for cancelled Advances is available at the billing queue	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not
available for payment settlement


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not
available for payment settlement

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not
available for payment settlement

(F) AR/AP Module

The screenshot shows the Azentio ONEBanking interface. The top navigation bar includes the date '12-Dec-2022', language 'English', and user 'ANANT'. The left sidebar menu is expanded, showing the 'Finance' section with a dropdown menu. The menu items are: General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), Accounts receivable, Fixed assets, Inventory management, Petty cash, and Bank recon. The bottom status bar shows '22 Appro...' and '11 Mess...'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not
available for payment settlement


(F) AR/AP Module

The screenshot shows the Azentio ONEBanking interface with the 'AR/AP Module' selected. The top navigation bar is the same as the previous screenshot. The left sidebar menu is expanded, showing the 'Accounts receivable' section with a dropdown menu. The menu items are: Accounts receivable (Debit notes), Credit notes on invoice, Accounts receivable (Advances), and Receipts. The bottom status bar shows '22 Appro...' and '11 Mess...'. The main content area displays three charts: 'Product-wise Amount Financed', 'Subproduct-wise Amount Financed', and 'Scheme wise Amount Financed'. Each chart has a loading spinner. The footer text 'Powered by Metabase' is visible.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not
available for payment settlement


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not
available for payment settlement

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not
available for payment settlement

(F) AR/AP Module

AZENTIO

ONEBanking

Finance

⚙️

↔️

🕒

General ledger transaction

Budget

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Accounts receivable (Debit notes)

Credit notes on invoice

Accounts receivable (Advances)

Receipts

22 Appro... 11 Mess...

12-Dec-2022 English Azentio Software (AZENTMAIN) ANANT

← Advances

Actions	Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
	Search Branch Code	Search Receivable	Search ADV Number	Search BP Name	Search Amount	Search Date	Search ADV
<div>👁️ / ✎</div>	AZENTMAIN - Azentio	Advance To Employee	ADV_33_2122022	Mehta	200	12-Jan-2024	Active
<div>👁️ / ✎</div>	AZENTMAIN - Azentio	Advance To Employee	ADV_32_26112022	Mehta	200	05-Jan-2024	Active
<div>👁️ / ✎</div>	AZENTMAIN - Azentio	Advance Against PO	ADV_31_24112022	DELUXE 001	20	31-Dec-2023	Active
<div>👁️ / ✎</div>	AZENTMAIN - Azentio	Advance To Employee	ADV_30_24112022	Mehta	50	31-Dec-2023	Active
<div>👁️ / ✎</div>	AZENTMAIN - Azentio	Advance Against PO	ADV_29_10112022	Bonton Agency	2	17-Sep-2023	Active
<div>👁️ / ✎</div>	AZENTMAIN - Azentio	Advance To Employee	ADV_28_10112022	Mehta	5000	17-Sep-2023	Active
<div>👁️ / ✎</div>	AZENTMAIN - Azentio	Advance To Employee	ADV_27_10112022	Mehta	5000	17-Sep-2023	Active
<div>👁️ / ✎</div>	AZENTMAIN - Azentio	Advance Against PO	ADV_26_9112022	Bonton Agency	1	14-Sep-2023	Active
<div>👁️ / ✎</div>	AZENTMAIN - Azentio	Advance Against PO	ADV_25_9112022	Bonton Agency	0.1	14-Sep-2023	Active

33 total

1 2 3 4

+