

Cucumber Report

Feb 8, 2022, 8:44:00 PM

Start : Feb 08, 8:39:32.218 PM

End : Feb 08, 8:43:56.958 PM

Duration : 4 m 24.740 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 15
FAILED - 1
SKIPPED - 5







| # | Feature Name | T | P | F | S | Duration |
|---|------------------|---|---|---|---|--------------|
| 1 | ACCOUNTS PAYABLE | 1 | 0 | 1 | 0 | 4 m 24.740 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------|-----------------------|----|----|---|---|--------------|
| 1 | ACCOUNTS PAYABLE | Bill(invoice) Booking | 21 | 15 | 1 | 5 | 4 m 24.735 s |

(F)- ACCOUNTS PAYABLE

| | | | | | |
|--------------------------------------|--------------------------------|--|---|--|---|
| FAILED | DURATION - 4 m 24.740 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 21 Pass - 15 Fail - 1 Skip - 5 |  |
| / 8:39:32.218 PM // 8:43:56.958 PM / | | | | | |

(S)- Bill(invoice) Booking



| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 4 m 24.735 s</div> | |  | <div>Steps</div> <div>Total - 21</div> <div>Pass - 15</div> <div>Fail - 1</div> <div>Skip - 5</div> |  |
| / 8:39:32.223 PM // 8:43:56.958 PM / | | | | |
| ACCOUNTS PAYABLE | | | | |
| @KUBS_INV_MGMT_UAT_001_005 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|--------------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 1 m 11.103 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.427 s |
| | screenshot | | |
| |  | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 0.870 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.188 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | When click on eye button of invoice booking | PASSED | 0.365 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.716 s |
| | screenshot  | | |
| 4 | And click on add button for invoice booking | PASSED | 0.437 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.502 s |
| | screenshot  | | |
| 5 | And Fill the required fields for invoice booking | PASSED | 23.590 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.249 s |
| | screenshot  | | |
| 6 | Then Save and submit the invoice billing | PASSED | 6.340 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.191 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|-------------|
| |  | | |
| 7 | And User should go to the kubs url and login as a reviewer user | PASSED | 1 m 9.806 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.098 s |
| | screenshot | | |
| |  | | |
| 8 | Then Click on notification button in reviewer | PASSED | 0.166 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.425 s |
| | screenshot | | |
| |  | | |
| 9 | And approve the record by the reviewer user | PASSED | 4.001 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.175 s |
| | screenshot | | |
| |  | | |
| 10 | Given User should go to the kubs url and login as a checker user | PASSED | 1 m 7.697 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.132 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 11 | And Click on security management in checker | PASSED | 0.093 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.158 s |
| | screenshot | | |
| |  | | |
| 12 | Then Click on open pool in checker | PASSED | 0.173 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.187 s |
| | screenshot | | |
| |  | | |
| 13 | And Click on claim button in checker | PASSED | 0.125 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.209 s |
| | screenshot | | |
| |  | | |
| 14 | And capture claimed status | PASSED | 0.242 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.177 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| |  | | |
| 15 | Then click on notification in checker | PASSED | 0.246 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.449 s |
| | screenshot | | |
| |  | | |
| 16 | Then checker should approved the invoice billing | FAILED | 6.337 s |
| | org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cfcf3f1f8e114e6ea24efbac8c4203b8, actions=[org.openqa.selenium. interactions.Sequence@2e2546bf]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60050}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60050/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cfcf3f1f8e114e6ea24efbac8c4203b8 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)</p> <p>at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:42)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615)</p> <p>at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617)</p> <p>at org.openqa.selenium.interactions.Actions.perform(Actions.java:573)</p> <p>at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36)</p> <p>at stepdefinitions.ACCOUNTSPAYABLE_InvoiceBooking. checker_should_approved_the_invoice_billing(ACCOUNTSPAYABLE_InvoiceBooking.java:393)</p> <p>at ?.checker should approved the invoice billing(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ACCOUNTSPAYABLE_InvoiceBooking.feature:23)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json.toJson(Json.java:40)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615)</p> <p>at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions.perform(Actions.java:573)</p> <p>at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.ACCOUNTSPAYABLE_InvoiceBooking.checker_should_approved_the_invoice_billing(ACCOUNTSPAYABLE_InvoiceBooking.java:393)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253)</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.ACCOUNTSPAYABLE_InvoiceBooking. checker_should_approved_the_invoice_billing(ACCOUNTSPAYABLE_InvoiceBooking.java:393) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) </pre> | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//body/div/div/div/div[1]"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cfcf3f1f8e114e6ea24efbac8c4203b8, findElement {using=xpath, value=//body/div/div/div/div[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\chrome-win-1069691\wdp}, goog:chromeOptions: {debuggerAddress: localhost:60050}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60050/devtools, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cfcf3f1f8e114e6ea24efbac8c4203b8</p> <pre> at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:201) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:152) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.127 s |
| | <p>screenshot</p>  | | |
| 17 | Given User should go to the kubs url and login as a maker user | SKIPPED | 0.001 s |
| 18 | And user should navigate to accounts payable menu | SKIPPED | 0.000 s |
| 19 | When click on eye button of invoice booking | SKIPPED | 0.001 s |
| 20 | Then click on first eye button to get the system invoice number | SKIPPED | 0.000 s |
| 21 | And maker should logout | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking


(F) ACCOUNTS PAYABLE



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Invoice Booking

* Entity Branch
Azentio Main Branch

* Invoice Type

Transaction Date
03-Oct-2022

System Invoice Number

Cost Center

* Supplier Reference Number

* Invoice Date
03-Oct-2022

Total Invoice Amount

Tax/Vat/GST Amount

* Flat Discount On Invoice

Early Payment Discount Type

Early Payment Discount Amount

Early Payment Discount Days

* Mode Of Payment

* Invoice Currency
INR

* Invoice Payment Currency
INR

* Payment Date
03-Oct-2022

Rounding Adjustment

Remark

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable

Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
Payment settlement
Payment settlement cancellation

22 Appro... 11 Messa...

AP Invoice Booking AP Invoice Against Expense

Invoice Expense

ViewSummary Submit Cancel

Advance/AR Number
ADV_2_8122021

| Invoice Qty | Unit | Rate per Unit | Currency | Total Amount | Shipped From Location | Delivery Location | TAX Details | Cost C |
|-------------|-------|---------------|----------|--------------|-----------------------|-------------------|-------------|--------|
| 1 | Boxes | 100 | INR | 100 | INDIA - Ma... | MULUND ... | | |

Cost Centre

Add Cost Centre +

| Sr | Cost Centre | Amount to be Allocated | Currency |
|----|-------------|------------------------|----------|
| 1 | FINANCE | 10 | INR |
| 2 | | | INR |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable

Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
Payment settlement
Payment settlement cancellation

22 Appro... 11 Messa...

AP Invoice Booking AP Invoice Against Expense

Invoice Booking

Entity Branch: Azentio Main Branch
Invoice Type: Expense
Invoice Sub Type: Employee Reimbursement Expense

BP Name: Mehta
Transaction Date: 03-Oct-2022
System Invoice Number

Cost Center: FINANCE
Supplier Reference Number: 8424425446
Invoice Date: 12-Oct-2022

Total Invoice Amount: 100.000 INR
Tax/Vat/GST Amount: 0.000 INR
Flat Discount On Invoice: 1.000 INR

Early Payment Discount Type: % Basis
Early Payment Discount %: 2
Early Payment Discount Amount: 2.000 INR

Early Payment Discount Days: 1
Mode Of Payment: Cheque
Invoice Currency: INR


Invoice Payment Currency: INR
Payment Date: 20-Oct-2022
Rounding Adjustment: 0.000 INR

Record APPROVED
Successfully, and Current Stage is REVIEWER with status PENDING from 1002436.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking


(F) ACCOUNTS PAYABLE



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (A) Record is available in CHECKER's Open Pool with status PENDING

No Module Mapped

AP Invoice Booking AP Invoice Against Expense

Invoice Booking

| | | | | | |
|-----------------------------|---------------------|-----------------------------|-------------|-------------------------------|--------------------------------|
| * Entity Branch | Azentio Main Branch | * Invoice Type | Expense | Invoice Sub Type | Employee Reimbursement Expense |
| BP Name | Mehta | Transaction Date | 09-Feb-2022 | System Invoice Number | |
| Cost Center | FINANCE | * Supplier Reference Number | 8424425446 | * Invoice Date | 12-Oct-2022 |
| Total Invoice Amount | 100.000 INR | Tax/Vat/GST Amount | 0.000 INR | * Flat Discount On Invoice | 1.000 INR |
| Early Payment Discount Type | % Basis | Early Payment Discount % | 2 | Early Payment Discount Amount | 2.000 INR |
| Early Payment Discount Days | 1 | * Mode Of Payment | Cheque | * Invoice Currency | INR |
| * Invoice Payment Currency | INR | * Payment Date | 20-Oct-2022 | Rounding Adjustment | 0.000 INR |

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) CHECKER

Configuration

Welcome, Checker

Security management

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) CHECKER

Configuration

Welcome, Checker

Security management

Open pool

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) CHECKER

Configuration

Open Pool

Security management

Open pool

22 Appro... 11 Messa...

Actions

No data to display

0 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) CHECKER

Configuration

Security management

Open pool

Open Pool

| Actions | ibxhdrid | referenceId | eventCode | stageCode | employeeName | eventDesc | workflowDesc |
|---------|----------|-------------|-----------------|-----------|--------------|-----------|----------------|
| CLAIM | 22959 | 343 | AP_BILL_BOOKING | CHECKER | | | Legal entity w |

1 total

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software Claimed Successfully CHECKER

Configuration

Security management

Open pool

Open Pool

| Actions | ibxhdrid | referenceId | eventCode | stageCode | employeeName | eventDesc | workflowDesc |
|--------------------|----------|-------------|-----------|-----------|--------------|-----------|--------------|
| No data to display | | | | | | | |

0 total

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) CHECKER

Configuration

Security management

Open pool

Inbox

| Actions | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Event Desc | Workflow Desc | Created Date | Workflow Code |
|---------|--------------|------------|----------------------|-----------|---------------|------------|---------------|--------------|---------------|
| | 343 | | AP_BILL_BOOKING | | CHECKER | | CHECKER | 1002437 | |
| | 48 | | DENOM_DETAILS | | CHECKER | | CHECKER | 1002437 | |
| | 194 | | CONTRACTCREATION_EVT | | CHECKER | | CHECKER | 1002437 | |
| | 118 | | BUDGET_REGISTER | | CHECKER | | CHECKER | 1002437 | |
| | 190 | | CONTRACTCREATION_EVT | | CHECKER | | CHECKER | 1002437 | |

173 total

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) CHECKER

Configuration

Security management

Open pool

AP Invoice Booking AP Invoice Against Expense

Invoice Booking

ViewSummary Approve Return Reject

| | | | | | |
|-----------------------------|---------------------|-----------------------------|-------------|-------------------------------|--------------------------------|
| * Entity Branch | Azentio Main Branch | * Invoice Type | Expense | Invoice Sub Type | Employee Reimbursement Expense |
| BP Name | Mehta | Transaction Date | 09-Feb-2022 | System Invoice Number | |
| Cost Center | FINANCE | * Supplier Reference Number | 8424425446 | * Invoice Date | 12-Oct-2022 |
| Total Invoice Amount | 100.000 INR | Tax/Vat/GST Amount | 0.000 INR | * Flat Discount On Invoice | 1.000 INR |
| Early Payment Discount Type | % Basis | Early Payment Discount % | 2 | Early Payment Discount Amount | 2.000 INR |
| Early Payment Discount Days | 1 | * Mode Of Payment | Cheque | * Invoice Currency | INR |
| * Invoice Payment Currency | INR | * Payment Date | 20-Oct-2022 | Rounding Adjustment | 0.000 INR |

22 Appro... 11 Messa...