

Cucumber Report

Mar 29, 2022, 6:52:52 AM

Start : Mar 29, 6:50:41.780 AM

End : Mar 29, 6:52:24.276 AM

Duration : 1 m 42.496 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 11







#	Feature Name	T	P	F	S	Duration
1	Budget Transfer	1	0	1	0	1 m 42.496 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Budget Transfer</u>	<u>To verify the impact if checker1 user select, view and approve the Budget Transfer record submitted by maker user</u>	11	0	0	11	1 m 42.478 s

(F)- Budget Transfer

FAILED	DURATION - 1 m 42.496 s	Scenarios		Steps	
/ 6:50:41.780 AM // 6:52:24.276 AM /		Total - 1		Total - 11	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 11	

(S)- To verify the impact if checker1 user select, view and approve the Budget Transfer record submitted by maker user

<div>FAILED</div> <div>DURATION - 1 m 42.478 s</div>			Steps		
/ 6:50:41.798 AM // 6:52:24.276 AM /			Total - 11		
Budget Transfer			Pass - 0		
@BP_BT_05_03 @Multiauth			Fail - 0		
			Skip - 11		

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1 m 41.888 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: DevToolsActivePort file doesn't exist Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}]		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)		
	at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)		
	at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)		
	at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)		
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given navigate to kubs url and login as maker user	SKIPPED	0.001 s
2	Then select budget menu	SKIPPED	0.001 s
3	And click on the eye icon of budget transfer sub menu	SKIPPED	0.001 s
4	Then click on add button to create record	SKIPPED	0.000 s
5	And fill the required field	SKIPPED	0.001 s
6	Then save and submit by maker to transfer	SKIPPED	0.001 s
7	And Navigate to Url and login as a reviewer	SKIPPED	0.001 s
8	Then Click on Notification button	SKIPPED	0.000 s
9	And validate the data submitted by maker to checker1	SKIPPED	0.001 s
10	Then approve the record by reviewer	SKIPPED	0.000 s
11	And reviewer user logout	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.030 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		