

Cucumber Report

11-May-2022, 5:42:25 pm

Start : May 11, 5:41:53.672 pm

End : May 11, 5:42:24.254 pm

Duration : 30.582 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 7


FAILED - 1

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of the GL1 Module</u>	1	0	1	0	30.582 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	Check the created COA can be modified if Gl entries are passed for the parent being mapped or changed	8	7	1	0	30.576 s





(F)- Check the Functionality of the GL1 Module



FAILED	DURATION - 30.582 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 5:41:53.672 pm // 5:42:24.254 pm /					


(S)- Check the created COA can be modified if GI entries are passed for the parent being mapped or changed

<div>FAILED</div> <div>DURATION - 30.576 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 5:41:53.678 pm // 5:42:24.254 pm /				
Check the Functionality of the GL1 Module				
@KUBS_GL_UAT_005_007				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	11.013 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
			
2	And user should navigate to accounting setup menu	PASSED	0.580 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on eye button of chart of accounts definition submenu	PASSED	0.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.438 s
	screenshot 		
4	Then click on search button	PASSED	0.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot 		
5	Then search used parent COA code for which GL entries are passed	PASSED	0.269 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot 		
6	Then click on pencil button to modify the COA	PASSED	0.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.343 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then modify the COA details for which GL entries are passed	PASSED	0.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot 		
8	Then Save and check the modified record of used parent COA	FAILED	8.833 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size (Session info: chrome=101.0.4951.54) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3ab85138a0b87ec8a6363a6d41914ed8, clickElement {id=13b38e39-142f-4f9d-bfb7-c3f0457904d8}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:54672}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:54672/devtools..., se.cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (3ab85138a0b87ec8a6363a6d41914ed8)] -> xpath: //body/div/div/div/div/div[2]] Session ID: 3ab85138a0b87ec8a6363a6d41914ed8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.AccountingSetup_ChartOfAccountsDefinition. save_and_check_the_modified_record_of_used_parent_coa(AccountingSetup_ChartOfAccountsDefinition.java:275) at ?.Save and check the modified record of used parent COA(file:///C:/Users/inindc00075/git/AzentioAutomationFramework/ AzentioAutomationFramework/src/test/java/features/GL1_UAT.feature:546) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created COA can be
modified if Gl entries are passed for the
parent being mapped or changed


(F) Check the Functionality of the GL1
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created COA can be
modified if Gl entries are passed for the
parent being mapped or changed

(F) Check the Functionality of the GL1
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created COA can be
modified if GI entries are passed for the
parent being mapped or changed

(F) Check the Functionality of the GL1
Module

Kastle Universal Banking (Beta)

19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

General Ledger View

Actions	COA Code	COA Name	Parent GL	Balance Type	Branch Specific	Accounting Book	Template Type
	105000040	Chair108262	Stoolfor main branch	Debit	No	Base_GAPP2	Base Templat
	105000039	Chair106191	Stoolfor main branch	Debit	No	Base_GAPP2	Base Templat
	105000038	Chair105129	Stoolfor main branch	Debit	No	Base_GAPP2	Base Templat
	105000037	Chair119245	Stoolfor main branch	Debit	No	Base_GAPP2	Base Templat
	IFRS-1000088-AS	punjabNKAC98765432	Cash And Cash Equivale	Debit	No	IFRS_01	CUSTOM_TE
	IFRS-1000087-AS	TMB00012	Cash And Cash Equivale	Debit	No	IFRS_01	CUSTOM_TE
	IFRS-1000086-AS	ANDHRA0001	Cash And Cash Equivale	Debit	No	IFRS_01	CUSTOM_TE
	IFRS-1000085-AS	AKbank416697899	Cash And Cash Equivale	Debit	No	IFRS_01	CUSTOM_TE

214 total

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created COA can be
modified if GI entries are passed for the
parent being mapped or changed

(F) Check the Functionality of the GL1
Module

Kastle Universal Banking (Beta)

19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

General Ledger View

Actions	COA Code	COA Name	Parent GL	Balance Type	Branch Specific	Accounting Book	Template Type
	105000040	Chair108262	Stoolfor main branch	Debit	No	Base_GAPP2	Base Templat
	105000039	Chair106191	Stoolfor main branch	Debit	No	Base_GAPP2	Base Templat
	105000038	Chair105129	Stoolfor main branch	Debit	No	Base_GAPP2	Base Templat
	105000037	Chair119245	Stoolfor main branch	Debit	No	Base_GAPP2	Base Templat
	IFRS-1000088-AS	punjabNKAC98765432	Cash And Cash Equivale	Debit	No	IFRS_01	CUSTOM_TE
	IFRS-1000087-AS	TMB00012	Cash And Cash Equivale	Debit	No	IFRS_01	CUSTOM_TE
	IFRS-1000086-AS	ANDHRA0001	Cash And Cash Equivale	Debit	No	IFRS_01	CUSTOM_TE
	IFRS-1000085-AS	AKbank416697899	Cash And Cash Equivale	Debit	No	IFRS_01	CUSTOM_TE

214 total

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created COA can be
modified if GI entries are passed for the
parent being mapped or changed

(F) Check the Functionality of the GL1
Module

Finance

Business partner setup

General ledger configurat...

Accounting setup

Accounting book definition

Account Category

Chart of accounts definition

Accounting scheme definition

Accounting scheme event mapping

Financial statements configuration

22 Appro... 11 Messa...

Home Preference

Actions	COA Code	COA Name	Parent GL	Balance Type	Branch Specific	Accounting Book	Template Type
	IFRS-5000001-EX	Search COA Name	Search Parent GL	Search Balance Ty	Search Branch Sp	Search Accounting	Search Ten
	IFRS-5000001-EX	Expenses		Debit	No	IFRS_01	CUSTOM_TE

1 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created COA can be
modified if GI entries are passed for the
parent being mapped or changed

(F) Check the Functionality of the GL1
Module

Finance

Business partner setup

General ledger configurat...

Accounting setup

Accounting book definition

Account Category

Chart of accounts definition

Accounting scheme definition

Accounting scheme event mapping

Financial statements configuration

22 Appro... 11 Messa...

Home Preference

Actions	COA Code	COA Name	Parent GL	Balance Type	Branch Specific	Accounting Book	Template Type
	IFRS-5000001-EX	Search COA Name	Search Parent GL	Search Balance Ty	Search Branch Sp	Search Accounting	Search Ten
	IFRS-5000001-EX	Expenses		Debit	No	IFRS_01	CUSTOM_TE

1 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created COA can be
modified if GI entries are passed for the
parent being mapped or changed

(F) Check the Functionality of the GL1
Module

Kastle Universal Banking (Beta) 19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

General Ledger

Accounting Category: EXP-Expenditure x

* COA Name: Expenses

COA Code: IFRS-5000001-EX

External Mapping Code

Parent GL

* GL Type: Sub GL x

* Description: Expenses

* Balance Type: Debit x

Depth: Head

Branch Specific

Control Account

Entity Segment

Status: ACTIVE x

Remarks

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created COA can be
modified if GI entries are passed for the
parent being mapped or changed

(F) Check the Functionality of the GL1
Module

Kastle Universal Banking (Beta) 19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

General Ledger

Accounting Category: EXP-Expenditure x

* COA Name: Expenses

COA Code: IFRS-5000001-EX

External Mapping Code

Parent GL

* GL Type: Sub GL x

* Description: Expenses

* Balance Type: Debit x

Depth: Head

Branch Specific

Control Account

Entity Segment

Status: ACTIVE x

Remarks

Home Preference

For each accounting category we can have only one Head