


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 2.775 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Creating Manual payouts for approved Bills of a Vendor	16	5	1	10	1 m 2.764 s

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

FAILED	DURATION - 1 m 2.775 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 4:21:04.452 Al	M // 4:22:07.227 AM /	Pass - 0	1	Pass - 5	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

## **(S)-** Creating Manual payouts for approved Bills of a Vendor



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	24.499 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.353 s
	screenshot		
	The Design of State of the Stat		
2	And user should navigate to accounts payable menu	PASSED	0.871 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		


#	Step / Hook Details	Status	Duration
	Value of type: Value		
3	When click on eye button of manual payout	PASSED	1.945 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.989 s
	screenshot  * • International State of the Control		
	O		
4	And click on add button for manual payout	PASSED	0.662 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.714 s
5	And Fill the required fields for manual payout	PASSED	5.566 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.434 s
6	Then Save and submit the manual payout record	FAILED	0.343 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'innerText') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [732cc7bab93a9f004a75bbf0adc36b45, executeScript {script=return document.querySelector("ion-toast").shadowRoot. querySelector("div[class='toast-message']").innerText, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome,		

#	Step / Hook Details	Status	Duration
	browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\UnintDC-1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:51156}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformMame: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost:51156/devtoo, sec.dp/version: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 30000), script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 732cc/bab93a9f004a75bbf0adc36b45  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(PriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebDriver.execute(PriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(PriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(PriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(PriverCommandExecutor.java:139)  at org.openqa		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.558 s
	Screenshot		
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.004 s
8	Then Click on notification button in reviewer	SKIPPED	0.001 s
9	And approve the record by the reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.000 s
13	And Click on claim button in checker	SKIPPED	0.001 s


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
14	And capture claimed status	SKIPPED	0.001 s
15	Then click on notification in checker	SKIPPED	0.001 s
16	Then checker should approved the manual payout record	SKIPPED	0.006 s

EXPANDED SECTION --- 8 --



**EXPANDED SECTION** 



EXPANDED SECTION -- 10 --

