

# Cucumber Report

Apr 9, 2022, 4:43:39 PM

Start : Apr 09, 4:41:28.670 PM

End : Apr 09, 4:43:34.817 PM

Duration : 2 m 6.147 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 0  
SKIPPED - 0


PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 20  
FAILED - 0  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of GL1 Module</u>	1	1	0	0	2 m 6.147 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of GL1 Module</u>	<u>Create different leaf gls for the node GL</u>	20	20	0	0	2 m 6.142 s





**(F)- Check the Functionality of GL1 Module**


<b>PASSED</b>	<b>DURATION - 2 m 6.147 s</b>	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 20 Pass - 20 Fail - 0 Skip - 0	
/ 4:41:28.670 PM // 4:43:34.817 PM /					



**(S)- Create different leaf gls for the node GL**

<b>PASSED</b>	<b>DURATION - 2 m 6.142 s</b>		Steps Total - 20 Pass - 20 Fail - 0 Skip - 0	
/ 4:41:28.675 PM // 4:43:34.817 PM /				
Check the Functionality of GL1 Module				
@KUBS_GL_UAT_005_003				

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	28.971 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.525 s
	screenshot		
			
2	Then Click on the Finance	PASSED	0.003 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s
	screenshot		




#	Step / Hook Details	Status	Duration
			
3	Then click on accounting setup	PASSED	2.652 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot 		
4	Then Click on Chart of account defination	PASSED	0.833 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot 		
5	Then Click on COA add button	PASSED	0.634 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.525 s
	screenshot 		
6	Then Fill the form for COA	PASSED	3.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
7	Then Click on Save buttonT	PASSED	0.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
	screenshot		
	 +		
8	Then Click on the Notification	PASSED	0.414 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
	screenshot		
	 +		
9	Then Select the record which we saved	PASSED	1.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
	 +		
10	Then Submit record	PASSED	11.714 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then Open Reviewer account	PASSED	15.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
			
12	And Click on notification	PASSED	1.718 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.537 s
	screenshot		
			
13	Then Approve the record which we submitted from maker stage	PASSED	3.945 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
			
14	Then Go to Checker account	PASSED	8.326 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	And Clam the record	PASSED	2.044 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot 		
16	Then Click on notification and approve the record	PASSED	11.736 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot 		
17	Given Navigate to URL and user should login as a maker	PASSED	7.716 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot 		
18	Then Click on the Finance	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		




#	Step / Hook Details	Status	Duration
			
19	Then click on accounting setup	PASSED	2.643 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
			
20	Then Click on Chart of account defination	PASSED	0.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.478 s
	screenshot		
			

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL


(F) Check the Functionality of GL1 Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module

Kastle Universal Banking (Beta)

05-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

Business partner setup

General ledger configurat...

Accounting setup

Accounting book definition

Account Category

Chart of accounts definition

Accounting scheme definition

Accounting scheme event mapping

Financial statements configuration

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module

Kastle Universal Banking (Beta)

05-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

General Ledger View

Actions	COA Code	COA Name	Parent GL	Balance Type	Branch Specific	Accounting Book	Template Type
	IFRS-5000009-EX	PrepaidExpense	Expenses	Debit	Yes	IFRS_01	CUSTOM_TE
	IFRS-1000069-AS	ACCBOK-011	Financial Assets	Debit/Credit	Yes	IFRS_01	CUSTOM_TE
	IFRS-1000068-AS	asset11	Financial Assets	Debit	No	IFRS_01	CUSTOM_TE
	IFRS-1000067-AS	asset001	Financial Assets	Debit	No	IFRS_01	CUSTOM_TE
	138000000	prepaid expense1		Debit	No	BillBook	CUSTOM_TE
	137000000	Liability		Credit	Yes	Testing02	CUSTOM_TE
	IFRS-5000007-EX	Testing-Head-D22	03	Credit	No	IFRS_01	CUSTOM_TE
	IFRS-5000006-EX	Testing-D22	Expenses	Debit/Credit	No	IFRS_01	CUSTOM_TE

153 total

1 2 3 4 5

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module

Actions	COA Code	COA Name	Parent GL	Balance Type	Branch Specific	Accounting Book	Template Type
	IFRS-5000009-EX	PrepaidExpense	Expenses	Debit	Yes	IFRS_01	CUSTOM_TE
	IFRS-1000069-AS	ACCBOK-011	Financial Assets	Debit/Credit	Yes	IFRS_01	CUSTOM_TE
	IFRS-1000068-AS	asset11	Financial Assets	Debit	No	IFRS_01	CUSTOM_TE
	IFRS-1000067-AS	asset001	Financial Assets	Debit	No	IFRS_01	CUSTOM_TE
	138000000	prepaid expense1		Debit	No	BillBook	CUSTOM_TE
	137000000	Liability		Credit	Yes	Testing02	CUSTOM_TE
	IFRS-5000007-EX	Testing-Head-D22	03	Credit	No	IFRS_01	CUSTOM_TE
	IFRS-5000006-EX	Testing-D22	Expenses	Debit/Credit	No	IFRS_01	CUSTOM_TE

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module

Accounting Category: ASSET2-Asset1

COA Name: \* Stool for GunMan

COA Code:

External Mapping Code:

Parent GL: 105000001-Stoolfor main branch

GL Type: \* Sub GL

Description: \* Stool for gunman

Balance Type: \* Debit

Depth:

Branch Specific:

Control Account:

Entity Segment:

Remarks:

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module

Kastle Universal Banking (Beta) 05-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

General Ledger

Accounting Category: ASSET2-Asset1 x COA Name: \* COA Name \* Stool for GunMan COA Code

External Mapping Code Parent GL: 105000001-Stoolfor main branch x GL Type: \* GL Type Sub GL x

\* Description: Stool for gunman

\* Balance Type: Debit x Depth

Branch Specific Control Account Entity Segment

Remarks

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module

Kastle Universal Banking (Beta) 05-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

General Ledger Inbox

Actions	COA Code	COA Name	Parent GL	Balance Type	Branch Specific	Accounting Book	Template Type
No data to display		Stool for GunMan	Stoolfor main branch	Debit	No	Base_GAPP2	Base Templat
	105000003	Stool for Watchman	Stoolfor main branch	Debit	Yes	Base_GAPP2	Base Templat
		stool for peon	Stoolfor main branch	Debit	Yes	Base_GAPP2	Base Templat
	115000001	accbook-Qd2	okd2	Debit/Credit	Yes	test-d2	Base Templat
	IFRS-5000004-EX	EXP002	Expenses	Debit/Credit	No	IFRS_01	CUSTOM_TE
	IFRS-5000003-EX	EXP00001	Expenses	Debit/Credit	No	IFRS_01	CUSTOM_TE
	IFRS-1000057-AS	Asset88999	Financial Assets	Debit	No	IFRS_01	CUSTOM_TE
		accbook9	Financial Assets	Debit/Credit	No	IFRS_01	CUSTOM_TE

24 total 14 < 1 2 3 > |

GeneralLedger created successfully.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date (05-Jan-2023), language (English), software version (Azentio Software - (AZENTMAIN)), and user profile (ANANT). The left sidebar shows a menu with 'Finance' selected, and a list of configuration items under 'Accounting setup'. The main content area displays an 'Inbox' view with a table of actions. A green success message 'success' is overlaid on the table. Below the table, a green message box states 'GeneralLedger created successfully.'.

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	264	GENERAL_LEDGER	MAKER	MAKER	1002435
✓	978	GRN_EVENT	MAKER	MAKER	1002435
✓	977	GRN_EVENT	MAKER	MAKER	1002435
✓	851	AP_BILL_BOOKING	MAKER	MAKER	1002435

1,803 total

GeneralLedger created successfully.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date (05-Jan-2023), language (English), software version (Azentio Software - (AZENTMAIN)), and user profile (ANANT). The left sidebar shows a menu with 'Finance' selected, and a list of configuration items under 'Accounting setup'. The main content area displays an 'Inbox' view with a table of actions. The table is empty, showing 'No data to display' and '0 total'.

Actions
No data to display

0 total

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module

Kastle Universal Banking (Beta)

05-Jan-2023 English Azentio Software (BR0004) VISHWA

Configuration

Welcome, Vishwa

Entity maintenance

Security management

User management

Job scheduler

Reference data

Tax configuration

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module

Kastle Universal Banking (Beta)

05-Jan-2023 English Azentio Software (BR0004) VISHWA

Configuration

Welcome, Vishwa

Entity maintenance

Security management

User management

Job scheduler

Reference data

Tax configuration

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module

Kastle Universal Banking (Beta) 05-Jan-2023 English Azentio Software

Configuration

General Ledger

Accounting Category: ASSET2-Asset1 x

\* COA Name: Stool for GunMan

COA Code

External Mapping Code

Parent GL: 105000001-Stoolfor main branch x

\* GL Type: Sub GL x

\* Description: Stool for gunman

\* Balance Type: Debit x

Depth

Branch Specific

Control Account

Entity Segment

Status: ACTIVE x

Remarks

22 Appro... 11 Messa...

Home Preference

Record is available in  
✓ CHECKER's Open Pool with  
status PENDING

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module

Kastle Universal Banking (Beta) 05-Jan-2023 English Azentio Software (AZENTMAIN)

Configuration

Welcome, Checker

Security management

22 Appro... 11 Messa...

Home Preference



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module

Kastle Universal Banking (Beta) 05-Jan-2023 English Azentio Software

Configuration

Security management

Open pool

Open Pool

Actions	ibxhdrid	referenceId	eventCode	stageCode	employeeName	eventDesc	workflowDesc
CLAIM	39260	685	POCREATION_EVENT	CHECKER			Legal entity w

1 total

22 Appro... 11 Messa...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module

Kastle Universal Banking (Beta) 05-Jan-2023 English Azentio Software

Configuration

Security management

Open pool

Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	688	POCREATION_EVENT	CHECKER	CHECKER	1002437
✓	687	POCREATION_EVENT	CHECKER	CHECKER	1002437
✓	686	POCREATION_EVENT	CHECKER	CHECKER	1002437
✓	684	POCREATION_EVENT	CHECKER	CHECKER	1002437
✓	667	POCREATION_EVENT	CHECKER	CHECKER	1002437


398 total

22 Appro... 11 Messa...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL


(F) Check the Functionality of GL1 Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL


(F) Check the Functionality of GL1 Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create different leaf gls for the node  
GL

(F) Check the Functionality of GL1 Module

