


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	1	0	0	39.956 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	System should follow the flow as Record Rejecting in	20	20	0	0	39.950 s
	feature module	Reviewer					

DETAILED SECTION -- 4 --

## (F)- Check Budget Request and Allocation feature module

PASSED	DURATION - 39.956 s	Scenarios		Steps	
		Total - 1		Total - 20	
/ 6:20:22.333 am	) // 6:21:02.289 am /	Pass - 1	1	Pass - 20	20
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- System should follow the flow as Record Rejecting in Reviewer



#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio Maker Url	PASSED	12.508 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
	# 100 Figure		
2	Then Click Transfer Icon	PASSED	0.361 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		

3 And Click on Budget Module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then Click on Budget Sub module Near Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.213 s  0.213 s  0.213 s  0.213 s  0.214 s  0.229 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  4 Then Click on Budget Sub module Near Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot		Total   Tota		
Screenshot  4 Then Click on Budget Sub module Near Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.279 S  0.299 S	3	And Click on Budget Module	PASSED	0.110 s
4 Then Click on Budget Sub module Near Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
4 Then Click on Budget Sub module Near Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.279 s  0.299 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.249 s  0.279 s  0.279 s  0.299 s				
Screenshot  5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.279 s  0.299 s	4	Then Click on Budget Sub module Near Eye Icon	PASSED	0.353 s
5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.279 s  0.299 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.279 s  0.299 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot		© MARTINE DE 1970 1970 1970 1970 1970 1970 1970 1970		
screenshot	5	And Click on Add icon in Request and Allocation	PASSED	0.279 s
There have included the first transformation of the first		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
Fig. 2013   Total Stage   To		screenshot		
		## OF THE PROPERTY AND PROPERT		
6 Then Select New Budget Code PASSED 0.316 s	6	Then Select New Budget Code	PASSED	0.316 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.167 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	## O MAN CONTINUES  ## O MAN CONTINUES		
7	And Select Current Budget Year	PASSED	0.503 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
	# O Main Francisco  # D Ma		
8	Then Click on Branch field	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		
	## O Man Francisco  ## O M		
9	And Select on one Branch	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
	### OF TAXABLE STATE OF		
10	Then Click Branch ok button	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot	1	


#	Step / Hook Details	Status	Duration
	### ### ##############################		
11	Then Select currency we need	PASSED	0.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
	### OF THE PROPERTY OF THE PRO		
12	And Enter Amount which Budget Type Show in Budget type field	PASSED	4.269 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
	### Provided By Pr		
13	And click save button in Budget allocation	PASSED	0.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
	### OF THE PROPERTY OF THE PRO		
14	Then Click on Maker Notify Action button in budget allocation	PASSED	1.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		

AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  16	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  16				
screenshot    Siven Navigate the Azentio Url login as Reviewer	15	And Click on Record submit in Budget allocation	PASSED	2.813 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)   PASSED   0.108 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
Given Navigate the Azentio Url login as Reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario)  PASSED  7 Then Click Notification icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario)  PASSED  18 And Click Reviewer Action button  PASSED  0.235 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario)  PASSED  0.235 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario)  PASSED  0.378 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  17 Then Click Notification icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.108 s  0.108 s  0.108 s				
Screenshot  17 Then Click Notification icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  18 And Click Reviewer Action button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.235 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.378 s	16	Given Navigate the Azentio Url login as Reviewer	PASSED	6.801 s
17 Then Click Notification icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  18 And Click Reviewer Action button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.288 s  0.288 s  0.288 s  0.288 s  0.288 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
17 Then Click Notification icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Click Reviewer Action button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.235 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.235 s  0.378 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  18 And Click Reviewer Action button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.288 s  PASSED  0.288 s  0.288 s		To the contract of the contrac		
Screenshot    Image: Comparison of the Compariso	17	Then Click Notification icon	PASSED	0.126 s
18 And Click Reviewer Action button  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.235 s  0.378 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
18 And Click Reviewer Action button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.235 s  0.378 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.378 s		▼ □		
	18	And Click Reviewer Action button	PASSED	0.235 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.378 s
		screenshot	]	


#	Step / Hook Details	Status	Duration
	PASSE Upper Constitution and Constitution Co		
19	Then Click on Reject button in Reviewer	PASSED	0.239 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot    The first of	PASSED	0.177 s
20	And Submit the reviewer Rejecting Record	PASSED	1.789 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Ten_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  **Ten_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  **Ten_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s

-- 9 --


EXPANDED SECTION -- 10 --




EXPANDED SECTION




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --






EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --

