
Duration: 16.698 s Start: Jan 13, 6:37:08.494 am End: Jan 13, 6:37:25.192 am Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 6 SKIPPED - 0 SKIPPED - 0 SKIPPED - 2 40 50 60 40 50 60 40 50 60 30 Pass % 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 66 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	0	1	0	16.698 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	System Should follow the flow as Search criteria	9	6	1	2	16.693 s
	feature module						

DETAILED SECTION -- 4 --

(F)- Check Budget Request and Allocation feature module

FAILED	DURATION - 16.698 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 6:37:08.494 an	n // 6:37:25.192 am /	Pass - 0	1	Pass - 6	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- System Should follow the flow as Search criteria



#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio Url Maker	PASSED	11.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
	10 10 10 10 10 10 10 10		
2	Then Click Transfer icon button Maker	PASSED	0.582 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		


3 And Click to Budget module in Maker AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click search icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click search icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click search icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.105 s PASSED 0.244 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.210 s 4 Then Click Budget module Budget Request and Allocation Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.210 s 0.210 s		The control of the		
Screenshot 4 Then Click Budget module Budget Request and Allocation Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.105 s PASSED 0.244 s	3	And Click to Budget module in Maker	PASSED	0.104 s
4 Then Click Budget module Budget Request and Allocation Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.298 s 0.268 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
4 Then Click Budget module Budget Request and Allocation Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.298 s 0.268 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click search icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.268 s PASSED 0.105 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.244 s		1 Tames 6 Page 1 Tames 1 Page		
Screenshot Screenshot And Click search icon AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.105 s 0.244 s	4	Then Click Budget module Budget Request and Allocation Edit Icon	PASSED	0.298 s
5 And Click search icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.105 s 0.244 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
5 And Click search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.105 s 0.244 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.244 s		## Operation Property Propert		
	5	And Click search icon	PASSED	0.105 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
		screenshot		
Fig. 10 Fig.		The production The		
6 Then Enter the search code PASSED 0.143 s	6	Then Enter the search code	PASSED	0.143 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.158 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
		screenshot		


#	Step / Hook Details	Status	Duration
	Property and the state of the s		
7	And Click action button	FAILED	0.023 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: "method": "xpath", "selector": "//span[contains(text(), BUD09])/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell/div/ion-buttons/ion-button" (Session info: chrome-97.0-4692.71) For documentation on this error, please visit: https://selenium.dev/exceptions//ino_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', jp: '10.1.47.11', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4d2d4d0e358e3a94a49a23eaf63f72b9, findElement (using=xpath, value=//span[contains(text(), BUD09])/ancestor::datatable-body-cell//preceding-sibling::datatable-body-cell/div/ion-buttons/ion-button} (2-apabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 97.0-4692-71, chrome: (chromedriverVersion: 96.0-4664.45 (264-11b2bab6.); BuroPatable: ClusersININIDC-1AppDatalL), goog:chromeOptions: (debuggerAddress: localhost:54152), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost:54152/evto, sec.dpVersion: 97.0-4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:dageBlob: true, webauthn:virtualAuthenticators: true) Session ID: 4d2d4d0e358e3a94a49a23aef63f72b9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHtt		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	Part of type Controlled Controlle		
8	Then Capture the code	SKIPPED	0.000 s
9	And Modify the Code	SKIPPED	0.000 s

EXPANDED SECTION -- 8 --





EXPANDED SECTION -- 10 --

