

Cucumber Report

12 Jan 2023, 2:52:06 PM

Start : Jan 12, 2:46:41.346 PM

End : Jan 12, 2:52:03.921 PM

Duration : 5 m 22.575 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 15







| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|--------------|
| 1 | <u>user create login in to Budget and planning UAT files</u> | 1 | 0 | 1 | 0 | 5 m 22.575 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|----|---|---|----|--------------|
| 1 | <u>user create login in to Budget and planning UAT files</u> | <u>System should able to approve the supplimentary requested budget</u> | 16 | 0 | 1 | 15 | 5 m 22.566 s |

(F)- user create login in to Budget and planning UAT files

| | | | | | |
|--------------------------------------|--------------------------------|-----------|---|------------|---|
| FAILED | DURATION - 5 m 22.575 s | Scenarios |  | Steps |  |
| / 2:46:41.346 PM // 2:52:03.921 PM / | | Total - 1 | | Total - 16 | |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 15 | |

(S)- System should able to approve the supplementary requested budget

| | | | | |
|---|--|--|------------|---|
| <div>FAILED</div> <div>DURATION - 5 m 22.566 s</div> | |  | Steps |  |
| / 2:46:41.355 PM // 2:52:03.921 PM / | | | Total - 16 | |
| user create login in to Budget and planning UAT files | | | Pass - 0 | |
| @SupplementaryBudget_KUBS_BP_UAT_005_00-4 | | | Fail - 1 | |
| | | | Skip - 15 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|-------------|
| 1 | <p>Given navigate to given url and login with maker credentials</p> <pre>org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.49', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [30c5b01ae94654e22fa78ac224ef89f0, get {url=http://172.27.78.245:6080/kubs-qc/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:58576}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58576/devtoo..., se.cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 30c5b01ae94654e22fa78ac224ef89f0 at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:72) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:119) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</pre> | FAILED | 3 m 5.227 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:326) at stepdefinitions.Budgetandplanningsupplementary.navigate_to_given_url(Budgetandplanningsupplementary.java:76) at ?.navigate to given url and login with maker credentials(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/Budgetandplanning.feature:129) Caused by: java.util.concurrent.TimeoutException at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960) at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095) at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:66) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:56) at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:119) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:326) at stepdefinitions.Budgetandplanningsupplementary.navigate_to_given_url(Budgetandplanningsupplementary.java:76) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|-------------|
| | <pre> at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> <p>+</p> | PASSED | 2 m 0.204 s |
| 2 | And maker should navigate to the budget module UAT | SKIPPED | 0.003 s |
| 3 | And maker click on budget field UAT | SKIPPED | 0.000 s |
| 4 | When maker click on budget supplementary eye icon UAT | SKIPPED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 5 | And click on add button on budget supplementary view page UAT | SKIPPED | 0.001 s |
| 6 | And user update the Excel sheet testdata for Budget and planning Allocation4 | SKIPPED | 0.000 s |
| 7 | Then fill the input fields UAT | SKIPPED | 0.002 s |
| 8 | Then fill apportion amount and save the record UAT | SKIPPED | 0.001 s |
| 9 | And click notification button | SKIPPED | 0.000 s |
| 10 | Then click on the search button | SKIPPED | 0.000 s |
| 11 | And search the budget supplementary sub module name | SKIPPED | 0.000 s |
| 12 | Then choose first record in the notification record4 | SKIPPED | 0.000 s |
| 13 | And click on Submit button | SKIPPED | 0.003 s |
| 14 | Then enter remark in confirmation alertss | SKIPPED | 0.002 s |
| 15 | Then click on submit button in alert | SKIPPED | 0.000 s |
| 16 | And capture the reviewer ID in pop up which is open when we submit our record in maker stagesss | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should able to approve the
supplimentary requested budget

(F) user create login in to Budget and
planning UAT files