


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	1	0	1	0	36.765 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2	Create a category for the accounting type based on the	32	18	1	13	36.755 s
	<u>Module</u>	base accounting book for Income					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the GL2 Module

FAILED	DURATION - 36.765 s	Scenarios		Steps	
		Total - 1		Total - 32	
/ 4:51:33.192 pm	n // 4:52:09.957 pm /	Pass - 0	1	Pass - 18	32
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	

(S)- Create a category for the accounting type based on the base accounting book for Income



#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	13.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
	# Descriptions Manager Manager		
2	And Click on Accounting Setup module	PASSED	0.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		

# Step / Hook Details S	Status Duration
# * ** ** ** ** ** ** ** ** ** ** ** **	
Then Click sub module Accounting book definition PAS	SSED 0.436 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PAS	SSED 0.267 s
screenshot	
4 And Click On Search Icon PAS	SSED 0.196 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PAS	SSED 0.297 s
screenshot	
5 When Give the type as Base Template PAS	SSED 0.285 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	SSED 0.198 s
screenshot	PASSED 0.297 s PASSED 0.285 s
6 And Get the Account Book Name PAS	SSED 0.025 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	SSED 0.148 s
screenshot	

7 Then click sub module Accounting Category AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8 And Click on Add icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And enter the category code as Income AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And enter the category code as Income AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And enter the category code as Income AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And select the accounting book for Income AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 8		1		
Screenshot And Click on Add icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.264 s PASSED O.298 s Screenshot PASSED O.298 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.197 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.198 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.335 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.335 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.171 s	7	Then click sub module Accounting Category	PASSED	0.364 s
8 And Click on Add icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And enter the category code as Income AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And select the accounting book for Income AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.264 s PASSED 0.298 s 0.197 s 0.197 s 0.158 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
8 And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And enter the category code as Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And enter the category code as Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 PASSED 0.158 s 10 And select the accounting book for Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.335 s PASSED 0.371 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And enter the category code as Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And select the accounting book for Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.298 s 0.197 s PASSED 0.197 s 0.158 s		C C C C C C C C C C		
screenshot 9 And enter the category code as Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And select the accounting book for Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.197 s 0.158 s 0.158 s	8	And Click on Add icon	PASSED	0.264 s
9 And enter the category code as Income AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And select the accounting book for Income AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.335 s PASSED 0.171 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
9 And enter the category code as Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And select the accounting book for Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.197 s 0.158 s PASSED 0.335 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.171 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And select the accounting book for Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.158 s 0.158 s		Same Se		
Screenshot 10 And select the accounting book for Income AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.335 s 0.171 s	9	And enter the category code as Income	PASSED	0.197 s
10 And select the accounting book for Income AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.335 s 0.171 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
10 And select the accounting book for Income AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.335 s 0.171 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.171 s		Comparison Com		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.171 s	10	And select the accounting book for Income	PASSED	0.335 s
screenshot			PASSED	0.171 s
		screenshot		

#	Step / Hook Details	Status	Duration
	## OF THE PARTY AND ADDRESS AN		
11	And enter the accounting category	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
12	And select GI code generation	PASSED	0.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	Screenshot ***ORGANISHMENT NAME OF THE PARK AND		
13	And Save the Record	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.394 s
	screenshot		
14	Then Goto The Notification Icon	PASSED	0.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		


# Step / Hook Details S	Status Duration
And Store the Referance Id and Open the Record PAS	SSED 0.771 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PAS	SSED 0.326 s
screenshot	
## \$\frac{1}{2} intermediate \$\text{intermediate \$	
16 Then Click submit button and Enter Remark submit it PAS	SSED 2.203 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	SSED 0.214 s
screenshot	
The second secon	
17 Given Navigate as a Reviewer PAS	SSED 7.825 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PAS	SSED 0.096 s
screenshot	
# © The contract of the contra	
18 Then click on Notify icon PAS	SSED 0.783 s
·	SSED 0.112 s
screenshot	

#	Step / Hook Details	Status	Duration
	### OF THE PROPERTY OF THE PRO		
19	And Click First record Action icon	FAILED	0.337 s
13	org openga.selenium.StabeElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=99.0.4844.51) For documentation on this error, please visit: https://selenium.dev/exceptions/#stabe_element_reference Build info: version: 4.0.0-rc-1; revision: bc5511cbd2 System info: host: INMUVADPO14547; jp: 10.1.47.111*, os.name: Windows 10, os.arch: 'amd64', os.version: 10.0, java-version: 17.0.1 'Driver info: org.openga.selenium.chrome.ChromeDriver Command: [19a4afac8bb073e467fa151235e7fbc2, clickElement [id=id31b573-a7a3-4ccd-ad67-f6bbcff9c2a4]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserName: 99.0.4844.51, chrome: (chromedriverVersion: 98.0.4785.88) (70488e8ba008, userDataDir: C:\UserSiNINIDC=1\AppDataL), apog:\textcolored.commonderiverVersion: 99.0.4844.51, setVindowRect: true, strictFileInteractability: false, immeuts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:aregalbib: true, webauthn:strubIntenticators: true) Element! [[ChromeDriver: chrome on WINDOWS (19a4afac8bb073e467fa151235e7fbc2]] -> xpath: //datatable-row-wrapper[1]/datatable-body-row/div/datatable-body-cell[1]//ion-buttor] Session 10: 19a4afac8bb073e467fa1512235e7fbc2]] -> xpath: //datatable-row-wrapper[1]/datatable-body-row/div/datatable-body-cell[1]//ion-buttor] Session 10: 19a4afac8bb073e467fa1512235e7fbc2]] -> xpath: //datatable-row-wrapper[1]/datatable-body-row/div/datatable-body-cell[1]//ion-buttor] sat java-base/jdk.internal.reflect.NativeConstructorAccessor/mpl.newInstance(0)(Native Method) at java-base/jdk.internal.reflect.NativeConstructorAccessor/mpl.newInstance(0)(Native Method) at java-base/jdk.internal.reflect.Onstructor.newInstance(Onstructor.java-199) at java-base/jdk.internal.reflect.Onstructor.newInstance(Onstructor.java-199) at java-base/jdk.internal.reflect.Onstructor.newInstance(Onstructor.java-199) at java-base/jdk.internal.reflect.Constructor.newInstance(Onstructor.java-190) a	I AILLU	0.337 3


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
	Share \$ close		
20	Then Approve the record in Reviewer	SKIPPED	0.001 s
21	And Give Remark and Submit	SKIPPED	0.000 s
22	Given Navigate as a Checker	SKIPPED	0.000 s
23	Then Click module security management	SKIPPED	0.000 s
24	And Claim the Record in Checker	SKIPPED	0.000 s
25	Then Goto the Checker notification Icon	SKIPPED	0.000 s
26	And Click the First Action Icon	SKIPPED	0.000 s
27	Then Approve the Record in checker stage	SKIPPED	0.001 s
28	And Give the Remark and Submit it	SKIPPED	0.000 s
29	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
30	And Click on Accounting Setup module	SKIPPED	0.000 s
31	Then click sub module Accounting Category	SKIPPED	0.001 s
32	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION --- 13 --




EXPANDED SECTION




EXPANDED SECTION -- 15 --





EXPANDED SECTION -- 16 --





EXPANDED SECTION -- 18 --





EXPANDED SECTION -- 20 --

