
Start: Mar 23, 11:36:53.710 am End: Mar 23, 11:37:21.000 am **Duration: 27.290 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 12 SKIPPED - 0 SKIPPED - 0 SKIPPED - 15 28 40 50 60 40 50 60 40 50 60 30 Pass% 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 42 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionally	1	0	1	0	27.290 s



-- 3 --

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget	Check requested budget for budget code can be approved	28	12	1	15	27.283 s
	Request and Allocation functionally						

DETAILED SECTION -- 4 --

(F)- Check The Azentio UAT Budget Request and Allocation functionally

FAILED	DURATION - 27.290 s	Scenarios		Steps	
		Total - 1		Total - 28	
/ 11:36:53.710 a	am // 11:37:21.000 am /	Pass - 0	1	Pass - 12	28
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

(S)- Check requested budget for budget code can be approved

FAILED DURATION - 27.283 s		П		-	1	-			-								-	Steps		_	
/ 11:36:53.717 am // 11:37:21.000 am /	10	+	-	<u> </u>	-	-1 -		-!-		- -		-		- † -	-!-	- † -	-	Total - 28			L.
Check The Azentio UAT Budget Request and Allocation functionally	5	-	-										-					Pass - 12 Fail - 1	:	28	
@KUBS_UAT_BudgetApprove_KUBS_BP_UAT 002_005	0		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	Skip - 15			,

#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	12.997 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
	THE DE TABLE AND ADDRESS AND A		
2	Then click the Two Direction Icon	PASSED	0.329 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		

3 And click to the Budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.358 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	-
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s 0.130 s	-
4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.358 s 0.299 s	
4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.358 s 0.299 s	1 L
4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.358 s 0.299 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.299 s	
	4
screenshot	
5 And click on the Add icon in Request and Allocation 0.262 s	5
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.293 s	
screenshot	
6 Then To Select the Budget Code PASSED 0.377 s	6
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.158 s	
screenshot	1 [

7 And select the Budget Year AFTER STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.191	
AFTED CTED standafinitions Heal/aClass addCaraanahat/in quaumhar inva Canagria)	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.213	.3 s
screenshot	
# O	
8 Then click on the Branch 0.137	7 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.298	18 s
screenshot	
#	
9 And Choose the one Branch PASSED 0.085	5 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.162	2 s
screenshot	
10 Then click on the Branch ok button PASSED 0.264	
	 i8 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.358	


#	Step / Hook Details	Status	Duration
	## OF THE PROPERTY OF THE PRO		
11	Then select one currency we need	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
12	And Give Amount for Budget Type Show in Budget type field	PASSED	2.720 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	Screenshot		
13	And click on the save button	FAILED	1.101 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button "="" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated" slot="end"></ion-buttons> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [42bed7d840e844c5becdf090b714f916, clickElement {id=3fd72822-3a7b-4461-8df5-ddbb1ba83575}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:56817}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, Proxy(), se:cdp: ws://localhost:56817/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (42bed7d840e844c5becdf090b714f916)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-buttons[1]] Session ID: 42bed7d840e844c5becdf090b714f916 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

# Step / Hook Details	Status	Duration
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.bttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.HttpCommandExecutor.invokeExecute(DriverCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:52) at jdk.proxy2.jdk.proxy2.sProxy46.click(Unknown Source) at stepdefinitions.Budget_BudgetRequestandAllocation_UAT.click_on_the_save_button(Budget_BudgetRequestandAllocation_UAT.java:176) at ?.click on the save button(file:///C./Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ BUDGET_BudgetRequestandAllocation_UAT.feature:86) * Not displayable characters are replaced by '?'		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.136 s
SCIECTISTICE * **********************************		
14 Then click on the Maker icon button	SKIPPED	0.000 s
15 And click on the Record submit	SKIPPED	0.000 s
16 Given Azentio Url login as Reviewer	SKIPPED	0.000 s
17 Then Click on Reviewer Notification icon	SKIPPED	0.000 s
18 And Click on to Reviewer Action button	SKIPPED	0.000 s
19 Then Click on to Approve button in Reviewer	SKIPPED	0.001 s
20 And Submit the record in reviewer	SKIPPED	0.000 s
21 Given Azentio Url login as checker page	SKIPPED	0.000 s


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
22	Then click on the security management	SKIPPED	0.001 s
23	And Click on the sub module open pool near Edit icon	SKIPPED	0.001 s
24	Then Click the claim option icon	SKIPPED	0.001 s
25	And Click on the checker notification icon	SKIPPED	0.000 s
26	Then click the checker action icon	SKIPPED	0.001 s
27	And Approve the Record in checker	SKIPPED	0.000 s
28	Then Submit the Record in checker	SKIPPED	0.000 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

