

Cucumber Report

4 Mar 2023, 4:22:40 PM

Start : Mar 04, 4:18:02.170 PM

End : Mar 04, 4:22:38.918 PM

Duration : 4 m 36.748 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	4 m 36.748 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Bill(invoice) Booking</u>	9	7	1	1	4 m 36.741 s





(F)- Check the Functionality of Inventory


FAILED	DURATION - 4 m 36.748 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 7 Fail - 1 Skip - 1	
/ 4:18:02.170 PM // 4:22:38.918 PM /					

(S)- Bill(invoice) Booking


FAILED	DURATION - 4 m 36.741 s		Steps Total - 9 Pass - 7 Fail - 1 Skip - 1	
/ 4:18:02.177 PM // 4:22:38.918 PM /				
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_001_007_TC_01				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	55.927 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.364 s
	screenshot		
			
2	Then select data set ID for bill booking	PASSED	0.570 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user should navigate to accounts payable menu	PASSED	3.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		
			
4	Then click on po creation module	PASSED	0.508 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.412 s
	screenshot		
			
5	And get the approved po number from approved po record for invoice booking	PASSED	0.857 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s
	screenshot		
			
6	When click on the eye button of invoice booking	PASSED	0.566 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		
			
7	And click on add button for invoice booking	PASSED	1.983 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	<p>And Fill the required fields for invoice booking record</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //span[2]/ion-tab-button/ion-label' (tried for 20 second(s) with 800 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) at stepdefinitions.InventoryManagement_BillBooking.fill_the_required_fields_for_invoice_booking_record(InventoryManagement_BillBooking.java:515) at ?.Fill the required fields for invoice booking record(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/InventoryManagement_UAT.feature:230) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[2]/ion-tab-button/ion-label"} (Session info: chrome=110.0.5481.178) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.218', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cb41d0b6b754b81474f5cbd6c8960467, findElement {using=xpath, value=//span[2]/ion-tab-button/ion-label}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:65199}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65199/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cb41d0b6b754b81474f5cbd6c8960467 atjdk.internal.reflect.GeneratedConstructorAccessor38.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p>	FAILED	3 m 26.297 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) at stepdefinitions.InventoryManagement_BillBooking.fill_the_required_fields_for_invoice_booking_record(InventoryManagement_BillBooking.java:515) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.229 s
9	Then Save and submit the invoice billing	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

AZENTIO
ONEBanking

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts


Vendor purchase orders

Goods received note (GRN)


Invoice booking

22 Appro... 11 Mess...


Product Wise Amount Finance



sub-product-wise-amount-financed



scheme-wise-amount-financed



(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

AZENTIO
ONEBanking

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts


Vendor purchase orders

Goods received note (GRN)


Invoice booking

22 Appro... 11 Mess...


Product Wise Amount Finance



sub-product-wise-amount-financed



scheme-wise-amount-financed



(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes the date 07-Jan-2023, language English, and user ANANT. The left sidebar lists various finance-related options, with 'Vendor purchase orders' highlighted. The main area displays a table titled 'PO Creation View' with columns: Actions, Branch Code - Name, PO Number, PO Date, PO Type, Contract No, and Business. The table contains 10 rows of data, all of which are 'Purchases Contract' type. The bottom of the table shows '165 total' and a pagination control with page 1 selected.

Actions	Branch Code - Name	PO Number	PO Date	PO Type	Contract No	Business
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-15	07-Jan-2023	Purchases Contract	Agency-15-32-040320	DELUXE
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-15	07-Jan-2023	Purchases Contract	Agency-15-31-030320	DELUXE
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-6	06-Jan-2023	Purchases Contract	Agency-65-1-030320	Tamil710
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-8	06-Jan-2023	Purchases Contract		Bonton A
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-15	06-Jan-2023	Purchases Contract	Agency-15-30-240120	DELUXE
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-6	04-Jan-2023	Purchases Contract	Agency-62-1-020320	Tamil222
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-6	04-Jan-2023	Purchases Contract	Agency-61-1-020320	Tamil95
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-6	04-Jan-2023	Purchases Contract	Agency-60-1-020320	Tamil762
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-5	04-Jan-2023	Purchases Contract	Agency-59-1-020320	Tamil

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes the date 07-Jan-2023, language English, and user ANANT. The left sidebar lists various finance-related options, with 'Invoice booking' highlighted. The main area displays a table titled 'PO Creation View' with columns: Actions, Branch Code - Name, PO Number, PO Date, PO Type, Contract No, and Business. The table shows '0 total' and a pagination control with page 1 selected.

Actions	Branch Code - Name	PO Number	PO Date	PO Type	Contract No	Business
0 total						

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory



















AZENTIO
ONEBanking

07-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable
Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
22 Appro... 11 Mess...

Invoice Booking View

Actions	Branch Code - Name	Invoice Number	Invoice Type	Business Partner	Auto Generate Invoice	Create B
 	AZENTMAIN - Azentio	INV-116-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-115-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-114-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-113-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-112-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-111-32023	Expense	Shasheekant		1002435
 	AZENTMAIN - Azentio	INV-110-32023	Invoice Against PO	Tamil635		1002435
 	AZENTMAIN - Azentio	INV-109-32023	Invoice Against PO	Tamil846		1002435
 	AZENTMAIN - Azentio	INV-108-22023	Invoice Against PO	Tamil593		1002435

116 total

1 2 3 4 5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory

AZENTIO
ONEBanking

07-Jan-2023 E... Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable
Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
22 Appro... 11 Mess...

Invoice Booking

Tax/Vat/GST Amount * Flat Discount On Invoice 1.21 INR Early Payment Discount Type

Early Payment Discount Amount Early Payment Discount ... 1 * Mode Of Payment

* Invoice Currency INR * Invoice Payment Currency INR * Payment Date 07-Jan-2023

Rounding Adjustment

Remark