

Cucumber Report

Mar 31, 2022, 7:20:58 AM

Start : Mar 31, 7:20:39.425 AM

End : Mar 31, 7:20:57.177 AM

Duration : 17.752 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 26







#	Feature Name	T	P	F	S	Duration
1	Checking the Fixed Asset <u>functionality</u>	1	0	1	0	17.752 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Fixed Asset functionality</u>	<u>Asset Codes should be created and visible in the list view of Asset Code sub module</u>	33	6	1	26	17.749 s





(F)- Checking the Fixed Asset functionality


FAILED	DURATION - 17.752 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 33 Pass - 6 Fail - 1 Skip - 26	
/ 7:20:39.425 AM // 7:20:57.177 AM /					


(S)- Asset Codes should be created and visible in the list view of Asset Code sub module

<div>FAILED</div> <div>DURATION - 17.749 s</div>		<div></div>	<div>Steps</div> <div>Total - 33</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 26</div>	<div></div>
/ 7:20:39.428 AM // 7:20:57.177 AM /				
Checking the Fixed Asset functionality				
@MultiAuth @KUBS_FAT_UAT_002_003				

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.285 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
			
2	Then Click on Fixed Asset Direction icon	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Fixed assets configuration	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot 		
4	Then Click on Asset Category Eye button	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot 		
5	Then Click on Fixed Asset Add button	PASSED	0.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot 		
6	Then Fill Asset Category Mandatory fields	PASSED	0.881 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	<p>Then Click on Fixed Asset Save button</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbaea37e254307b3329937bf19e27b2b, clickElement {id=3e85bed4-84bf-4729-bb34-5a9256ea444a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog.chromeOptions: {debuggerAddress: localhost:59504}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:59504/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (bbaea37e254307b3329937bf19e27b2b)] -> xpath: (//ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: bbaea37e254307b3329937bf19e27b2b</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.FixedAsset_AssetCategory.click_on_fixed_asset_save_button(FixedAsset_AssetCategory.java:125) </pre>	FAILED	1.131 s


#	Step / Hook Details	Status	Duration
	<p>at ?.Click on Fixed Asset Save button(file:///C:/Users/inindc00089/git/AzentioAutomationFrameworkMaster_New2/AzentioAutomationFramework/src/test/java/features/FixedAsset_AssetCodeConfiguration.feature:13)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.084 s
8	Then Click on Fixed Asset Notification	SKIPPED	0.000 s
9	And Select and Submit the record	SKIPPED	0.000 s
10	Then log in to the reviewer account	SKIPPED	0.000 s
11	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
12	Then log in to the Checker Account	SKIPPED	0.000 s
13	And then checker claim the record	SKIPPED	0.000 s
14	Then click on the checker Notification	SKIPPED	0.000 s
15	And select the record and Approve by checker	SKIPPED	0.001 s
16	Given Maker Navigate to UAT URL login	SKIPPED	0.000 s
17	Then Click on Fixed Asset Direction icon	SKIPPED	0.000 s
18	Then Click on Fixed assets configuration	SKIPPED	0.000 s
19	Then Click on Asset Category Eye button	SKIPPED	0.001 s
20	Then Select the Asset code from the list	SKIPPED	0.000 s
21	Then Click on Fixed assets configuration	SKIPPED	0.000 s
22	Then Click on Asset code configuration Eye button	SKIPPED	0.000 s
23	Then Click on Fixed Asset Add button	SKIPPED	0.000 s
24	Then Fill Asset code configuration Mandatory fields	SKIPPED	0.001 s
25	Then Click on Fixed Asset Save button	SKIPPED	0.000 s
26	Then Click on Fixed Asset Notification	SKIPPED	0.000 s
27	And Select and Submit the record	SKIPPED	0.000 s
28	Then log in to the reviewer account	SKIPPED	0.001 s
29	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
30	Then log in to the Checker Account	SKIPPED	0.000 s
31	And then checker claim the record	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
32	Then click on the checker Notification	SKIPPED	0.000 s
33	And select the record and Approve by checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Codes should be created and
visible in the list view of Asset Code sub
module


(F) Checking the Fixed Asset functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Codes should be created and
visible in the list view of Asset Code sub
module

(F) Checking the Fixed Asset functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

















(S) Asset Codes should be created and
visible in the list view of Asset Code sub
module

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Codes should be created and
visible in the list view of Asset Code sub
module

(F) Checking the Fixed Asset functionality

Actions	Asset Code	Category	Sub Category	Item Category	Status
 	01-001-woodply2	Furnitures & Fixtures	Table & Chair	woodply2	Active
 	ELECTRONICS-LAP001-LAPT	computer & laptop	Laptops	LAPTOPS	Active
 	MACHINARY-AIRCONDITIONE	Machinery	Air Conditioner	payment	Active
 	ELECTRONICS-LAP001-mobil	computer & laptop	Laptops	mobile	Active
 	01-ASTSBCTGRY001-Big	Furnitures & Fixtures	CABINETS	Big	Active
 	01-ASTSBCTGRY001-Small	Furnitures & Fixtures	CABINETS	Small	Active
 	01-001-Table and Chairs	Furnitures & Fixtures	Table & Chair	Table and Chairs	Active
 	ELECTRONICS-LAP001-Freed	computer & laptop	Laptops	Freedom255	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Codes should be created and
visible in the list view of Asset Code sub
module

(F) Checking the Fixed Asset functionality

The screenshot shows the Kastle Universal Banking (Beta) web application. The top navigation bar includes the date 11-Nov-2022, language English, and user information for ANANT. The left sidebar lists various configuration modules under the 'Finance' category, with 'Asset category' highlighted. The main content area displays the 'ASSET_CATEGORY' form. The form has three input fields: 'Asset Category' (with a dropdown arrow), 'Asset Sub Category' (with a dropdown arrow), and 'Asset Item category'. Below these is a large text area for 'Asset Description'. The bottom of the page features a blue navigation bar with 'Home' and 'Preference' links.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Codes should be created and
visible in the list view of Asset Code sub
module

(F) Checking the Fixed Asset functionality

This screenshot shows the same Kastle Universal Banking (Beta) web application as the previous one, but with a validation error. In the 'ASSET_CATEGORY' form, the 'Asset Category' dropdown is set to 'Furnitures & Fixtures'. The 'Asset Description' field contains the text 'woodply2'. A red error message, 'Asset Code is already exist', is displayed at the bottom of the page in a purple box, indicating that the asset code is not unique.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Codes should be created and
visible in the list view of Asset Code sub
module

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

ASSET_CATEGORY

* Asset Category Fumitures & Fixtures x

* Asset Sub Category

* Asset Item category

* Asset Description woodply2

Asset category

Asset code configuration

Branch level depreciation

Asset GL configuration

22 Appro... 11 Messa...

Asset Code is already exist !!!!