


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	INVENTORY MAINTENANCE	1	0	1	0	50.440 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	INVENTORY MAINTENANCE	Create denomination details	18	15	1	2	50.434 s

DETAILED SECTION -- 4 -

(F)- INVENTORY MAINTENANCE

FAILED	DURATION - 50.440 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 8:33:59.482 AI	M // 8:34:49.922 AM /	Pass - 0	1	Pass - 15	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Create denomination details



#	Step / Hook Details	Status	Duration
1	Given User should navigate to the kubs url and login as a maker user	PASSED	9.174 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		
	The second of th		
2	And user should navigate to denomination master menu	PASSED	0.662 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		

#	Step / Hook Details	Status	Duration
	■		
3	When click on eye button of denomination master	PASSED	0.488 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.406 s
	screenshot		
4	And click on add button to create denomination details	PASSED	0.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.439 s
	Screenshot **********************************		
5	And Fill the required fields to create denomination details	PASSED	1.505 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.168 s
6	Then Save and submit the creation denomination details	PASSED	6.259 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot	1	

7 And User should go to the kubs url and login as a reviewer user AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8 Then Click on notification button in reviewer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 8 Then Click on notification button in reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And approve the record by reviewer user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Given User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Oken User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Oken User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Oken User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Oken User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Oken User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Oken User should go to the kubs url and login as a checker user				
Screenshot Then Click on notification button in reviewer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED D.108 s	7		PASSED	7.823 s
8 Then Click on notification button in reviewer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And approve the record by reviewer user AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And approve the record by reviewer user AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 5 O. Step Step Step Step Step Step Step Step		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
Then Click on notification button in reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Boliver User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.108 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And approve the record by reviewer user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Given User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 5.619 s PASSED 0.108 s		The Continue of the Continue o		
screenshot 9 And approve the record by reviewer user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Given User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 5.619 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.108 s	8	Then Click on notification button in reviewer	PASSED	0.223 s
9 And approve the record by reviewer user PASSED 3.821 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Given User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 5.619 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.108 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.509 s
9 And approve the record by reviewer user PASSED 3.821 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Given User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 5.619 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.108 s		screenshot	7	
9 And approve the record by reviewer user AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Given User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.821 s 0.155 s PASSED 5.619 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.108 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Given User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 5.619 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.155 s				
Screenshot 10 Given User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.108 s	9			
10 Given User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.108 s			PASSED	0.155 s
10 Given User should go to the kubs url and login as a checker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 5.619 s 0.108 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.108 s		05/900 1 10 1 10 1 10 1 1 10 1 1 1 10 1		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.108 s	10	Given User should go to the kubs url and login as a checker user	PASSED	5.619 s
screenshot			PASSED	0.108 s
		screenshot	1	


#	Step / Hook Details	Status	Duration
	■ © SECTIONAL SECTION © ® © COOK ■ © COOK		
	and the barrier of th		
11	And Click on security management in checker	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
	■ © NOTOTOTOTOTOTO DE CONTINUE DE CONTINU		
	© Interpret E de		
12	Then Click on open pool in checker	PASSED	0.160 s
12	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot	I ASSEB	0.2233
	The forest recommendance of the first point point of the first point		
	300.5 300.5		
13	And Click on claim button in checker	PASSED	0.055 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
	© teatrinacionamento de contracto de contrac		
	O Servanger 1 Nove 0 O 1 Nove 0		
14	And capture claimed status	PASSED	0.241 s
17	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
	1		

#	Step / Hook Details	Status	Duration
	# 0 form		
15	Then click on notification in checker	PASSED	0.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
	screenshot	1	
16	Then checker should approved the contract record	FAILED	2.123 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"/lion-label[contains(text(), Contract Creation)]"} (Session Info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc551.1cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [95c59404464672199828b2361b09d12, findElement {using=xpath, value=//ion-label[contains(text(),' Contract Creation]]]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browservision: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45, foremedriverVersion: 96.0.4664.45, set/molecular provided true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), sectopt ws:/flocalhosts/2723/devtoo, sectopt/version: 96.0.4664.45, set/mdowRect: true, strictFlieInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 95c59404464672199828b23261b09d12 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.eHttpCommandExecutor.invokeExecute(DriverCommandExecutor.java:184) at org.openqa.selenium.remote.eHttpCommandExecutor.invokeExecute(DriverCommandExecutor.jav		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.		
	checker_should_approved_the_contract_record(ACCOUNTSPAYABLE_VendorContracts.java:285)		
	at ?.checker should approved the contract record(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/		
	INVENTORY_MAINTENANCE_DenominationMaster.feature:23) * Not displayable characters are replaced by '?'.		
			0.007
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.097 s
	screenshot		
	The state of the s		
17	And system should show the prompt message	SKIPPED	0.000 s
18	And checker logout	SKIPPED	0.000 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --





EXPANDED SECTION -- 12 --






EXPANDED SECTION -- 14 --





EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

