

Cucumber Report

Apr 1, 2022, 1:20:15 PM

Start : Apr 01, 1:19:55.769 PM

End : Apr 01, 1:20:14.208 PM

Duration : 18.439 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 107







| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>To check the asset impairment module in fixed asset module</u> | 1 | 0 | 1 | 0 | 18.439 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|------|---|---|------|----------|
| 1 | <u>To check the asset impairment module in fixed asset module</u> | <u>Check the Write Off for an de-allocated asset (usage life exhausted)</u> | 10-9 | 1 | 1 | 10-7 | 18.433 s |


(F)- To check the asset impairment module in fixed asset module

| | | | | | |
|--------------------------------------|----------------------------|-----------|---|-------------|---|
| FAILED | DURATION - 18.439 s | Scenarios |  | Steps |  |
| / 1:19:55.769 PM // 1:20:14.208 PM / | | Total - 1 | | Total - 109 | |
| | | Pass - 0 | | Pass - 1 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 107 | |

(S)- Check the Write Off for an de-allocated asset (usage life exhausted)

| | | | | | |
|--|--|--|-------------|--|---|
| <div>FAILED</div> <div>DURATION - 18.433 s</div> | |  | Steps | |  |
| / 1:19:55.775 PM // 1:20:14.208 PM / | | | Total - 109 | | |
| To check the asset impairment module in fixed asset module | | | Pass - 1 | | |
| @KUBS_FAT_UAT_010_008 | | | Fail - 1 | | |
| | | | Skip - 107 | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to KUBS URL and login with maker credentials | PASSED | 13.037 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.278 s |
| | screenshot | | |
| |  | | |
| 2 | And click on fixed asset main module | FAILED | 0.405 s |
| | <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class='datatable-icon-right']"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc551cbda' System info: host: 'INMUVDAP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7861b61351975584e9c59d287c2e2e0a, findElement {using=xpath, value=//i[@class='datatable-icon-right']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\chrome-win-1069626\}, goog:chromeOptions: {debuggerAddress: localhost:50555}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <p>Proxy(), se:cdp: ws://localhost:50555/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7861b61351975584e9c59d287c2e2e0a</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.FIXEDASSET_AssetImpairment.click_on_fixed_asset_main_module(FIXEDASSET_AssetImpairment.java:80) at ?.click on fixed asset main module(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkMasterNew/AzentioAutomationFramework/src/test/java/features/FIXEDASSET_AssetImpairment.feature:820) * Not displayable characters are replaced by '?'. </p> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  | PASSED | 0.202 s |
| 3 | And goto asset creation module | SKIPPED | 0.001 s |
| 4 | Then search the asset reference number which we going to do allocation | SKIPPED | 0.000 s |
| 5 | Then check if the asset life is exhausted | SKIPPED | 0.001 s |
| 6 | And goto assetallocation module | SKIPPED | 0.000 s |
| 7 | And click on Add Icon | SKIPPED | 0.000 s |
| 8 | And enter reference number | SKIPPED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 9 | And enter item number in allocation module | SKIPPED | 0.000 s |
| 10 | And choose the employee | SKIPPED | 0.000 s |
| 11 | Then save the record | SKIPPED | 0.001 s |
| 12 | Then click on notification button | SKIPPED | 0.000 s |
| 13 | Then choose first record in the notification record | SKIPPED | 0.000 s |
| 14 | And click on Submit button | SKIPPED | 0.001 s |
| 15 | Then enter remark in confirmation alert | SKIPPED | 0.000 s |
| 16 | Then click on submit button in alert | SKIPPED | 0.001 s |
| 17 | And capture the reviewer ID in pop up which is open when we submit our record in maker stage | SKIPPED | 0.000 s |
| 18 | Then logout from maker | SKIPPED | 0.000 s |
| 19 | And login with reviewer credentials | SKIPPED | 0.000 s |
| 20 | Then click on notification button | SKIPPED | 0.000 s |
| 21 | And select our record in notification records using reference ID | SKIPPED | 0.000 s |
| 22 | Then Approve the record from reviewer | SKIPPED | 0.000 s |
| 23 | And enter the remark in alert | SKIPPED | 0.000 s |
| 24 | Then click on submit in alert | SKIPPED | 0.000 s |
| 25 | Then verify the approval status of the record | SKIPPED | 0.000 s |
| 26 | And logout from reviewer | SKIPPED | 0.000 s |
| 27 | Then login as a checker | SKIPPED | 0.000 s |
| 28 | And click on security management menu in checker | SKIPPED | 0.001 s |
| 29 | Then click on action button under security management menu | SKIPPED | 0.000 s |
| 30 | And select our record and clime using reference ID | SKIPPED | 0.000 s |
| 31 | Then click on Notification button | SKIPPED | 0.001 s |
| 32 | Then select our record in notification records by the help of reference ID | SKIPPED | 0.001 s |
| 33 | And click on approve button in checker stage | SKIPPED | 0.001 s |
| 34 | Then give alert remark | SKIPPED | 0.000 s |
| 35 | Then click on submit button on alert | SKIPPED | 0.000 s |
| 36 | And verify the record got approved from checker | SKIPPED | 0.000 s |
| 37 | Then logout from checker | SKIPPED | 0.000 s |
| 38 | And login with Maker ID | SKIPPED | 0.000 s |
| 39 | And click on fixed asset main module | SKIPPED | 0.000 s |
| 40 | And goto asset deallocation module | SKIPPED | 0.001 s |
| 41 | And click on Add Icon | SKIPPED | 0.000 s |
| 42 | And enter asset reference number for de allocation | SKIPPED | 0.000 s |


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 43 | And enter asset item number for de allocation | SKIPPED | 0.000 s |
| 44 | And save the asset deallocation record | SKIPPED | 0.000 s |
| 45 | Then click on notification button | SKIPPED | 0.001 s |
| 46 | Then choose first record in the notification record | SKIPPED | 0.000 s |
| 47 | And click on Submit button | SKIPPED | 0.000 s |
| 48 | Then enter remark in confirmation alert | SKIPPED | 0.001 s |
| 49 | Then click on submit button in alert | SKIPPED | 0.000 s |
| 50 | And capture the reviewer ID in pop up which is open when we submit our record in maker stage | SKIPPED | 0.000 s |
| 51 | Then logout from maker | SKIPPED | 0.001 s |
| 52 | And login with reviewer credentials | SKIPPED | 0.000 s |
| 53 | Then click on notification button | SKIPPED | 0.000 s |
| 54 | And select our record in notification records using reference ID | SKIPPED | 0.000 s |
| 55 | Then Approve the record from reviewer | SKIPPED | 0.001 s |
| 56 | And enter the remark in alert | SKIPPED | 0.000 s |
| 57 | Then click on submit in alert | SKIPPED | 0.001 s |
| 58 | Then verify the approval status of the record | SKIPPED | 0.000 s |
| 59 | And logout from reviewer | SKIPPED | 0.000 s |
| 60 | Then login as a checker | SKIPPED | 0.000 s |
| 61 | And click on security management menu in checker | SKIPPED | 0.002 s |
| 62 | Then click on action button under security management menu | SKIPPED | 0.000 s |
| 63 | And select our record and clime using reference ID | SKIPPED | 0.000 s |
| 64 | Then click on Notification button | SKIPPED | 0.000 s |
| 65 | Then select our record in notification records by the help of reference ID | SKIPPED | 0.000 s |
| 66 | And click on approve button in checker stage | SKIPPED | 0.000 s |
| 67 | Then give alert remark | SKIPPED | 0.000 s |
| 68 | Then click on submit button on alert | SKIPPED | 0.000 s |
| 69 | And verify the record got approved from checker | SKIPPED | 0.000 s |
| 70 | Then logout from checker | SKIPPED | 0.000 s |
| 71 | And login with Maker ID | SKIPPED | 0.000 s |
| 72 | And click on fixed asset main module | SKIPPED | 0.000 s |
| 73 | And click on view button near by asset impairment module | SKIPPED | 0.000 s |
| 74 | And click on Add Icon | SKIPPED | 0.000 s |
| 75 | Then Check System shuld display the input fields | SKIPPED | 0.000 s |
| 76 | And select asset reference number of deallocated assset in write off | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|-----|--|---------|----------|
| 77 | And choose the asset Item no | SKIPPED | 0.000 s |
| 78 | And choose the transcation type as writeOff | SKIPPED | 0.000 s |
| 79 | Then click on Save Button | SKIPPED | 0.000 s |
| 80 | Then click on notification button | SKIPPED | 0.000 s |
| 81 | Then choose first record in the notification record | SKIPPED | 0.001 s |
| 82 | And click on Submit button | SKIPPED | 0.000 s |
| 83 | Then enter remark in confirmation alert | SKIPPED | 0.001 s |
| 84 | Then click on submit button in alert | SKIPPED | 0.000 s |
| 85 | And capture the reviewer ID in pop up which is open when we submit our record in maker stage | SKIPPED | 0.000 s |
| 86 | Then logout from maker | SKIPPED | 0.001 s |
| 87 | And login with reviewer credentials | SKIPPED | 0.000 s |
| 88 | Then click on notification button | SKIPPED | 0.000 s |
| 89 | And select our record in notification records using reference ID | SKIPPED | 0.000 s |
| 90 | Then Approve the record from reviewer | SKIPPED | 0.000 s |
| 91 | And enter the remark in alert | SKIPPED | 0.001 s |
| 92 | Then click on submit in alert | SKIPPED | 0.000 s |
| 93 | Then verify the approval status of the record | SKIPPED | 0.000 s |
| 94 | And logout from reviewer | SKIPPED | 0.000 s |
| 95 | Then login as a checker | SKIPPED | 0.011 s |
| 96 | And click on security management menu in checker | SKIPPED | 0.001 s |
| 97 | Then click on action button under security management menu | SKIPPED | 0.000 s |
| 98 | And select our record and clime using reference ID | SKIPPED | 0.000 s |
| 99 | Then click on Notification button | SKIPPED | 0.001 s |
| 100 | Then select our record in notification records by the help of reference ID | SKIPPED | 0.000 s |
| 101 | And click on approve button in checker stage | SKIPPED | 0.000 s |
| 102 | Then give alert remark | SKIPPED | 0.000 s |
| 103 | Then click on submit button on alert | SKIPPED | 0.000 s |
| 104 | And verify the record got approved from checker | SKIPPED | 0.001 s |
| 105 | Then logout from checker | SKIPPED | 0.000 s |
| 106 | And login with Maker ID | SKIPPED | 0.000 s |
| 107 | And click on fixed asset main module | SKIPPED | 0.000 s |
| 108 | And click on view button near by asset impairment module | SKIPPED | 0.000 s |
| 109 | Then check the approved record is displayed in appeared in maker list view stage | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the Write Off for an de-
allocated asset (usage life exhausted)

(F) To check the asset impairment
module in fixed asset module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the Write Off for an de-
allocated asset (usage life exhausted)

(F) To check the asset impairment
module in fixed asset module

