

Cucumber Report

Feb 15, 2022, 4:00:06 AM

Start : Feb 15, 3:59:49.076 AM

End : Feb 15, 4:00:05.657 AM

Duration : 16.581 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 9







| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>Checking the Fixed Asset functionality</u> | 1 | 0 | 1 | 0 | 16.581 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|----|---|---|---|----------|
| 1 | <u>Checking the Fixed Asset functionality</u> | <u>Check If the de-allocated asset can be allocated to any other resource</u> | 15 | 5 | 1 | 9 | 16.578 s |





(F)- Checking the Fixed Asset functionality


| | | | | | |
|--------------------------------------|----------------------------|--|---|---|---|
| FAILED | DURATION - 16.581 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 15 Pass - 5 Fail - 1 Skip - 9 |  |
| / 3:59:49.076 AM // 4:00:05.657 AM / | | | | | |

(S)- Check If the de-allocated asset can be allocated to any other resource

| | | | | |
|--|--|---|--|--|
| <div>FAILED</div> <div>DURATION - 16.578 s</div> | | <div></div> | <div>Steps</div> <div>Total - 15</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 9</div> | <div></div> |
| / 3:59:49.079 AM // 4:00:05.657 AM / | | | | |
| Checking the Fixed Asset functionality | | | | |
| @KUBS_FAT_UAT_006_005 @MultiAuth | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Maker Navigate to UAT URL login | PASSED | 9.587 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.274 s |
| | screenshot | | |
| |  | | |
| 2 | Then Click on fixed asset deallocaion Direction icon | PASSED | 0.349 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.130 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| |  | | |
| 3 | Then Click on Fixed assets field | PASSED | 0.120 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.119 s |
| | screenshot  | | |
| 4 | Then Click on asset deallocaion Eye button | PASSED | 0.438 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.174 s |
| | screenshot  | | |
| 5 | Then Click on Fixed Asset Add button | PASSED | 0.224 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.172 s |
| | screenshot  | | |
| 6 | Then Fill asset deallocaion Mandatory fields | FAILED | 2.557 s |
| | <p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1e5137c758908e5db3b0aaca46825f6, sendKeysToElement [id=31102a11-4a4c-4906-a8c8-419a89a93a96, value=[Ljava.lang.CharSequence;@5cd8d029]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome:</p> | | |


| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre>{chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:51354}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51354/devtools..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (1e5137c758908e5db3b0aaca46825f6)] -> xpath: //ion-col[5]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]] Session ID: 1e5137c758908e5db3b0aaca46825f6</pre> <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.FixedAsset_AssetDeallocation.fill_asset_deallocaion_mandatory_fields(FixedAsset_AssetDeallocation.java:75) at ?.Fill asset deallocaion Mandatory fields(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/FixedAsset_AssetDeallocation.feature:11) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  | PASSED | 0.101 s |
| 7 | Then Click on Fixed Asset Save button | SKIPPED | 0.000 s |
| 8 | Then Click on Fixed Asset Notification | SKIPPED | 0.000 s |
| 9 | And Select Inventory Item and Submit the record | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 10 | Then log in to the reviewer account | SKIPPED | 0.001 s |
| 11 | Then click on the Notification select the record and Approve | SKIPPED | 0.000 s |
| 12 | Then log in to the Checker Account | SKIPPED | 0.000 s |
| 13 | And then checker claim the record | SKIPPED | 0.000 s |
| 14 | Then click on the checker Notification | SKIPPED | 0.000 s |
| 15 | And select the record and Approve by checker | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource


(F) Checking the Fixed Asset functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta)

06-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta)

06-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset De Allocation View

| Actions | Entity | Branch Code - Name | Asset Code | Asset Reference No | Item No | Deallocated By | Deallocated Date |
|---------|------------------|-----------------------|-------------------------|-------------------------|----------------|----------------|------------------|
| | Azentio Software | AZENTMAIN - Azentio N | ELECTRONICS-LAP001 | ELECTRONICS-LAP001 | 1245 | 1002435 | 04-Oct-2022 |
| | Azentio Software | BR0003 - East Zone | 01-001-adjustable table | 01-001-adjustable table | 321 | 1002435 | 04-Oct-2022 |
| | Azentio Software | AZENTMAIN - Azentio N | MACHINARY-AIRCOND | MACHINARY-AIRCOND | Coolers01 | 1002435 | 02-Jun-2022 |
| | Azentio Software | AZENTMAIN - Azentio N | ELECTRONICS-LAP001 | ELECTRONICS-LAP001 | Line Printer02 | 1002435 | 04-Oct-2022 |
| | Azentio Software | BR0003 - East Zone | 01-001-adjustable table | 01-001-adjustable table | ADJUST-003 | 1002435 | 02-Jun-2022 |
| | Azentio Software | AZENTMAIN - Azentio N | ELECTRONICS-LAP001 | ELECTRONICS-LAP001 | NewDellLPT001 | 1002435 | 02-Jun-2022 |
| | Azentio Software | AZENTMAIN - Azentio N | ELECTRONICS-LAP001 | ELECTRONICS-LAP001 | 555 | 1002435 | 02-Jun-2022 |
| | Azentio Software | AZENTMAIN - Azentio N | ELECTRONICS-LAP001 | ELECTRONICS-LAP001 | sony laptop | 1002435 | 04-Oct-2022 |

13 total

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 06-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Fixed Asset De-Allocation

| | | |
|--------------------------|------------------------------------|----------------------------|
| * Asset Reference Number | Asset Code | Asset Description |
| * Item Number | Item Description | *De-Allocation Employee Id |
| Employee Name | *De-Allocation Date 06-Oct-2022 | Allocation By |

Asset creation Asset transfer Asset undertaking Asset sale Asset allocation Asset de-allocation

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check If the de-allocated asset can be
allocated to any other resource

(F) Checking the Fixed Asset functionality

Kastle Universal Banking (Beta) 06-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Fixed Asset De-Allocation

| | | |
|---|---------------------------------------|---------------------------------------|
| * Asset Reference Number 01-001-adjustable table_BOB667_4435 | Asset Code 01-001-adjustable table | Asset Description adjustable table |
| * Item Number 33333 | Item Description | *De-Allocation Employee Id |
| | *De-Allocation Date 06-Oct-2022 | Allocation By 1002435 |

Asset creation Asset transfer Asset undertaking Asset sale Asset allocation Asset de-allocation

22 Appro... 11 Messa...

Home Preference