

# Cucumber Report

07-Feb-2022, 1:49:50 pm

Start : Feb 07, 1:49:45.745 pm

End : Feb 07, 1:49:49.471 pm

Duration : 3.726 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 24







#	Feature Name	T	P	F	S	Duration
1	<u>Check unwanted inventory stock can be return to the Branch</u>	1	0	1	0	3.726 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check unwanted inventory stock can be return to the Branch</u>	<u>Check inventory stock confirmation</u>	25	0	1	24	3.720 s

**(F)- Check unwanted inventory stock can be return to the Branch**

<b>FAILED</b>	<b>DURATION - 3.726 s</b>	Scenarios		Steps	
/ 1:49:45.745 pm // 1:49:49.471 pm /		Total - 1	1	Total - 25	25
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 24	

**(S)- Check inventory stock confirmation**

<div>FAILED</div> <div>DURATION - 3.720 s</div>			Steps	
/ 1:49:45.751 pm // 1:49:49.471 pm /			Total - 25	
Check unwanted inventory stock can be return to the Branch			Pass - 0	
@KUBS_INV_MGMT_UAT_004_StockConfirm			Fail - 1	
			Skip - 24	

#	Step / Hook Details	Status	Duration
1	<p>Given Launch the Azentio maker url</p> <pre> java.lang.RuntimeException: Json file not found at path : src/main/java/jsonData/INVENTORY_StockReturnBranch.json     at dataProvider.JsonConfig.getStockReturnBranchList(JsonConfig.java:242)     at dataProvider.JsonConfig.&lt;init&gt;(JsonConfig.java:80)     at stepdefinitions.INVENTORY_StockReturnBranch.&lt;init&gt;(INVENTORY_StockReturnBranch.java:40)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)     at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)     at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)     at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)     at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)     at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)     at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)     at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)     at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647) </pre>	<b>FAILED</b>	0.034 s

#	Step / Hook Details	Status	Duration
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		

#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
	+		
2	Then Inventory Second direction icon	SKIPPED	0.001 s
3	And Inventory Management Module	SKIPPED	0.000 s
4	Then Click on Inventory stock confirmation eye icon	SKIPPED	0.001 s
5	And Sub module Inventory stock confirmation click Add icon	SKIPPED	0.000 s
6	Then Enter Request Referance Number	SKIPPED	0.000 s
7	And Enter Item code Number	SKIPPED	0.000 s
8	Then Accept the status in checkbox	SKIPPED	0.001 s
9	And click the save icon for StockConfirm	SKIPPED	0.001 s
10	And goto maker Notification icon	SKIPPED	0.001 s
11	Then Click Submit button to Inventory Record	SKIPPED	0.000 s
12	And Give Remark and submit to reviewer	SKIPPED	0.000 s
13	Given Login As Reviewer	SKIPPED	0.000 s
14	And Goto Reviewer Notification	SKIPPED	0.000 s
15	Then open the submitted Record from maker	SKIPPED	0.000 s
16	And Approve the Record in Reviewer	SKIPPED	0.000 s
17	Then Enter The Remark and submit in Reviewer	SKIPPED	0.000 s
18	Given Login As Checker	SKIPPED	0.000 s
19	Then Click Security management module	SKIPPED	0.000 s
20	And Click Sub module open Pool Edit icon	SKIPPED	0.001 s
21	And Claim the submitted Record	SKIPPED	0.001 s
22	Then Goto Checker Notification	SKIPPED	0.001 s
23	And Open the Record Approve from Reviewer	SKIPPED	0.001 s
24	And Approve the Record in Checker End	SKIPPED	0.001 s
25	Then Enter the Remark and submit the record in checker	SKIPPED	0.001 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can  
be return to the Branch