

Cucumber Report

Feb 4, 2022, 8:55:11 AM

Start : Feb 04, 8:54:09.471 AM

End : Feb 04, 8:55:09.923 AM

Duration : 1 m 0.452 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 16
FAILED - 1
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>INVENTORY MAINTENANCE</u>	1	0	1	0	1 m 0.452 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>INVENTORY MAINTENANCE</u>	<u>Create denomination details</u>	18	16	1	1	1 m 0.447 s

(F)- INVENTORY MAINTENANCE




FAILED	DURATION - 1 m 0.452 s	Scenarios		Steps	
/ 8:54:09.471 AM // 8:55:09.923 AM /		Total - 1	1	Total - 18	18
		Pass - 0		Pass - 16	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	



(S)- Create denomination details




<div>FAILED</div> <div>DURATION - 1 m 0.447 s</div>			<div>Steps</div> <div>Total - 18</div> <div>Pass - 16</div> <div>Fail - 1</div> <div>Skip - 1</div>	
<div>/ 8:54:09.476 AM // 8:55:09.923 AM /</div>				
<div>INVENTORY MAINTENANCE</div>				
<div>@KUBS_INV_MGMT_UAT_002_002</div>				

#	Step / Hook Details	Status	Duration
1	Given User should navigate to the kubs url and login as a maker user	PASSED	15.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.845 s
	screenshot		
			
2	And user should navigate to denomination master menu	PASSED	0.148 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	When click on eye button of denomination master	PASSED	0.705 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.428 s
	screenshot 		
4	And click on add button to create denomination details	PASSED	0.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.561 s
	screenshot 		
5	And Fill the required fields to create denomination details	PASSED	1.509 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot 		
6	Then Save and submit the creation denomination details	PASSED	6.747 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And User should go to the kubs url and login as a reviewer user	PASSED	7.391 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		
			
8	Then Click on notification button in reviewer	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
	screenshot		
			
9	And approve the record by reviewer user	PASSED	3.860 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
			
10	Given User should go to the kubs url and login as a checker user	PASSED	6.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And Click on security management in checker	PASSED	0.213 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		
			
12	Then Click on open pool in checker	PASSED	0.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot		
			
13	And Click on claim button in checker	PASSED	0.069 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
			
14	And capture claimed status	PASSED	0.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
15	Then click on notification in checker	PASSED	0.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot		
			
16	Then checker should approved the denomination details	PASSED	3.814 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
			
17	And system should show the prompt message	FAILED	2.023 s
	<p>org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a5588c399e94abac9a5af08e0e0bba55, actions {actions=[org.openqa.selenium.interactions.Sequence@4b50c21]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53606}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53606/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a5588c399e94abac9a5af08e0e0bba55</p> <p>at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)</p>		

#	Step / Hook Details	Status	Duration
	<p>at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)</p> <p>at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)</p> <p>at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)</p> <p>at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)</p> <p>at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)</p> <p>at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)</p> <p>at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)</p> <p>at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)</p> <p>at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:42)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615)</p> <p>at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617)</p> <p>at org.openqa.selenium.interactions.Actions.perform(Actions.java:573)</p> <p>at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36)</p> <p>at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. system_should_show_the_prompt_message(ACCOUNTSPAYABLE_VendorContracts.java:307)</p> <p>at ?.system should show the prompt message(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/INVENTORY_MAINTENANCE_DenominationMaster.feature:24)</p> <p>Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver</p> <p>at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:40)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:253)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:127)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor. java:172)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote. RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver. java:615)</p> <p>at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617)</p> <p>at org.openqa.selenium.interactions. Actions.perform(Actions.java:573)</p> <p>at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36)</p> <p>at stepdefiniti ons.ACCOUNTSPAYABLE_VendorContracts.system_should_show_the_prompt_message(ACCOUNTSPAYABLE_VendorContracts.java:307)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect. NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.</p>		

#	Step / Hook Details	Status	Duration
	<p> invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.InvocationTargetException </p> <p> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179) at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150) at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) </p>		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.toJson(Json.java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. system_should_show_the_prompt_message(ACCOUNTSPAYABLE_VendorContracts.java:307) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//body/div/div/div/div[1]"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a5588c399e94abac9a5af08e0e0bba55, findElement {using=xpath, value=//body/div/div/div/div[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\chrome-win-1063\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:53606}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53606/devtools, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a5588c399e94abac9a5af08e0e0bba55</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:201) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:152) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.110 s
18	And checker logout	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details


(F) INVENTORY MAINTENANCE



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

The screenshot shows the 'Denomination Master View Grid' in the Kastle Universal Banking application. The interface includes a top navigation bar with the date '03-Oct-2022', language 'English', and user 'ANANT'. A left sidebar lists various configuration options, with 'Denomination master' highlighted. The main area displays a table with the following data:

Actions	Currency	Transaction Date	Status	Created By	Created Date	Modified By	Modified Date
	INR	2022-10-02T18:41:48.1	Active	1002435	04-Feb-2022	1002435	04-Feb-2022
	INR	2021-09-02T14:13:32.1	Active	1002435	22-Oct-2021	1002435	22-Oct-2021
	USD	2021-09-02T08:17:17.0	Active	1002435	20-Oct-2021	1002435	20-Oct-2021

At the bottom of the table, it indicates '3 total'. The bottom navigation bar shows 'Home' and 'Preference' options.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

The screenshot shows the 'Denomination Details Master' form in the Kastle Universal Banking application. The interface includes a top navigation bar with the date '03-Oct-2022', language 'English', and user 'ANANT'. A left sidebar lists various configuration options, with 'Denomination master' highlighted. The main area displays a form with the following fields:

- * Instrument Code
- * Currency
- * Denomination Type

Below the form, there is a table with the following data:

Deno	Deno	Deno	Deno	Action

The bottom navigation bar shows 'Home' and 'Preference' options.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

Finance

Business partner setup

General ledger configurat...

Accounting setup

Expense/AR & AP configu...

Budget configuration

Fixed assets configuration

Inventory maintenance

Instrument code master

Denomination master

Inventory item master

22 Appro...

11 Messa...

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Denomination Details Master

* Instrument Code

AZENTIO-azentio

* Currency

INR

* Denomination Type

Cash

Denomination Sub Type	Denomination Sequence Number	Denomination Value	Denomination Description	Action
Note	999	999	denomination	<div><div></div><div>+</div></div>

Home

Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

Finance

Business partner setup

General ledger configurat...

Accounting setup

Expense/AR & AP configu...

Budget configuration

Fixed assets configuration

Inventory maintenance

Instrument code master

Denomination master

Inventory item master

22 Appro...

11 Messa...

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Denomination Details Master

* Instrument Code

AZENTIO-azentio

* Currency

INR

* Denomination Type

Cash

Status

ACTIVE

Denomination Sub Type	Denomination Sequence Number	Denomination Value	Denomination Description	Action
Note	999	999	denomination	<div><div></div><div>+</div></div>

Home

Preference

Record APPROVED

Successfully, and Current Stage is REVIEWER with status PENDING from 1002436.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

Kastle Universal Banking (Beta)

03-Oct-2022

English

Azentio Software

(A)

No Module Mapped

Denomination Details Master

* Instrument Code

AZENTIO-azentio

x

* Currency

INR

x

* Denomination Type

Cash

x

Status

ACTIVE

x

Denomination Sub Type

Denomination Sequence Number

Denomination Value

Denomination Description

Action

Note

999

999

denomination

+

22 Appro...

11 Messa...

Home

Preference

Record is available in
✓ CHECKER's Open Pool with
status PENDING

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

Kastle Universal Banking (Beta)

03-Oct-2022

English

Azentio Software

(AZENTMAIN)

CHECKER

Configuration

Welcome, Checker

Security management

22 Appro...

11 Messa...

Home

Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN)

Configuration

Welcome, Checker

Security management

Open pool

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN)

Configuration

Open Pool

Actions	ibxhdrid	referenceId	eventCode	stageCode	employeeName	eventDesc	workflowDesc	createdDate
CLAIM	22311	37	DENOM_DETAILS	CHECKER				Legal entity w

1 total

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) CHECKER

Configuration

Security management

Open pool

Open Pool

Actions	ibxhdrid	referenceId	eventCode	stageCode	employeeName	eventDesc	workflowDesc
CLAIM	22311	37	DENOM_DETAILS	CHECKER			Legal entity w

1 total

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software

Claimed Successfully

Configuration

Security management

Open pool

Open Pool

Actions	ibxhdrid	referenceId	eventCode	stageCode	employeeName	eventDesc	workflowDesc
No data to display							

0 total

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) CHECKER

Configuration

← Inbox

Actions

No data to display

0 total

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software Record APPROVED Successfully

Configuration

← Denomination Details Master

* Instrument Code AZENTIO-azentio * Currency INR * Denomination Type Cash

Status ACTIVE

Denomination Sub Type	Denomination Sequence Number	Denomination Value	Denomination Description	Action
Note	999	999	denomination	+

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

Kastle Universal Banking (Beta)

03-Oct-2022

English

Azentio Software

(AZENTMAIN)

CHECKER

Configuration

Security management

Open pool

Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	36	DENOM_DETAILS	CHECKER	CHECKER	1002437
✓	34	DENOM_DETAILS	CHECKER	CHECKER	1002437
✓	288	POCREATION_EVENT	CHECKER	CHECKER	1002437
✓	52	INVENTORY_ITEM	CHECKER	CHECKER	1002437
✓	51	INVENTORY_ITEM	CHECKER	CHECKER	1002437

165 total

22 Appro...

11 Messa...