


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	1 m 17.323 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type	10	10	0	0	1 m 17.319 s
		Purchases					

DETAILED SECTION -- 4 --

(F)- AR/AP Module

PASSED	DURATION - 1 m 17.323 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 4:51:47.873 PM	/ // 4:53:05.196 PM /	Pass - 1	1	Pass - 10	10
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Create a contract for an active vendor with expense type Purchases

PASSED DURATION - 1 m 17.319 s													Steps	
/ 4:51:47.877 PM // 4:53:05.196 PM /	20 -	-						-				- +	Total - 10	
AR/AP Module	10 -	-			-			-					Pass - 10	10
@AR/AP @KUBS AR/AP UAT 001 001 TC 001 01	0 -					-							Skip - 0	_
WKOB3_AR/AF_OA1_001_001_1C_001_01			1	2	3	4	5	6	7	8	9	10		

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	25.682 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.591 s
	screenshot		
	*** The state of t		
2	And user should navigate to accounts payable menu	PASSED	3.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.453 s
	screenshot		


3 When click on eye button of vendor contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And click on add button to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 1.568 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.441 s 4 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.317 s 4 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.288 s PASSED 0.488 s 0.481 s 0.411 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.386 s PASSED 0.214 s		ADDITION No. 10 And Andrew Colon		
4 And click on add button to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Fill the required fields to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.336 s PASSED 0.214 s	3	When click on eye button of vendor contract	PASSED	0.288 s
4 And click on add button to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.488 s
4 And click on add button to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.386 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.214 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.386 s PASSED 0.214 s				
Screenshot And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Fill the required fields to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.386 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.214 s	4	And click on add button to create contract	PASSED	1.568 s
5 And user update the data set ID for vendor contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.386 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.214 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.441 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.386 s PASSED 0.317 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.386 s PASSED 0.317 s		The state of the s		
Screenshot 6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.214 s	5	And user update the data set ID for vendor contract	PASSED	0.004 s
6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.214 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
6 And Fill the required fields to create contract AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 21.386 s 0.214 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.214 s				
	6	And Fill the required fields to create contract	PASSED	21.386 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
		screenshot		

#	Step / Hook Details	Status	Duration
	Authority		
7	And Save the Record from maker	PASSED	0.454 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
8	Then click on the Notification icon	PASSED	1.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
	Name		
9	Then store the Reference ID and open the vendor contract record	PASSED	5.311 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
	The State of the S		
10	Then click submit and enter remark for vendor contract	PASSED	6.377 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	A SECTION TO ADMINISTRATION OF THE PROPERTY O		
	State Stat		


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

