

Cucumber Report

3 Apr 2023, 10:04:30 AM

Start : Apr 03, 10:03:32.488 AM

End : Apr 03, 10:04:27.095 AM

Duration : 54.607 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1


SKIPPED - 0

PASSED - 6

FAILED - 1

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Checking the Bank Reconcilliation functionality</u>	1	0	1	0	54.607 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Bank Reconcilliation functionality	Verify system gives correct match basis the matching rule defined	7	6	1	0	54.592 s

(F)- Checking the Bank Reconcillation functionality


FAILED	DURATION - 54.607 s	Scenarios		Steps	
/ 10:03:32.488 AM // 10:04:27.095 AM /		Total - 1		Total - 7	
		Pass - 0		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Verify system gives correct match basis the matching rule defined

<div>FAILED</div> <div>DURATION - 54.592 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:03:32.503 AM // 10:04:27.095 AM /				
Checking the Bank Reconcillation functionality				
@KUBS_TAX_UAT_002_002_TC_007_01 @MultiAuth				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	37.353 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.020 s
	screenshot		
			
2	Then select data set ID for verify match record basis data matching rule	PASSED	0.719 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	And user should navigate to bank recon format menu	PASSED	0.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
			
4	When click on eye button of bank recon format	PASSED	0.748 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.805 s
	screenshot		
			
5	Then open bank recon format configuration of a bank	PASSED	3.020 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.608 s
	screenshot		
			
6	And navigate to data matching rule	PASSED	0.976 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.737 s
	screenshot		
			
7	Then get the matching rule for correct match record	FAILED	1.236 s
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//label[text()=' Match Condition ']/following-sibling::ng-select/descendant::input"} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.87', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.			

#	Step / Hook Details	Status	Duration
	<p>chrome.ChromeDriver Command: [0fbfbc034c742e5a3d9046325aa0c1cc, findElement {using=xpath, value=//label[text()=' Match Condition']/following-sibling::ng-select/ancestor::input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:63050}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63050/devtools..., se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0fbfbc034c742e5a3d9046325aa0c1cc</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor38.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source) at stepdefinitions.BankRecon_BankReconciliation.get_the_matching_rule_for_correct_match_record(BankRecon_BankReconciliation.java:713) at ?.get the matching rule for correct match record(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/BankRecon_BankReconciliation.feature:117) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.430 s
	<p>screenshot</p>  <p>The screenshot shows the Azentio test runner interface. It features a sidebar with a list of test categories and a main area displaying a table of test results. The table has columns for 'Name', 'Status', 'Start Time', 'End Time', 'Duration', and 'Error'. The results show several tests passing, with durations ranging from approximately 0.01s to 0.03s.</p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify system gives correct match
basis the matching rule defined


(F) Checking the Bank Reconcillation
functionality





(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify system gives correct match
basis the matching rule defined

(F) Checking the Bank Reconcillation
functionality



<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify system gives correct match basis the matching rule defined</u></p>	
<p><u>(F) Checking the Bank Reconcillation functionality</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify system gives correct match basis the matching rule defined</u></p>	
<p><u>(F) Checking the Bank Reconcillation functionality</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify system gives correct match
basis the matching rule defined

(F) Checking the Bank Reconcillation
functionality

AZENTIO[™]

ONEBanking

Business partner setup

General ledger configuration

Accounting setup

Expense/AR & AP configurat...

Budget configuration

Fixed assets configuration

Inventory maintenance

Bank recon

Recon format

Petty cash configuration

22 Appro...

11 Mess...

28-Jan-2023

English

Azentio Software

(AZENTMAIN)

ANANT

Bank Format Master List View

Actions	Bank Name	Applicable Account Typ	Upload File Extension	Status	Created By	Created Da
	IDFC BANK	Search Applicable A	Search Upload File I	Search Status	Search Created By	Search Cr
<div><div></div><div></div></div>	IDFC BANK	SAVINGS ACCOUNT	Text	Active	1002435	27-Mar-20
1 total						

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify system gives correct match
basis the matching rule defined

(F) Checking the Bank Reconcillation
functionality

AZENTIO[™]

ONEBanking

Business partner setup

General ledger configuration

Accounting setup

Expense/AR & AP configurat...

Budget configuration

Fixed assets configuration

Inventory maintenance

Bank recon

Recon format

Petty cash configuration

22 Appro...

11 Mess...

28-Jan-2023

English

Azentio Software

(AZENTMAIN)

ANANT

Format Master

Data Matching Rule

Data Matching View

FORMAT PREVIEW

Actions	Field Name	Data Type	Blank Space Padding	Fixed Length	Position	Status
<div><div></div><div></div></div>	Value Date	Date		24	6	Active
<div><div></div><div></div></div>	Transaction Date	Date		12	1	Active
<div><div></div><div></div></div>	Instrument Number	Alphanumeric		24	2	Active
<div><div></div><div></div></div>	Deposits	Numeric		25	3	Active
<div><div></div><div></div></div>	Particulars	Alphanumeric		21	5	Active
<div><div></div><div></div></div>	Withdrawals	Numeric		24	4	Active
6 total						

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify system gives correct match
basis the matching rule defined

(F) Checking the Bank Reconcillation
functionality

AZENTIO

ONEBanking

Business partner setup

General ledger configuration

Accounting setup

Expense/AR & AP configurat...

Budget configuration

Fixed assets configuration

Inventory maintenance

Bank recon

Recon format

Petty cash configuration

22 Appro...

11 Mess...

Format Master

Data Matching Rule

Data Matching View

FORMAT PREVIEW

Actions	Field Name	Data Type	Blank Space Padding	Fixed Length	Position	Status
<div><div></div><div></div></div>	Value Date	Date		24	6	Active
<div><div></div><div></div></div>	Transaction Date	Date		12	1	Active
<div><div></div><div></div></div>	Instrument Number	Alphanumeric		24	2	Active
<div><div></div><div></div></div>	Deposits	Numeric		25	3	Active
<div><div></div><div></div></div>	Particulars	Alphanumeric		21	5	Active
<div><div></div><div></div></div>	Withdrawals	Numeric		24	4	Active

6 total