

# Cucumber Report

17-Feb-2022, 1:43:21 pm

**Start : Feb 17, 1:42:57.446 pm**

**End : Feb 17, 1:43:20.015 pm**

**Duration : 22.569 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 11**


**FAILED - 1**

**SKIPPED - 24**







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Asset Revaluation</u>	1	0	1	0	22.569 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of Asset Revaluation</u>	<u>Alter the Value of an existing asset (de-allocation)</u>	36	11	1	24	22.562 s

**(F)- Check the functionality of Asset Revaluation**



<b>FAILED</b>	<b>DURATION - 22.569 s</b>	Scenarios		Steps	
/ 1:42:57.446 pm // 1:43:20.015 pm /		Total - 1		Total - 36	
		Pass - 0		Pass - 11	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 24	



**(S)- Alter the Value of an existing asset (de-allocation)**


<div>FAILED</div> <div>DURATION - 22.562 s</div>		<div></div>	<div>Steps</div> <div>Total - 36</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 24</div>	<div></div>
<div>/ 1:42:57.453 pm // 1:43:20.015 pm /</div>				
<div>Check the functionality of Asset Revaluation</div>				
<div>@KUBS_FAT_UAT_012_002</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate the Maker Url	PASSED	12.606 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
			
2	Then Choose Second Segment Icon	PASSED	0.324 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And fixed Asset Module	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
			
4	Then Asset deallocation submodule Eye Icon	PASSED	0.486 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		
			
5	And Click Table first Eye Icon	PASSED	0.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot		
			
6	Then Store the Referance No	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Asset Revaluation submodule Eye Icon	PASSED	0.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.418 s
	screenshot		
			
8	And Add Icon button	PASSED	0.261 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
			
9	Then Give Asset Deallocation Reference Number	PASSED	0.545 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
			
10	And Select Asset Item Number	PASSED	0.270 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then Alter the Deallocation Book Value	PASSED	0.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot 		
12	Then save the Revaluation record	FAILED	1.115 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled=""&gt;...&lt;/ion-button&gt; is not clickable at point (1414, 88). Other element would receive the click: &lt;ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated"&gt;...&lt;/ion-buttons&gt; (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [279a379b166a772f49131069a5edace4, clickElement {id=91306f7b-cd7e-4e36-b93d-83fa1f0151ce}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:55514}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55514/devtoo..., se.cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (279a379b166a772f49131069a5edace4)] -&gt; xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 279a379b166a772f49131069a5edace4</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.FIXEDASSET_AssetRevaluation.save_the_revaluation_record(FIXEDASSET_AssetRevaluation.java:129) at ?.save the Revaluation record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/FIXEDASSET_AssetRevaluation.feature:54) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		
			
13	And Go to Maker Notification	SKIPPED	0.001 s
14	Then Select the first Action icon	SKIPPED	0.000 s
15	And Submit Record in maker	SKIPPED	0.001 s
16	Then Give Remark and Submit it	SKIPPED	0.000 s
17	Given Launch Azentio Reviewer Url	SKIPPED	0.000 s
18	And Reviewer Notification icon	SKIPPED	0.000 s
19	Then submitted record from maker	SKIPPED	0.000 s
20	And Approve icon from Reviewer End	SKIPPED	0.001 s
21	Then Enter remark and submit Record	SKIPPED	0.000 s
22	Given Launch Azentio Checker Url	SKIPPED	0.000 s
23	Then Click the Security management	SKIPPED	0.000 s
24	And Click the open pool Note icon	SKIPPED	0.000 s
25	Then Claim the record from Checker	SKIPPED	0.000 s
26	And Checker Notification icon	SKIPPED	0.001 s
27	Then Action Icon from claimed record	SKIPPED	0.000 s
28	And Press Approve icon	SKIPPED	0.000 s
29	Then Submit Record from Checker	SKIPPED	0.000 s




#	Step / Hook Details	Status	Duration
30	Given Navigate the Maker Url	SKIPPED	0.000 s
31	Then Choose Second Segment Icon	SKIPPED	0.001 s
32	And fixed Asset Module	SKIPPED	0.000 s
33	Then Asset Revaluation submodule Eye Icon	SKIPPED	0.000 s
34	And Click search icon button	SKIPPED	0.000 s
35	Then Give the Asset Reference Number	SKIPPED	0.000 s
36	When capture Asset Grid view List	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Alter the Value of an existing asset  
(de-allocation)


(F) Check the functionality of Asset  
Revaluation



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Alter the Value of an existing asset  
(de-allocation)

(F) Check the functionality of Asset  
Revaluation



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Alter the Value of an existing asset  
(de-allocation)

(F) Check the functionality of Asset  
Revaluation

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date 07-Oct-2022, language English, and user information for ANANT. The left sidebar lists various finance-related options: General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), Accounts receivable, and Fixed assets. Under Fixed assets, there are sub-options: Asset creation, Asset transfer, Asset undertaking, Asset sale, and Asset allocation. The main content area displays 'Welcome, anant'. At the bottom, there are buttons for Home and Preference.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Alter the Value of an existing asset  
(de-allocation)

(F) Check the functionality of Asset  
Revaluation

The screenshot shows the Kastle Universal Banking (Beta) interface with the 'Asset De Allocation View' table. The table has columns for Actions, Entity, Branch Code - Name, Asset Code, Asset Reference No, Item No, Deallocated By, and Deallocated Date. The table contains 14 rows of data, showing various asset de-allocation records. The bottom of the table indicates '14 total' records. The interface also includes a sidebar with options like undertaking, Asset sale, Asset allocation, Asset de-allocation, Asset return, Asset replacement, Asset impairment, Asset ammendment, and Asset revaluation. The main content area shows the 'Asset De Allocation View' title and a search icon. At the bottom, there are buttons for Home and Preference.

Actions	Entity	Branch Code - Name	Asset Code	Asset Reference No	Item No	Deallocated By	Deallocated Date
	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	01-001-adjustable table	Demo	1002435	06-Oct-2022
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	ELECTRONICS-LAP001	1245	1002435	04-Oct-2022
	Azentio Software	BR0003 - East Zone	01-001-adjustable table	01-001-adjustable table	321	1002435	04-Oct-2022
	Azentio Software	AZENTMAIN - Azentio N	MACHINARY-AIRCOND	MACHINARY-AIRCOND	Coolers01	1002435	02-Jun-2022
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	ELECTRONICS-LAP001	Line Printer02	1002435	04-Oct-2022
	Azentio Software	BR0003 - East Zone	01-001-adjustable table	01-001-adjustable table	ADJUST-003	1002435	02-Jun-2022
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	ELECTRONICS-LAP001	NewDellLPT001	1002435	02-Jun-2022
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	ELECTRONICS-LAP001	555	1002435	02-Jun-2022

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Alter the Value of an existing asset  
(de-allocation)

(F) Check the functionality of Asset  
Revaluation

Kastle Universal Banking (Beta) 07-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset De Allocation View

Actions	Entity	Branch Code - Name	Asset Code	Asset Reference No	Item No	Deallocated By	Deallocated Date
	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	01-001-adjustable table	Demo	1002435	06-Oct-2022
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	ELECTRONICS-LAP001	1245	1002435	04-Oct-2022
	Azentio Software	BR0003 - East Zone	01-001-adjustable table	01-001-adjustable table	321	1002435	04-Oct-2022
	Azentio Software	AZENTMAIN - Azentio N	MACHINARY-AIRCOND	MACHINARY-AIRCOND	Coolers01	1002435	02-Jun-2022
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	ELECTRONICS-LAP001	Line Printer02	1002435	04-Oct-2022
	Azentio Software	BR0003 - East Zone	01-001-adjustable table	01-001-adjustable table	ADJUST-003	1002435	02-Jun-2022
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	ELECTRONICS-LAP001	NewDellLPTP001	1002435	02-Jun-2022
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	ELECTRONICS-LAP001	555	1002435	02-Jun-2022

14 total

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Alter the Value of an existing asset  
(de-allocation)

(F) Check the functionality of Asset  
Revaluation

Kastle Universal Banking (Beta) 07-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Fixed Asset De-Allocation

* Asset Reference Number	Asset Code	Asset Description
01-001-adjustable table_BOB667_4435	01-001-adjustable table	adjustable table
* Item Number	Item Description	*De-Allocation Employee Id
Demo	adjustable table	
Employee Name	*De-Allocation Date	Allocation By
	06-Oct-2022	1002435
Status		
ACTIVE		

Home Preference

















(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Alter the Value of an existing asset  
(de-allocation)

(F) Check the functionality of Asset  
Revaluation

Kastle Universal Banking (Beta) 07-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation View

Actions	entity	Branch Code - Name	Asset Reference No	Item No	Book Value	Old Book Value	Status
 	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	1	11111111		Active
 	Azentio Software	BR0003 - East Zone	ELECTRONICS-LAP001	1	2000000		Active
 	Azentio Software	AZENTMAIN - Azentio N	01-001-Table_AZENTM	12332111	123444		Active
 	Azentio Software	AZENTMAIN - Azentio N	FIXTURESANDFITTING: 1289		10000		Active
 	Azentio Software	BR0003 - East Zone	FIXTURESANDFITTING: 1425		10000		Active
 	Azentio Software	AZENTMAIN - Azentio N	FIXTURESANDFITTING: 1025		10000		Active
 	Azentio Software	BR0007 - Andheri Branc	FIXTURESANDFITTING: Stair-002				Active
 	Azentio Software	AZENTMAIN - Azentio N	FIXTURESANDFITTING: 14278		10000		Active

162 total

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Alter the Value of an existing asset  
(de-allocation)

(F) Check the functionality of Asset  
Revaluation

Kastle Universal Banking (Beta) 07-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation

\* Asset Reference Number

Asset Code

Asset Description

\* Item Number

Item Description

\* Book Value

INR x

Inventory management  
Petty cash  
Bank recon

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Alter the Value of an existing asset  
(de-allocation)

(F) Check the functionality of Asset  
Revaluation

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Alter the Value of an existing asset  
(de-allocation)

(F) Check the functionality of Asset  
Revaluation

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Alter the Value of an existing asset  
(de-allocation)

(F) Check the functionality of Asset  
Revaluation

Kastle Universal Banking (Beta)

07-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation

\* Asset Reference Number Asset Code Asset Description

\* Item Number Item Description \* Book Value 80,000.00 INR

No items found

Inventory management Petty cash Bank recon

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Alter the Value of an existing asset  
(de-allocation)

(F) Check the functionality of Asset  
Revaluation

Kastle Universal Banking (Beta)

07-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Asset Revaluation

\* Asset Reference Number Asset Code Asset Description

\* Item Number Item Description \* Book Value 80,000.00 INR

No items found

Inventory management Petty cash Bank recon

22 Appro... 11 Messa...

Home Preference