

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionally	1	1	0	0	21.975 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget	budget for Budgetcode type Quaterly	13	13	0	0	21.969 s
	Request and Allocation functionally						

DETAILED SECTION -- 4 --

(F)- Check The Azentio UAT Budget Request and Allocation functionally

PASSED	DURATION - 21.975 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 10:22:01.428 ar	m // 10:22:23.403 am /	Pass - 1	1	Pass - 13	13
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- budget for Budgetcode type Quaterly




#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	11.776 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
	TOTAL STATE OF THE PARTY OF THE		
2	Then click the Two Direction Icon	PASSED	0.299 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot		


#	Step / Hook Details	Status	Duration
	The Control Address of		
3	And click to the Budget	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot]	
	The Contractive to the Contracti		
4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.289 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The content of	PASSED	0.255 s
5	And click on the Add icon in Request and Allocation	PASSED	0.224 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
6	Then select to Budget Code	PASSED	0.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot	1	

7 And select the Budget Year PASSED 0.195 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) Screenshot PASSED 0.108 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.108 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.279 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.079 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.151 s Then click on the Branch ok button PASSED 0.244 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.244 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(jo.cucumber.java.Scenario) PASSED 0.244 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then click on the Branch ok button PASSED 0.193 s 0.193 s 0.193 s		© Norman (a) 1		
Screenshot 8 Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then click on the Branch ok button PASSED 0.244 s	7	And select the Budget Year	PASSED	0.195 s
8 Then click on the Branch PASSED 0.108 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select the one Branch PASSED 0.079 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.079 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.151 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
8 Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.079 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 10 Then click on the Branch ok button PASSED 0.244 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 creenshot 10 Then click on the Branch ok button PASSED 0.279 s 0.279 s 0.279 s		The state of the s		
9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then click on the Branch ok button PASSED 0.079 s 0.151 s 0.151 s	8	Then click on the Branch	PASSED	0.108 s
9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then click on the Branch ok button PASSED 0.079 s 0.151 s PASSED 0.244 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
9 And select the one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then click on the Branch ok button PASSED 0.079 s 0.151 s PASSED 0.244 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then click on the Branch ok button PASSED 0.151 s PASSED 0.244 s				
screenshot Then click on the Branch ok button PASSED 0.244 s	9	And select the one Branch	PASSED	0.079 s
10 Then click on the Branch ok button PASSED 0.244 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
10 Then click on the Branch ok button PASSED 0.244 s		screenshot		
		The state of the s		
AETER STEP - stendefinitions HooksClass addScreenshot(in cucumber java Scenario) PASSED 0.297 s	10	Then click on the Branch ok button	PASSED	0.244 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
screenshot			1	


#	Step / Hook Details	Status	Duration
11	Then select one currency we need	PASSED	0.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.140 s
12	And Enter the Amount for Quarterly Budget type	PASSED	0.830 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
	Description		
13	And click on the save button	PASSED	2.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		
	State Stat		

EXPANDED SECTION --- 8 --







EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

