

# Cucumber Report

Mar 31, 2022, 7:05:47 PM

Start : Mar 31, 7:05:25.151 PM

End : Mar 31, 7:05:46.066 PM

Duration : 20.915 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 4  
FAILED - 1  
SKIPPED - 37







#	Feature Name	T	P	F	S	Duration
1	<u>To check the asset impairment module in fixed asset module</u>	1	0	1	0	20.915 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To check the asset impairment module in fixed asset module</u>	<u>Check the impairment of asset</u>	42	4	1	37	20.909 s




**(F)- To check the asset impairment module in fixed asset module**


<b>FAILED</b>	<b>DURATION - 20.915 s</b>	Scenarios		Steps	
/ 7:05:25.151 PM // 7:05:46.066 PM /		Total - 1		Total - 42	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 37	

**(S)- Check the impairment of asset**

<div>FAILED</div> <div>DURATION - 20.909 s</div>			<div>Steps</div> <div>Total - 42</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 37</div>	
/ 7:05:25.157 PM // 7:05:46.066 PM /				
To check the asset impairment module in fixed asset module				
@KUBS_FAT_UAT_009_001				

#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	12.594 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.629 s
	screenshot		
			
2	And click on fixed asset main module	PASSED	0.485 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And goto asset creation module	PASSED	0.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.601 s
	screenshot		
			
4	And click on search icon	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.529 s
	screenshot		
			
5	And search the active record in asset creation module	FAILED	0.282 s
	<p>org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dd609a818652b16c63fb6bd92fb7bd62, executeScript {script=return document.getElementById('assetReferenceNumber')[1].value, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\goog-chrome-Options: {debuggerAddress: localhost:57967}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57967/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: dd609a818652b16c63fb6bd92fb7bd62</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21) at stepdefinitions.FIXEDASSET_AssetImpairment.search_the_active_record_in_asset_creation_module(FIXEDASSET_AssetImpairment.java:424) at ?.search the active record in asset creation module(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkMasterNew/AzentioAutomationFramework/src/test/java/features/FIXEDASSET_AssetImpairment.feature:9) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.494 s
	screenshot		
			
6	And click on view button near by asset impairment module	SKIPPED	0.001 s
7	And click on Add Icon	SKIPPED	0.001 s
8	Then Check System shuld display the input fields	SKIPPED	0.001 s
9	And select asset reference number	SKIPPED	0.001 s
10	And choose the asset Item no	SKIPPED	0.001 s
11	And choose the transcation type as impairment	SKIPPED	0.001 s
12	Then click on Save Button	SKIPPED	0.000 s
13	Then click on notification button	SKIPPED	0.000 s
14	Then choose first record in the notification record	SKIPPED	0.001 s
15	And click on Submit button	SKIPPED	0.001 s
16	Then enter remark in confirmation alert	SKIPPED	0.001 s
17	Then click on submit button in alert	SKIPPED	0.000 s
18	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
19	Then logout from maker	SKIPPED	0.000 s
20	And login with reviewer credentials	SKIPPED	0.000 s
21	Then click on notification button	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
22	And select our record in notification records using reference ID	SKIPPED	0.001 s
23	Then Approve the record from reviewer	SKIPPED	0.000 s
24	And enter the remark in alert	SKIPPED	0.001 s
25	Then click on submit in alert	SKIPPED	0.000 s
26	Then verify the approval status of the record	SKIPPED	0.000 s
27	And logout from reviewer	SKIPPED	0.001 s
28	Then login as a checker	SKIPPED	0.001 s
29	And click on security management menu in checker	SKIPPED	0.000 s
30	Then click on action button under security management menu	SKIPPED	0.001 s
31	And select our record and clime using reference ID	SKIPPED	0.000 s
32	Then click on Notification button	SKIPPED	0.000 s
33	Then select our record in notification records by the help of reference ID	SKIPPED	0.001 s
34	And click on approve button in checker stage	SKIPPED	0.000 s
35	Then give alert remark	SKIPPED	0.000 s
36	Then click on submit button on alert	SKIPPED	0.001 s
37	And verify the record got approved from checker	SKIPPED	0.001 s
38	Then logout from checker	SKIPPED	0.001 s
39	And login with Maker ID	SKIPPED	0.000 s
40	And click on fixed asset main module	SKIPPED	0.000 s
41	And click on view button near by asset impairment module	SKIPPED	0.001 s
42	Then check the approved record is displayed in appeared in maker list view stage	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check the impairment of asset


(F) To check the asset impairment  
module in fixed asset module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check the impairment of asset

(F) To check the asset impairment  
module in fixed asset module





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check the impairment of asset

(F) To check the asset impairment  
module in fixed asset module

Kastle Universal Banking (Beta) 11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Asset Creation View

Actions	Entity	Branch Code - Name	Asset Code	Asset Description	Asset Reference No	External Reference No	Status
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	ASUS Laptops for Office	ELECTRONICS-LAP001		Active
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	Apple Laptop	ELECTRONICS-LAP001		Active
	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	adjustable table	01-001-adjustable table		Active
	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	adjustable table	01-001-adjustable table	230	Active
	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	adjustable table	01-001-adjustable table	228	Active
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	001-Freedom255	ELECTRONICS-LAP001	01	Active
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	001-Freedom255	ELECTRONICS-LAP001	217	Active
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	Apple Laptop	ELECTRONICS-LAP001		Active

2/6 total

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check the impairment of asset

(F) To check the asset impairment  
module in fixed asset module

Kastle Universal Banking (Beta) 11-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Asset Creation View

Actions	Entity	Branch Code - Name	Asset Code	Asset Description	Asset Reference No	External Reference No	Status
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	ASUS Laptops for Office	ELECTRONICS-LAP001		Active
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	Apple Laptop	ELECTRONICS-LAP001		Active
	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	adjustable table	01-001-adjustable table		Active
	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	adjustable table	01-001-adjustable table	230	Active
	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	adjustable table	01-001-adjustable table	228	Active
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	001-Freedom255	ELECTRONICS-LAP001	01	Active
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	001-Freedom255	ELECTRONICS-LAP001	217	Active
	Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	Apple Laptop	ELECTRONICS-LAP001		Active

2/6 total

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check the impairment of asset

(F) To check the asset impairment  
module in fixed asset module

Finance

Asset creation

Asset transfer

Asset undertaking

Asset sale

Asset allocation

22 Appro...

11 Messa...

Asset Creation View

Entity	Branch Code - Name	Asset Code	Asset Description	Asset Reference No	External Reference No	Status
Search Entity	Search Branch Co	Search Asset Cod	Search Asset Des	Search Asset Refe	Search External R	Active
Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	ASUS Laptops for Office	ELECTRONICS-LAP001		Active
Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	Apple Laptop	ELECTRONICS-LAP001		Active
Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	adjustable table	01-001-adjustable table		Active
Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	adjustable table	01-001-adjustable table	230	Active
Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	adjustable table	01-001-adjustable table	228	Active
Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	001-Freedom255	ELECTRONICS-LAP001	01	Active
Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	001-Freedom255	ELECTRONICS-LAP001	217	Active
Azentio Software	AZENTMAIN - Azentio N	ELECTRONICS-LAP001	Apple Laptop	ELECTRONICS-LAP001		Active

2/6 total

Home

Preference