

# Cucumber Report

Mar 24, 2022, 3:04:13 PM

**Start : Mar 24, 3:04:06.388 PM**

**End : Mar 24, 3:04:11.727 PM**

**Duration : 5.339 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 0**

**SKIPPED - 13**







#	Feature Name	T	P	F	S	Duration
1	Budget Transfer	1	0	1	0	5.339 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Budget Transfer</u>	<u>BP_BT_05_02 To verify system generates notification at checker1 login</u>	13	0	0	13	5.332 s

**(F)- Budget Transfer**

<b>FAILED</b>	<b>DURATION - 5.339 s</b>	Scenarios		Steps	
/ 3:04:06.388 PM // 3:04:11.727 PM /		Total - 1		Total - 13	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 13	

**(S)- BP\_BT\_05\_02 To verify system generates notification at checker1 login**

<div>FAILED</div> <div>DURATION - 5.332 s</div>			Steps	
/ 3:04:06.395 PM // 3:04:11.727 PM /			Total - 13	
Budget Transfer			Pass - 0	
@Budget_BudgetTransfer_BP_BT_05_02			Fail - 0	
@multiauth			Skip - 13	

#	Step / Hook Details	Status	Duration
	<b>BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)</b> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 98 Current browser version is 96.0.4664.45 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)	<b>FAILED</b>	5.276 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given navigate to kubs url and login as maker user	SKIPPED	0.000 s
2	And Maker click on the direction tab	SKIPPED	0.001 s
3	Then Maker click on the budget	SKIPPED	0.000 s
4	Then Maker click on budget transfer eye button	SKIPPED	0.000 s
5	And Maker click on add button	SKIPPED	0.001 s
6	Then Maker fill the details and save	SKIPPED	0.000 s
7	Then Maker click on the notification icon	SKIPPED	0.000 s
8	Then Maker submit the budget transfer record	SKIPPED	0.000 s
9	Then Navigate to Url and login as a reviewer	SKIPPED	0.000 s
10	When Click on Notification button	SKIPPED	0.000 s
11	And Find the budget code which submitted from maker user	SKIPPED	0.000 s
12	Then Click on action button	SKIPPED	0.001 s
13	And Verify the record	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		