


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	1	0	0	40.643 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	System should follow the flow as Reviewer record approve	19	19	0	0	40.638 s
	feature module	view in Notification					

DETAILED SECTION

(F)- Check Budget Request and Allocation feature module

PASSED	DURATION - 40.643 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 7:29:23.749 am	// 7:30:04.392 am /	Pass - 1	1	Pass - 19	19
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- System should follow the flow as Reviewer record approve view in Notification

PASSED DURATION - 40.638 s	l																Steps	
/ 7:29:23.754 am // 7:30:04.392 am /	10											-					Total - 19	
Check Budget Request and Allocation feature module	5	- -							-			-					Pass - 19	19
@KUBS_Reviewer_Approve_Notification_BP_BC- _05_02	0		1 2	3	4	5	6	7	8	9	10	11	12	13	14	15	Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio Maker Url	PASSED	11.708 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
	The Control Space of		
2	Then Click Transfer Icon	PASSED	0.259 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		

#	Step / Hook Details	Status	Duration
	# Date (recorded to the control of t		
3	And Click on Budget Module	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
	# 10 miles (10 miles)		
4	Then Click on Budget Sub module Near Eye Icon	PASSED	0.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.258 s
5	And Click on Add icon in Request and Allocation	PASSED	0.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### Comparison of Co	PASSED	0.221 s
6	Then New Budget Code	PASSED	0.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
	And Click on Add icon in Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then New Budget Code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s 0.225 s

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED PASSED	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8				
screenshot Then Click on Branch AftER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AftER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AftER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AftER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AftER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Then Click on Branch ok button AftER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s	7		PASSED	
8 Then Click on Branch AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 9 And choose Branch AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 10 Then Click on Branch ok button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.200 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
### Then Click on Branch PASSED 0.199 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.266 s PASSED 0.266 s PASSED 0.266 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.161 s To Then Click on Branch ok button PASSED 0.096 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.096 s PASSED 0.096 s PASSED 0.096 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And choose Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And choose Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.266 s 0.125 s 0.161 s		O surface O su		
screenshot 9 And choose Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.096 s PASSED 0.200 s	8	Then Click on Branch	PASSED	0.199 s
9 And choose Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.096 s PASSED 0.200 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
9 And choose Branch PASSED 0.125 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Click on Branch ok button PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.096 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.161 s PASSED 0.096 s PASSED 0.096 s PASSED 0.200 s				
screenshot 10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.096 s 0.200 s	9	And choose Branch	PASSED	0.125 s
10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.096 s 0.200 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.096 s 0.200 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s				
	10	Then Click on Branch ok button	PASSED	0.096 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
			1	


#	Step / Hook Details	Status	Duration
11	Then Choose one currency	PASSED	0.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
	Description		
12	And Enter Amount which Budget Type Show in budget type	PASSED	4.552 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		
	Part		
13	And click on save button	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
	Part Speciment Speciment		
14	Then Click on Maker Notification button	PASSED	1.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.588 s
	screenshot		

15 And Click on Record submit AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 16 Given Navigate the Azentio Url login as Reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.222 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.141 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 16 Given Navigate the Azentio Url login as Reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED O.222 s 0.222 s
Screenshot 16 Given Navigate the Azentio Url login as Reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot
16 Given Navigate the Azentio Url login as Reviewer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The standard of the standa
16 Given Navigate the Azentio Url login as Reviewer AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) Screenshot The step of the ste
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot
screenshot ***
■ © continuency Section Sectio
17 Then Capture to Notification icon PASSED 0.800 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s
screenshot
100 Figure Figure
18 And Click the referance action icon PASSED 0.148 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.392 s


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	# © Professional Space - Annual Spac		
19	Then Approve the record and get the Notification	PASSED	2.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot		
	# 10 months Final pair statement Final pair Final p		


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --






EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --

