


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	1	0	0	3 m 2.668 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Check if other centre can accept the asset once received in	21	21	0	0	3 m 2.659 s
		their branch					

DETAILED SECTION -- 4 --

(F)- FIXED ASSETS

PASSED	DURATION - 3 m 2.668 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 12:17:13.304 A	M // 12:20:15.972 AM /	Pass - 1	1	Pass - 21	21
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check if other centre can accept the asset once received in their branch

PASSED DURATION - 3 m 2.659 s	60 -								-					-			Steps		
/ 12:17:13.313 AM // 12:20:15.972 AM /	40 -					1	-		-					-			Total - 21 Pass - 21	21	
FIXED ASSETS	20 -					ł	-		-		- -	j			-		Fail - 0	21	
@KUBS_FAT_UAT_005_005	0 -	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	Skip - 0		

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	16.614 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.669 s
	screenshot		
	■ ② ***********************************		
2	And user should navigate to fixed assets menu	PASSED	1.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.380 s
	screenshot		

When click on eye button of asset transfer	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click on add button for asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.200 s		1		
screenshot And click on add button for asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s	3	When click on eye button of asset transfer	PASSED	1.466 s
4 And click on add button for asset transfer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot And Fill the required fields for asset transfer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.200 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.747 s
4 And click on add button for asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Fill the required fields for asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Fill the required fields for asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Save and submit the asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.836 s PASSED 0.200 s		0		
screenshot 5 And Fill the required fields for asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Save and submit the asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.836 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s	4	And click on add button for asset transfer	PASSED	0.715 s
5 And Fill the required fields for asset transfer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Save and submit the asset transfer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.836 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.447 s
5 And Fill the required fields for asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Save and submit the asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.836 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Save and submit the asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.836 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.269 s		0		
Screenshot 6 Then Save and submit the asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s	5	And Fill the required fields for asset transfer	PASSED	1 m 8.665 s
6 Then Save and submit the asset transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
6 Then Save and submit the asset transfer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s				
	6	Then Save and submit the asset transfer	PASSED	6.836 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
		screenshot		


7 And User should go to the kubs url and login as a reviewer user PASSED 17.133	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.484	· S
screenshot	
© 100 markets	
8 Then Click on notification button in reviewer 0.507	's
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.604	· S
screenshot	
Part Part	
9 And approve the record by the reviewer user 4.253	s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.181	. S
screenshot	
C C C C C C C C C C	
10 Given User should go to the kubs url and login as a maker user for FAUM PASSED 7.023	s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.161	. S

#	Step / Hook Details	Status	Duration
	# O TOTAL CONTINUES OF THE PROPERTY OF THE PRO		
11	Then click on notification in checker	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.519 s
	screenshot		
	## © 100 100		
12	And Maker user should received the transferred asset	PASSED	7.763 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Texation**	PASSED	1.109 s
13	Then maker user should submit in undertaking	PASSED	3.411 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.211 s
14	And User should go to the kubs url and login as a reviewer user	PASSED	8.036 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot		


#	Step / Hook Details	Status	Duration
	#		
15	Then Click on notification button in reviewer	PASSED	0.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.564 s
	screenshot	1	
	### C MARCHANICA 1		
16	And approve the record by the final checker user	PASSED	4.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.163 s
17	Given User should go to the kubs url and login as a maker user	PASSED	7.608 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.228 s
18	And user should navigate to fixed assets menu	PASSED	0.868 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.330 s

#	Step / Hook Details	Status	Duration
	■ O ANTI-ORDINATES WIND DE SANT - ORDINATES - ORDINA		
19	When click on eye button of asset undertaking	PASSED	0.451 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot		
	## OF STATE 1		
20	Then click on first view button to see the Transferred to Branch	PASSED	0.618 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
	** ** ** ** ** ** ** *		
21	And maker should logout	PASSED	0.199 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
	## OF THE PARTY OF		


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

