


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check the asset impairement module in fixed asset module	1	0	1	0	29.500 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check the asset impairement	Check the impairement of asset (re-valued)	43	12	1	30	29.492 s
	module in fixed asset module						

DETAILED SECTION

(F)- To check the asset impairement module in fixed asset module

FAILED	DURATION - 29.500 s	Scenarios		Steps	
		Total - 1		Total - 43	
7:51:08.812 PN	M // 7:51:38.312 PM /	Pass - 0	1	Pass - 12	43
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 30	


(S)- Check the impairement of asset (re-valued)



#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	13.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
2	And click on fixed asset main module	PASSED	0.719 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		

3 And go to revalued asset module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The standard of the standard
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot
Screenshot
STATE OF THE PART OF THE P
4 And click on search icon PASSED 0.127 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.260 s
Screenshot
5 And get the active reference number in asset re valuation module PASSED 0.375 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.155 s
screenshot
Total State
6 And click on view button near by asset impairement module PASSED 0.239 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.549 s


7 And click on Add Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then Check System shuld display the input fields AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select asset reference number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select asset reference number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And choose the asset Item no And choose the asset Item no PASSED 0.195 s 0.216 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED 0.195 s 0.216 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED 0.218 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED 0.183 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then Check System shuld display the input fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select asset reference number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select asset reference number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And cooks the asset item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And choose the asset item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And choose the asset item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 And choose the asset item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.339 s 0.126 s PASSED 0.126 s PASSED 0.216 s PASSED 0.183 s		*** ***		
screenshot Then Check System shuld display the input fields	7	And click on Add Icon	PASSED	0.302 s
8 Then Check System shuld display the input fields AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select asset reference number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select asset reference number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.126 s 0.142 s 0.142 s 0.142 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
8 Then Check System shuld display the input fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And select asset reference number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.126 s 0.142 s 0.142 s 0.195 s PASSED 0.195 s 0.195 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select asset reference number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s 0.142 s 0.142 s		1		
Screenshot 9 And select asset reference number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.989 s 0.195 s	8	Then Check System shuld display the input fields	PASSED	0.126 s
9 And select asset reference number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 10 And choose the asset Item no AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.216 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.183 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
9 And select asset reference number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.216 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.216 s PASSED O.183 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.195 s PASSED 0.216 s PASSED 0.218 s				
Screenshot 10 And choose the asset Item no AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.216 s 0.183 s	9	And select asset reference number	PASSED	0.989 s
10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.216 s 0.183 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
10 And choose the asset Item no AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.216 s 0.183 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.183 s		1		
	10	And choose the asset Item no	PASSED	0.216 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
		screenshot	1	




DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
14	Then click on notification button	SKIPPED	0.001 s
15	Then choose first record in the notification record	SKIPPED	0.000 s
16	And click on Submit button	SKIPPED	0.000 s
17	Then enter remark in confirmation alert	SKIPPED	0.000 s
18	Then click on submit button in alert	SKIPPED	0.000 s
19	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
20	Then logout from maker	SKIPPED	0.000 s
21	And login with reviewer credentials	SKIPPED	0.000 s
22	Then click on notification button	SKIPPED	0.000 s
23	And select our record in notification records using reference ID	SKIPPED	0.000 s
24	Then Approve the record from reviewer	SKIPPED	0.000 s
25	And enter the remark in alert	SKIPPED	0.000 s
26	Then click on submit in alert	SKIPPED	0.000 s
27	Then verify the approval status of the record	SKIPPED	0.000 s
28	And logout from reviewer	SKIPPED	0.000 s
29	Then login as a checker	SKIPPED	0.000 s
30	And click on security management menu in checker	SKIPPED	0.000 s
31	Then click on action button under security management menu	SKIPPED	0.000 s
32	And select our record and clime using reference ID	SKIPPED	0.001 s
33	Then click on Notification button	SKIPPED	0.000 s
34	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s
35	And click on approve button in checker stage	SKIPPED	0.000 s
36	Then give alert remark	SKIPPED	0.000 s
37	Then click on submit button on alert	SKIPPED	0.000 s
38	And verify the record got approved from checker	SKIPPED	0.001 s
39	Then logout from checker	SKIPPED	0.000 s
40	And login with Maker ID	SKIPPED	0.000 s
41	And click on fixed asset main module	SKIPPED	0.000 s
42	And click on view button near by asset impairement module	SKIPPED	0.000 s
43	Then check the approved record is displayed in appeared in maker list view stage	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

