

# Cucumber Report

Feb 23, 2022, 4:22:28 AM

Start : Feb 23, 4:21:28.738 AM

End : Feb 23, 4:22:27.428 AM

Duration : 58.690 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 8  
FAILED - 1  
SKIPPED - 7







#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Receivable Advances <u>functionality</u>	1	0	1	0	58.690 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Acount Receivable Advances functionality</u>	<u>Advance to employee must be created and displayed in approved list view.</u>	16	8	1	7	58.687 s



**(F)- Checking the Account Receivable Advances functionality**




<b>FAILED</b>	<b>DURATION - 58.690 s</b>	Scenarios		Steps	
/ 4:21:28.738 AM // 4:22:27.428 AM /		Total - 1		Total - 16	
		Pass - 0		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

**(S)- Advance to employee must be created and displayed in approved list view.**

<div>FAILED</div> <div>DURATION - 58.687 s</div>		<div>Steps</div> <div>Total - 16</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 4:21:28.741 AM // 4:22:27.428 AM /			
Checking the Account Receivable Advances functionality			
@KUBS_AR/AP_UAT_002_003_TC_01			
@MultiAuth			

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.641 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
			
2	Then Click on Direction icon	PASSED	2.310 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Account Recivable button	PASSED	0.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot 		
4	Then Click on Account Recivable Advances eye button	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot 		
5	Then Click to add record in Account Recivable	PASSED	0.427 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot 		
6	Then Fill the form for Account Recivable	PASSED	6.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.092 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Click on save button to save the Record for Account Recivable	PASSED	2.091 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot 		
8	Then Click on Account Payable Notification	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot 		
9	Then Select the record from Notification  org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [31d1ae56b7b6502a8843005fe81b66df, isElementDisplayed [id=7d379225-cd34-478b-af0a-d39fd176673c]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59496/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (31d1ae56b7b6502a8843005fe81b66df)] -> xpath: //span[contains(text(),'50')]] Session ID: 31d1ae56b7b6502a8843005fe81b66df at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)	FAILED	28.843 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.AccountPayable_VendorPurchaseOrder.select_the_record_from_notification(AccountPayable_VendorPurchaseOrder.java:249) at ?.Select the record from Notification(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountReivable_AccountReivableAdvances.feature:14) * Not displayable characters are replaced by '?'. </pre>		
	<p><b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b></p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [31d1ae56b7b6502a8843005fe81b66df, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:59496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59496/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 31d1ae56b7b6502a8843005fe81b66df at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) </pre>	FAILED	4.018 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
10	And Submit the Selected record	SKIPPED	0.000 s
11	Then log in to the reviewer account	SKIPPED	0.000 s
12	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
13	Then log in to the Checker Account	SKIPPED	0.001 s
14	And then checker claim the record	SKIPPED	0.000 s
15	Then click on the checker Notification	SKIPPED	0.000 s
16	And select the record and Approve by checker	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)  org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [31d1ae56b7b6502a8843005fe81b66df, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:59496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59496/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 31d1ae56b7b6502a8843005fe81b66df at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)	FAILED	0.245 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Advance to employee must be created  
and displayed in approved list view.


(F) Checking the Account Receivable  
Advances functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Advance to employee must be created  
and displayed in approved list view.


(F) Checking the Account Receivable  
Advances functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Advance to employee must be created  
and displayed in approved list view.


(F) Checking the Account Receivable  
Advances functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Advance to employee must be created  
and displayed in approved list view.

(F) Checking the Account Receivable  
Advances functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Advance to employee must be created  
and displayed in approved list view.

(F) Checking the Account Receivable  
Advances functionality

Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Advances

Actions	Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
	AZENTMAIN - Azentio Main Branch	Advance Against PO	ADV_26_2322022	Bonton Agency	1000	19-Oct-2022	Cancelled
	AZENTMAIN - Azentio Main Branch	Advance Against PO	ADV_25_2322022	Bonton Agency	1000	19-Oct-2022	Cancelled
	AZENTMAIN - Azentio Main Branch	Advance Against PO	ADV_24_2322022	Visya Industries Ltd	100000.5	01-Jan-2022	Active
	AZENTMAIN - Azentio Main Branch	Advance Against PO	ADV_23_2322022	Bonton Agency	1000	19-Oct-2022	Cancelled
	AZENTMAIN - Azentio Main Branch	Advance Against PO	ADV_22_2322022	Bonton Agency	1000	19-Oct-2022	Cancelled
	AZENTMAIN - Azentio Main Branch	Advance To Employee	ADV_21_2322022	Gangeeta	20000	19-Oct-2022	Cancelled
	AZENTMAIN - Azentio Main Branch	Advance Against PO	ADV_20_2222022	Bonton Agency	1000	19-Oct-2022	Cancelled
	BRO003 - East Zone	Advance To Employee	ADV_19_1712022	Shisankar Sivanand Lahi	50000	02-Jun-2022	

26 total

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Advance to employee must be created  
and displayed in approved list view.

(F) Checking the Account Receivable  
Advances functionality

Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Advances

\* Entity Branch: Azentio Main Branch

\* Receivable Name: Advance To Employee

Business Partner/Employee Name: Mehta

Advance Number:

\* Date: 19-Oct-2022

Po Number:

\* Payment Mode: Cheque

\* Amount: 5,000.00 INR

Cost Center: FINANCE

\* Description: ADV

\* Status: Active

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Advance to employee must be created  
and displayed in approved list view.

(F) Checking the Account Receivable  
Advances functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Advances View

Actions	Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio N.	Advance To Employee			5000	19-Oct-2022	Active
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio N.	Advance To Employee			5000	19-Oct-2022	Active
2 total							

success

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Advance to employee must be created  
and displayed in approved list view.

(F) Checking the Account Receivable  
Advances functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Advances View

Inbox

Actions	Branch Code - Name	Receivable Name	ADV Number	BP Name	Amount	Date	ADV Status
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio N.	Advance To Employee			5000	19-Oct-2022	Active
No data to display	AZENTMAIN - Azentio N.	Advance To Employee			5000	19-Oct-2022	Active
0 total							
2 total							

success

22 Appro... 11 Messa...

Home Preference